

DAFTAR PUSTAKA

- [1] Aminur, Samhuddin, B. Sudia, and Sudarsono, “Biokomposit Polimer Berpenguat Serat Rami dan Partikel Tempurung Kelapa Sebagai Material Kampas Rem Sepeda Motor,” *Semin. Nas. Inov. dan Apl. Teknol. di Ind.* 2019, pp. 344–350, 2019.
- [2] H. Angga, “Pengaruh Penambahan Selulosa Bakteri Pada Matriks Polyvinyl Alcohol (PVA) dan Pati Ubi Kayu Terhadap Sifat Mekanik dan Serapan Uap Air,” 2018.
- [3] S. W. Pratiwi, S. N. Sari, R. NurmalaSari, and M. Indriani, “Utilization of Nata De Coco as Adsorben in Methyl Orange Adsorption,” *EduChemia (Jurnal Kim. dan Pendidikan)*, vol. 5, no. 2, p. 187, 2020, doi: 10.30870/educhemia.v5i2.7977.
- [4] H. Abral *et al.*, “Characterization of compressed bacterial cellulose nanopaper film after exposure to dry and humid conditions,” *J. Mater. Res. Technol.*, vol. 11, pp. 896–904, 2021, doi: 10.1016/j.jmrt.2021.01.057.
- [5] P. Thaveemas, L. Chuenchom, S. Techasakul, W. Watcharin, and D. Dechtrirat, “Facile preparation of magnetic carbon nanofiber composite from nata de coco for removal of methylene blue dye from water,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 773, no. 1, 2020, doi: 10.1088/1757-899X/773/1/012006.
- [6] M. A. N. K. Cilegon, “4) 2 –,” vol. 2, no. 1, pp. 67–71, 2022.
- [7] S. Sunardi, N. Noviyanti, W. T. Istikowati, K. Nisa, and M. Anwar, “Analisis Komponen Serat Pelepah Sagu (*Metroxylon Sago*) Dan Kajian Morfologi Selulosanya Setelah Oksidasi Menggunakan Amonium Persulfat,” *J. Sains dan Terap. Kim.*, vol. 15, no. 1, p. 48, 2021, doi: 10.20527/jstk.v15i1.9724.
- [8] Z. Z. and C. L. Z. Zhan, Q. Song, “Ultrastrong and conductive MXene/cellulose nanofiber films enhanced by hierarchical nano-architecture and interfacial interaction for flexible electromagnetic interference shielding,” 2019, [Online]. Available: <https://pubs.rsc.org/en/content/articlehtml/2019/tc/c9tc03309b>
- [9] J. Michael, Z. Qifeng, and W. Danling, “Titanium carbide MXene: Synthesis, electrical and optical properties and their applications in sensors and energy storage devices,” *Nanomater. Nanotechnol.*, vol. 9, pp. 1–9, 2019, doi: 10.1177/1847980418824470.
- [10] B. Mahardika, “Perubahan Nilai Konduktivitas Listrik Dari Film Pva/Mxene Yang Disebabkan Oleh Variasi Komposisi Gambir,” 2021.

- [11] L. Ariana, A. Mohamed, H. Christine, S. Asia, D. Genevieve, and G. Yury, “Electrospun MXene/Carbon Nanofibers as Supercapacitor Electrodes,” *J. Mater. Chem. A*, vol. 7, no. 1, pp. 269–277, 2018.
- [12] Z. Feng, Y.; Deng, Q.; Peng, C.; Hu, J.; Li, Y.; Wu, Q.; Xu, “An ultrahigh discharged energy density achieved in an inhomogeneous PVDF dielectric composite filled with 2D MXene nanosheets via interface engineering,” vol. 6, pp. 13283–13292, 2018, [Online]. Available: <https://pubs.rsc.org/en/content/articlehtml/2017/sc/c8tc05180a>
- [13] H. Abral *et al.*, “Effect of heat treatment on thermal resistance , transparency and antimicrobial activity of sonicated ginger cellulose film,” *Carbohydr. Polym.*, vol. 240, no. April, p. 116287, 2020, doi: 10.1016/j.carbpol.2020.116287.
- [14] I. Prabowo and M. Chalid, “Optimalisasi Sifat Mekanik Biokomposit PLA dengan Serat Arenga Pinnata,” pp. 65–68, 2021.
- [15] R. N. Huda, “Pengaruh variasi volume serat pelepas pisang pada kekuatan impak komposit,” *J. Chem. Inf. Model.*, pp. 5–18, 2018, [Online]. Available: <http://eprints.umm.ac.id/38988/1/PENDAHULUAN.pdf>
- [16] A. Fitrayudha, J. Fajrin, and B. Anshari, “Analisis Sifat Mekanis Komposit Polyester Sisal Menggunakan Metode Anova,” *Binawakya*, vol. 14, no. 7, pp. 2817–2824, 2020.
- [17] M. Maryam, D. Rahmad, and Y. Yunizurwan, “Sintesis Mikro Selulosa Bakteri Sebagai Penguat (Reinforcement) Pada Komposit Bioplastik Dengan Matriks PVA (Poli Vinil Alcohol),” *J. Kim. dan Kemasan*, vol. 41, no. 2, p. 110, 2019, doi: 10.24817/jkk.v41i2.4055.
- [18] F. Yusra, “KEKUATAN IMPAK KOMPOSIT POLYESTERVINYL ESTER DENGAN PENGUAT SERAT NATA DE COCO,” 2021.
- [19] A. Farmadi, “PENGUJIAN TARIK KOMPOSIT POLYESTER/VINYL ESTER DENGAN PENGUAT SERAT NATA DE COCO,” 2020.
- [20] F. C. Ismaya, N. H. Fithriyah, and T. Y. Hendrawati, “Pembuatan dan karakteristik edible film dari nata de coco dan gliserol,” *J. Teknol. Univ. Muhammadiyah Jakarta*, vol. 13, no. 1, pp. 81–88, 2021.
- [21] S. Yunus, H. Abrar, and A. Akbar, “Jurnal Nasional Teknik Elektro Calculate The Conductivity of Some Composites of Cellulose Bacteria Mixed with Polypyrol,” vol. 3, pp. 4–9, 2021.
- [22] H. Wang, L. Bian, P. Zhou, J. Tang, and W. Tang, “Core-sheath structured bacterial cellulose/polypyrrole nanocomposites with excellent conductivity as supercapacitors,” *J. Mater. Chem. A*, vol. 1, no. 3, pp. 578–584, 2013, doi: 10.1039/c2ta00040g.
- [23] E. L. Alberto *et al.*, “Acetylation of Nata de coco (bacterial cellulose) and

- membrane formation,” *MATEC Web Conf.*, vol. 268, p. 04003, 2019, doi: 10.1051/matecconf/201926804003.
- [24] H. Suryanto, “Analisis struktur serat selulosa dari bakteri,” *Pros. SNTT 2017 – Politek. Negeri Malang*, vol. 3, no. October, pp. 17–22, 2017.
- [25] C. E. Shuck *et al.*, “Scalable Synthesis of Ti₃C₂Tx MXene,” *Adv. Eng. Mater.*, vol. 22, no. 3, pp. 1–22, 2020, doi: 10.1002/adem.201901241.
- [26] X. Li, F. Ran, F. Yang, J. Long, and L. Shao, *Advances in MXene Films: Synthesis, Assembly, and Applications*, vol. 27, no. 3. Tianjin University, 2021. doi: 10.1007/s12209-021-00282-y.
- [27] A. G. Parhusip, “OKSIDASI HIDROGEL YANG DIHASILKAN DARI SELULOSA TONGKOL JAGUNG (*Zea mays L*) MENGGUNAKAN TEMPO,” 2017.
- [28] C. Erita and E. Indarti, “Pengaruh Penambahan Nanoselulosa dari Tandan Kosong Kelapa Sawit terhadap Ketebalan dan Transparansi Film Polycaprolactone (PCL),” *JIMaPertanian-THP*, vol. 5, no. 1, pp. 346–350, 2020, [Online]. Available: www.jim.unsyiah.ac.id/JFP
- [29] Anggrawati, “Farmaka Farmaka,” vol. 16, pp. 213–221, 2018.
- [30] “No Title,” 2021.
- [31] PRIHATMOKO ADHI NUGROHO, “ANALISA SCANNING ELECTRON MICROSCOPE (SEM) HASIL SPOT WELDING ALUMINIUM (Al) SERI 1100 DENGAN PENAMBAHAN SERBUK TEMBAGA (Cu) MESH 40,” 2021.
- [32] V. Issue, D. Menggunakan, and X. D. Xrd, “Indonesian Physical Review,” vol. 3, no. 1, 2020.
- [33] A. asyura Putri, “PENGARUH VARIASI WAKTU ULTRASONIKASI TERHADAP KONDUKTIVITAS LISTRIK DARI FILM KOMPOSIT POLIVINIL ALKOHOL (PVA)/GAMBIR/MXENE,” 2021.
- [34] D. Metode, F. Point, and P. Fpp, “Laporan Praktikum Pengujian Dengan Metode Four Point Probe”.
- [35] T. Mandasari, “Superkapasitor Berbahan Dasar Karbon Aktif Ampas Biji Kopi dengan Aktivator KOH,” *J. Chem. Inf. Model.*, pp. 1–82, 2018.
- [36] P. D. Aktivator and M. K. O. H. U. Aplikasi, “PEMBUATAN ELEKTRODA KARBON DARI BIOMASSA KULIT SUPERKAPASITOR REPOSITORY ZULHAFRI PURBA NIM 1703113552 PROGRAM STUDI S-1 FISIKA JURUSAN FISIKA FALKUTAS MATEMATIKA DAN ILMU PENGETAHUAN ALAM PEMBUATAN ELEKTRODA KARBON DARI BIOMASSA KULIT,” pp. 0–7, 2021.

- [37] P. D. Arba, Aulia Alit and Rudianto Raharjo, S.T., M.T. and Teguh Dwi Widodo, S.T., M.Eng., "Pengaruh Waktu Perebusan dalam Larutan Enzim Bromelain pada Serat Bambu Petung (*Dendrocalamus asper*) terhadap Kekuatan Tarik Komposit Bermatrik Epoxy," 2021, [Online]. Available: <http://repository.ub.ac.id/186969/>
- [38] J. T. Elektro, F. Teknik, and U. Andalas, "PENGARUH VARIASI TEMPERATUR PEREBUSAN TERHADAP SIFAT HANTAR LISTRIK DARI FILM KOMPOSIT NATA DE COCO DENGAN KOMPOSISI MXENE/TEMPO Karya Ilmiah sebagai salah satu syarat untuk menyelesaikan jenjang strata satu (S-1) di Jurusan Teknik Elektro, Fakultas Tekni," 2021.

