

Daftar Pustaka

- [1] F. F. Zaemi and R. C. Rohmana, “*Carbon Capture, Utilization, and Storage (CCUS) untuk Pembangunan Berkelanjutan: Potensi dan Tantangan di Industri Migas Indonesia,*” 2021.
- [2] P. D. Dissanayake, S. You, A. D. Igalavithana, and Y. Xia, “*Biochar-based adsorbents for carbon dioxide capture,*” *Renewable and Sustainable Energy Reviews*, vol. 119. Elsevier Ltd, Mar. 01, 2020. doi: 10.1016/j.rser.2019.109582.
- [3] W. Hao, E. Björkman, M. Lilliestråle, and N. Hedin, “*Activated carbons prepared from hydrothermally carbonized waste biomass used as adsorbents for CO₂,*” *Applied Energy*, vol. 112, pp. 526–532, 2013, doi: 10.1016/j.apenergy.2013.02.028.
- [4] X. Zhang, Y. Huang, H. Gao, X. Luo, Z. Liang, and P. Tontiwachwuthikul, “*Zeolite catalyst-aided tri-solvent blend amine regeneration: An alternative pathway to reduce the energy consumption in amine-based CO₂ capture process,*” *Applied Energy*, vol. 240, no. February, pp. 827–841, 2019, doi: 10.1016/j.apenergy.2019.02.089.
- [5] M. Mohamedali, D. Nath, H. Ibrahim, and A. Henni, “*Review of Recent Developments in CO₂ Capture Using Solid Materials: Metal Organic Frameworks (MOFs),*” *Greenhouse Gases*, pp. 1–30, 2016, doi: 10.5772/62275.
- [6] Z. H. Lee, K. T. Lee, S. Bhatia, and A. R. Mohamed, “*Post-combustion carbon dioxide capture: Evolution towards utilization of nanomaterials,*” *Renewable and Sustainable Energy Reviews*, vol. 16, no. 5, pp. 2599–2609, 2012, doi: 10.1016/j.rser.2012.01.077.
- [7] B. Petrovic, M. Gorbounov, and S. Masoudi Soltani, “*Influence of surface modification on selective CO₂ adsorption: A technical review on mechanisms and methods,*” *Microporous and Mesoporous*

- Materials*, vol. 312, no. November 2020, p. 110751, 2021, doi: 10.1016/j.micromeso.2020.110751.
- [8] Yu, Cheng-Hsiu, Chih-Hung Huang, and Chung-Sung Tan. "A review of CO₂ capture by absorption and adsorption." *Aerosol and Air Quality Research* 12.5 (2012): 745-769.
- [9] Utomo, Suratmin. "Pengaruh waktu aktivasi dan ukuran partikel terhadap daya serap karbon aktif dari kulit singkong dengan aktivator NaOH." *Prosiding Semnastek 1.1* (2014).
- [10] Siahaan, Satriyani, Melvha Hutapea, and Rosdanelli Hasibuan. "Penentuan kondisi optimum suhu dan waktu karbonisasi pada pembuatan arang dari sekam padi." *Jurnal Teknik Kimia USU* 2.1 (2013): 26-30.
- [11] A. Subkhan, "Kajian Emisi Karbondioksida (CO₂) Dari Pemanfaatan Energi Rumah Tangga Di Kelurahan Candi Kota Semarang," Universitas Negeri Semarang, Semarang, 2017.
- [12] Lutgens F.K. dan Edward J.T., *The Atmosphere an Introduction to Meteorology*. New Jersey: Prentice-Hall, 1979.
- [13] Vanloon G.W. dan Stephen J.D., *Environmental Chemistry a Global Perspective*. New York: Oxford University Press, 2011.
- [14] R. G. Astari, "Studi Jejak Karbon dari Aktivitas Permukiman di Kecamatan Pademangan Kotamadya Jakarta Utara," 2012.
- [15] H. Kontributor *et al.*, "Kementerian Lingkungan Hidup," 2013.
- [16] M. A. H. A. K. Isna Syauqiah, "Analisis Variasi Waktu Dan Kecepatan Pengaduk Pada Proses Adsorpsi Limbah Logam Berat Dengan Arang Aktif," *Info Teknik*, vol. 12, 2011.
- [17] T. D. Reynold, *Unit Operation and Process in Environmental Engineering*. Texas: Woods Worths Inc, 1982.

- [18] P. Ginting, *Sistem Pengolahan Lingkungan dan Limbah Industri*, 2nd ed. Bandung: Yrama Widya, 2007.
- [19] R. Khairunisa, “Kombinasi Teknik Elektrolisis dan Teknik Adsorpsi Menggunakan Karbon Aktif Untuk Menurunkan Konsentrasi Senyawa Fenol Dalam Air,” Skripsi Program Studi Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, 2008.
- [20] J. W. Hassler, *Purification With Activated Carbon: Industrial Commercial, Environmental*. New York: Chemical Publishing Co. Inc, 1974.
- [21] Cechinel, M, A, P., Guelli, S, M, A., & Ulson, A, A. (2013). Study Of Lead (II) Adsorption Onto Activated Carbon Originating From Cow Bone. *Journal of Cleaner Production*. Universidade Federal de Santa Catarina. Brasil
- [22] R. , Z. W. , Y. W. , & C. S. Han, “*Biosorption of Methylene Blue from Aqueous Solution by Fallen Phoenix Tree’s Leaves*,” *Journal of Hazardous Materials*, pp. 156–162, 2007.
- [23] Muzakky, “Proses Desorpsi Logam Berat Pada Sedimen Sungai Daerah Muria Dengan Pelarut Asam,” 2009.
- [24] F. Firdiyono, M. Handayani, E. Sulistiyono, and I. Dwi Antoro, “Percobaan Pendahuluan Perbandingan Daya Serap Unsur Minor Dalam Larutan Natrium Silikat,” *Majalah Metalurgi*, vol. 27, no. 1, pp. 15–26, 2012.
- [25] S. Abdi. Saragih, “Pembuatan dan Karakterisasi Karbon Aktif dari Batubara Riau Sebagai Adsorben,” Universitas Indonesia, Jakarta, 2008.
- [26] R. Mufti Ali, T. Yuni Hendrawati, and N. Hidayati Fithriyah, “Pengaruh Jenis Adsorben Terhadap Efektifitas Penurunan Kadar

Timbal Limbah Cair Recycle Aki Bekas,” vol. 12, no. 1, 2020, doi: 10.24853/jurtek.12.1.87-92.

- [27] A. Chandra, A. Miryanti, L. B. Widjaja, and A. Pramudita, “Isolasi dan Karakterisasi Silika dari Sekam Padi,” Lembaga Penelitian dan Pengabdian kepada Masyarakat, Universitas Katolik Prahayangan, Bandung, 2012.
- [28] A. H. Surest, J. A. F. Kasih, and A. Wisanti, “Pengaruh Suhu, Konsentrasi Zat Aktivator Dan Waktu Aktivasi Terhadap Daya Serap Karbon Aktif Dari Tempurung Kemiri,” *Jurnal Teknik Kimia*, vol. 15, no. 2, 2008.
- [29] Reza Arrafi Rasyid, E. Erdawati, and D. Darwis, “Pengaruh Penambahan Biokar Sekam Padi Terhadap Penyerapan Gas CO₂ (Carbon Dioxide) Dan Kuat Tekan Pada Plester Dinding,” *JRSKT - Jurnal Riset Sains dan Kimia Terapan*, vol. 8, no. 1, pp. 10–22, Oct. 2019, doi: 10.21009/jrskt.081.02.
- [30] A. Febryanti, A. Wahid Wahab, J. Kimia, F. Sains dan Teknologi UIN Alauddin Makassar, U. Hasanuddin Makassar, and S. Selatan, “Pemanfaatan Karbon Aktif Sekam Padi Sebagai Adsorben Emisi Gas Buang Pada Sepeda Motor,” 2020.
- [31] S. He *et al.*, “*Facile preparation of N-doped activated carbon produced from rice husk for CO₂ capture*,” *Journal of Colloid and Interface Science*, vol. 582, pp. 90–101, Jan. 2021, doi: 10.1016/j.jcis.2020.08.021.
- [32] N. Hossain, S. Nizamuddin, G. Griffin, P. Selvakannan, N. M. Mubarak, and T. M. I. Mahlia, “*Synthesis and characterization of rice husk biochar via hydrothermal carbonization for wastewater treatment and biofuel production*,” *Scientific Reports*, vol. 10, no. 1, Dec. 2020, doi: 10.1038/s41598-020-75936-3.
- [33] Istiningrum R.B., E. A. Priyadi, Sulfiyah L.A, and D. Nafisah, “Pemanfaatan Abu Sekam Padi untuk Pemurnian Bahan Baku dan

- Biodiesel dari Minyak Jelantah,” *Jurnal Sains dan Teknologi*, vol. 6, 2017.
- [34] Y. F. Huang, P. te Chiueh, and S. L. Lo, “CO₂ adsorption on biochar from co-torrefaction of sewage sludge and leucaena wood using microwave heating,” in *Energy Procedia*, 2019, vol. 158, pp. 4435–4440. doi: 10.1016/j.egypro.2019.01.772.
- [35] Y. Guangzhi, Y. Jinyu, Y. Yuhua, T. Zhihong, Y. DengGuang, and Y. Junhe, “Preparation and CO₂ adsorption properties of porous carbon from camphor leaves by hydrothermal carbonization and sequential potassium hydroxide activation,” *RSC Advances*, vol. 7, no. 7, pp. 4152–4160, 2017, doi: 10.1039/c6ra25303b.
- [36] E. Diaz, F. J. Manzano, J. Villamil, J. J. Rodriguez, and A. F. Mohedano, “Low-cost activated grape seed-derived hydrochar through hydrothermal carbonization and chemical activation for sulfamethoxazole adsorption,” *Applied Sciences (Switzerland)*, vol. 9, no. 23, Dec. 2019, doi: 10.3390/app9235127.
- [37] V. Benedetti, E. Cordioli, F. Patuzzi, and M. Baratieri, “CO₂ Adsorption study on pure and chemically activated chars derived from commercial biomass gasifiers,” *Journal of CO₂ Utilization*, vol. 33, pp. 46–54, Oct. 2019, doi: 10.1016/j.jcou.2019.05.008.
- [38] F. Shen, Y. Wang, L. Li, K. Zhang, R. L. Smith, and X. Qi, “Porous carbonaceous materials from hydrothermal carbonization and KOH activation of corn stover for highly efficient CO₂ capture,” *Chemical Engineering Communications*, vol. 205, no. 4, pp. 423–431, Apr. 2018, doi: 10.1080/00986445.2017.1367671.
- [39] Basyir, A., Aryanto, D., Jayadi, J., Widayatno, W. B., & Wismogroho, A. S. (2021). Karakterisasi Serbuk Timah dari Sistem Atomisasi Gas Argon Panas-Sub Sistem Gas Alir Tabung Gas. *Jurnal Rekayasa Mesin*, 12(1), 181-191.

- [40] Serafin, Jarosław, et al. "Conversion of fruit waste-derived biomass to highly microporous activated carbon for enhanced CO₂ capture." *Waste Management* 136 (2021): 273-282.

