

DAFTAR PUSTAKA

- Adhani, R. H. (2017). *Logam Berat Sekitar Manusia*. Banjarmasin: Lambung Mangkurat University Press.
- Ahmad, S., Ashraf, I., Mansoor, M. A., Rizwan, S., & Iqbal, M. (2021). An overview of recent advances in the synthesis and applications of the transition metal carbide nanomaterials. *Nanomaterials*, 11(3), 1–36. <https://doi.org/10.3390/nano11030776>
- Alifaturrahma dan Hendriyanto. (2018). *Pemanfaatan Kulit Pisang Kepok sebagai Adsorben untuk Menyisihkan Logam Cu*. 8(2), 105–111.
- Apriliani, A. (2010). Pemanfaatan Arang Ampas Tebu sebagai Adsorben Ion Logam Cd, Cr, Cu dan Pb dalam Air Limbah. *Repositoy UIN*, 1–91.
- Asrofi, M., Abral, H., Kasim, A., Pratoto, A., Mahardika, M., Park, J. W., & Kim, H. J. (2018). Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers*, 19(8), 1618–1625. <https://doi.org/10.1007/s12221-018-7953-1>
- Astuti, W. (2018). *Adsorpsi Menggunakan Material Berbasis Lignoselulosa*.
- Atkins, P., de Paula, J., & Keeler, J. (2018). *Physical Chemistry 11th Edition*. 9–25.
- Atkins, P. W., & De Paula, J. (2018). *Atkins' Physical Chemistry*, 11th Ed. Oxford University Press, 908.
- Azhari R, M., Saleh, C., & Yusuf, B. (2017). Pemanfaatan Serbuk Eceng Gondok (*Eichornia crassipes*) Teraktivasi Dengan Sistem Kantong Celup Sebagai Adsorben Penjerap Ion Logam Kadmium (Cd). *Jurnal Atomik*, 02(2), 197–203.
- Basyiruddin, F., Setiawan, A., & Dermawan, D. (2018). Identifikasi Pengaruh pH Terhadap Kemampuan Biosorpsi *Saccharomyces cerevisiae* dalam Mengurangi Kadar Cu. *Conference Proceeding on Waste Treatment Technology*, 1(1), 85–90.
- Bustami, Abdullah, D., & Fadlisyah. (2014). *Statistika; Terapannya pada Bidang Informatika*. 1–186.
- Cahyani. (2020). *Kinetika dan Isoterm Adsorpsi Zat Warna Rhodamin B Menggunakan Butiran Kitosan Terikatsilang Tripolifosfat (TPP) dan Glutaraldehyd (GLA)*. Universitas Islam Negeri Maulana Malik Ibrahim.

- Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, 9, 100120. <https://doi.org/10.1016/j.mtadv.2020.100120>
- Collini, L. (2012). Copper Alloys - Early Applications and Current Performance - Enhancing Processes. In *Copper Alloys - Early Applications and Current Performance - Enhancing Processes*. <https://doi.org/10.5772/1912>
- Darmono. (2001). *Lingkungan Hidup dan Pencemaran Hubungannya dengan Toksikologi Senyawa Logam*. Jakarta: UI Press.
- Ding, L., Wei, Y., Wang, Y., Chen, H., Caro, J., & Wang, H. (2017). A Two-Dimensional Lamellar Membrane: MXene Nanosheet Stacks. *Angewandte Chemie - International Edition*, 56(7), 1825–1829. <https://doi.org/10.1002/anie.201609306>
- Dong, X., Wang, Y., Jia, M., Niu, Z., Cai, J., Yu, X., Ke, X., Yao, J., & Zhang, X. (2019). Sustainable and scalable in-situ synthesis of hydrochar-wrapped Ti3AlC2-derived nanofibers as adsorbents to remove heavy metals. *Bioresource Technology*, 282(March), 222–227. <https://doi.org/10.1016/j.biortech.2019.03.010>
- Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). Mxene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022. <https://doi.org/10.1039/c9ra05251h>
- Eckenfelder, W. (2000). *Industrial Water Pollution Control (Third)*. McGraw Hill.
- Edward Tandy, Ismail Fahmi Hasibuan, & Hamidah Harahap. (2012). Kemampuan Adsorben Limbah Lateks Karet Alam Terhadap Minyak Pelumas Dalam Air. *Jurnal Teknik Kimia USU*, 1(2), 34–38. <https://doi.org/10.32734/jtk.v1i2.1416>
- Effendi, H. (2003). *Telaah Kualitas Air Bagi Pengelolaan Sumberdaya dan Lingkungan Perairan*. Bogor: Bogor Agricultural University (IPB). <http://repository.ipb.ac.id/handle/123456789/79927>
- Elbasiouny, H., Darwesh, M., Elbeltagy, H., Abo-alhamd, F. G., Amer, A. A., Elsegaïy, M. A., Khattab, I. A., Elsharawy, E. A., Ebehiry, F., El-Ramady, H., & Brevik, E. C. (2021). Ecofriendly remediation technologies for wastewater contaminated with heavy metals with special focus on using water hyacinth and black tea wastes: a review. *Environmental Monitoring and Assessment*,

193(7). <https://doi.org/10.1007/s10661-021-09236-2>

- Elumalai, S., Yoshimura, M., & Ogawa, M. (2020). Simultaneous Delamination and Rutile Formation on the Surface of $\text{Ti}_3\text{C}_2\text{Tx}$ MXene for Copper Adsorption. *Chemistry - An Asian Journal*, 15(7), 1044–1051. <https://doi.org/10.1002/asia.202000090>
- Fard, A. K., McKay, G., Chamoun, R., Rhadfi, T., Preud'Homme, H., & Atieh, M. A. (2017). Barium removal from synthetic natural and produced water using MXene as two dimensional (2-D) nanosheet adsorbent. *Chemical Engineering Journal*, 317, 331–342. <https://doi.org/10.1016/j.cej.2017.02.090>
- Fitriyanto, E. B., Soeprbowati, T. R., & Hariyati, R. (2017). Kemampuan *Chaetoceros calcitrans* (Paulsen) Takano dalam Menurunkan Kadar Logam Berat Tembaga (Cu) pada Limbah Tekstil. *Bioma : Berkala Ilmiah Biologi*, 18(2), 102. <https://doi.org/10.14710/bioma.18.2.102-106>
- Fuad, M. T., Aunurohim, & NurHidayati, T. (2013). Efektivitas Kombinasi *Salvinia molesta* dengan *Hydrilla verticillata* dalam Remediasi Logam Cu pada Limbah Elektroplating. *Jurnal Sains Dan Seni POMITS*, 2(1), 240–246.
- Gan, D., Huang, Q., Dou, J., Huang, H., Chen, J., Liu, M., Wen, Y., Yang, Z., Zhang, X., & Wei, Y. (2020). Bioinspired functionalization of MXenes ($\text{Ti}_3\text{C}_2\text{TX}$) with amino acids for efficient removal of heavy metal ions. *Applied Surface Science*, 504(November), 144603. <https://doi.org/10.1016/j.apsusc.2019.144603>
- Gao, Y., Wang, L., Zhou, A., Li, Z., Chen, J., Bala, H., Hu, Q., & Cao, X. (2015). Hydrothermal synthesis of $\text{TiO}_2/\text{Ti}_3\text{C}_2$ nanocomposites with enhanced photocatalytic activity. *Materials Letters*, 150, 62–64. <https://doi.org/10.1016/j.matlet.2015.02.135>
- Habashi, F. (2009). Gmelin and his Handbuch. *Bulletin for the History of Chemistry*, 34(1), 30. http://acshist.scs.illinois.edu/bulletin_open_access/v34-1/v34-1_p30-31.pdf
- Harinaldi. (2005). *Prinsip-prinsip Statistik untuk Teknik dan Sains*. Jakarta: Erlangga.
- Hemalatha, D., Narayanan, R. M., & Sanchitha, S. (2020). Removal of Zinc and Chromium from industrial wastewater using water hyacinth (*E. crassipes*)

- petiole, leaves and root powder: Equilibrium study. *Materials Today: Proceedings*, 43(xxxx), 1834–1838.
<https://doi.org/10.1016/j.matpr.2020.10.725>
- Ihsanullah, I. (2020). MXenes (two-dimensional metal carbides) as emerging nanomaterials for water purification: Progress, challenges and prospects. *Chemical Engineering Journal*, 388(February), 124340.
<https://doi.org/10.1016/j.cej.2020.124340>
- Irawan, C., Purwanti, A., & Norhasanah, N. (2019). Adsorpsi Logam Timbal Secara Batch dan Kontinu Menggunakan Karbon Aktif dari Cangkang Kelapa Sawit. *JTERA (Jurnal Teknologi Rekayasa)*, 4(2), 267.
<https://doi.org/10.31544/jtera.v4.i2.2019.267-276>
- Jun, B. M., Heo, J., Taheri-Qazvini, N., Park, C. M., & Yoon, Y. (2020). Adsorption of selected dyes on Ti₃C₂T_x MXene and Al-based metal-organic framework. *Ceramics International*, 46(3), 2960–2968.
<https://doi.org/10.1016/j.ceramint.2019.09.293>
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(II) from synthetic wastewater using Ti₃C₂T_x MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180.
<https://doi.org/10.1039/c9ew00625g>
- Khatami, M., & Iravani, S. (2021). MXenes and MXene-based Materials for the Removal of Water Pollutants: Challenges and Opportunities. *Comments on Inorganic Chemistry*, 41(4), 213–248.
<https://doi.org/10.1080/02603594.2021.1922396>
- Kong, A., Sun, Y., Peng, M., Gu, H., Fu, Y., Zhang, J., & Li, W. (2021). Amino-functionalized MXenes for efficient removal of Cr(VI). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 617(January), 126388.
<https://doi.org/10.1016/j.colsurfa.2021.126388>
- Lima, É. C., Adebayo, M. A., & Machado, F. M. (2015). Kinetic and equilibrium models of adsorption. In *Carbon Nanostructures* (Vol. 0, Issue 9783319188744). https://doi.org/10.1007/978-3-319-18875-1_3
- Liu, T., Yang, X., Wang, Z. L., & Yan, X. (2013). Enhanced chitosan beads-supported Fe⁰-nanoparticles for removal of heavy metals from electroplating

- wastewater in permeable reactive barriers. *Water Research*, 47(17), 6691–6700. <https://doi.org/10.1016/j.watres.2013.09.006>
- Liu, Y., Khan, A., Wang, Z., Chen, Y., Zhu, S., Sun, T., Liang, D., & Yu, H. (2020). Upcycling of electroplating sludge to prepare erdite-bearing nanorods for the adsorption of heavy metals from electroplating wastewater effluent. *Water (Switzerland)*, 12(4). <https://doi.org/10.3390/W12041027>
- Malianingtias, N., Suryani, R., & Wati, E. (2016). *Efektivitas Adsorpsi Logam Pb 2+ Dan Cd 2+ Menggunakan Media Adsorben Cangkang Telur Ayam*. 5(1), 1–7. <http://dx.doi.org/10.20527/k.v5i1.4771>
- Marhadi, M., Wibowo, H., & Kurniawan, V. A. (2018). Analisis Penurunan Eceng Gondok (*Eichornia Crassipes*) dalam Perbaikan Kualitas Air Ditinjau Dari Parameter Timbal (Pb) dan Besi (Fe). *Jurnal Civronlit Unbari*, 3(2), 82. <https://doi.org/10.33087/civronlit.v3i2.37>
- Mashtalir, O., Cook, K. M., Mochalin, V. N., Crowe, M., Barsoum, M. W., & Gogotsi, Y. (2014). Dye adsorption and decomposition on two-dimensional titanium carbide in aqueous media. *Journal of Materials Chemistry A*, 2(35), 14334–14338. <https://doi.org/10.1039/c4ta02638a>
- Masruhin, M., Rasyid, R., & Yani, S. (2018). Penjerapan Logam Berat Timbal (Pb) dengan Menggunakan Lignin Hasil Isolasi Jerami Padi. *Journal Of Chemical Process Engineering*, 3(1), 6. <https://doi.org/10.33536/jcpe.v3i1.188>
- Mustari, S., Suryaningsih, S., & Kartawidjaja, M. (2017). Analisa Sifat Adsorpsi Logam Berat pada Eceng Gondok dalam Pengelolaan Air Limbah Elektroplating. *Jurnal Material Dan Energi Indonesia*, 07(01), 44–48.
- Naguib, M., Mashtalir, O., Carle, J., Presser, V., Lu, J., Hultman, L., Gogotsi, Y., & Barsoum, M. W. (2012). Two-dimensional transition metal carbides. *ACS Nano*, 6(2), 1322–1331. <https://doi.org/10.1021/nn204153h>
- Neris, J. B., Luzardo, F. H. M., Santos, P. F., De Almeida, O. N., & Velasco, F. G. (2019). Evaluation of single and tri-element adsorption of Pb 2+ , Ni 2+ and Zn 2+ ions in aqueous solution on modified water hyacinth (*Eichhornia crassipes*) fibers. *Journal of Environmental Chemical Engineering*, 7(1). <https://doi.org/10.1016/j.jece.2019.102885>
- Nuhman. (2019). *logam Timbal (Pb) dan Tembaga (Cu) (LC50 pada Berbagai*

- Stadia Udang Vannamei*) (1st ed). HangTuah University Press.
- Nuriadi, Napitupulu, M., & Rahman, N. (2013). Analisis Logam Tembaga (Cu) pada Buangan Limbah Tromol (Tailing) Pertambangan Poboya Analysis of Copper (Cu) Metal On Drum Waste Disposal (Tailings) at Poboya Mining. *J. Akad.Kim.*2, 2(May), 90–96.
- Palar, H. (2012). *Pencemaran dan Toksikologi Logam Berat*. Jakarta: Rineka Cipta.
- Pambudi, M. A. R., & Suprpto, S. (2019). Penentuan Kadar Tembaga (Cu) dalam Sampel Batuan Mineral. *Jurnal Sains Dan Seni ITS*, 7(2), 20–23. <https://doi.org/10.12962/j23373520.v7i2.30088>
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science*, 9(3). <https://doi.org/10.1007/s13201-019-0927-7>
- Peng, Q., Guo, J., Zhang, Q., Xiang, J., Liu, B., Zhou, A., Liu, R., & Tian, Y. (2014). Unique lead adsorption behavior of activated hydroxyl group in two-dimensional titanium carbide. *Journal of the American Chemical Society*, 136(11), 4113–4116. <https://doi.org/10.1021/ja500506k>
- Permata, M. A. D., Purwiyanto, A. I. S., & Diansyah, G. (2018). Kandungan Logam Berat Cu (Tembaga) Dan Pb (Timbal) Pada Air Dan Sedimen Di Kawasan Industri Teluk Lampung, Provinsi Lampung. *Journal of Tropical Marine Science*, 1(1), 7–14. <https://doi.org/10.33019/jour.trop.mar.sci.v1i1.667>
- Pinandari, A. W., Fitriana, D. N., Nugraha, A., & ... (2011). Uji Efektifitas dan efisiensi filter biomassa menggunakan sabut kelapa (*Cocos Nucifera*) Sebagai bioremoval untuk menurunkan kadar logam (Cd, Fe, Cu), Total *Jurnal Presipitasi*, March 2014. <https://www.academia.edu/download/33508451/1-1-1-SM.pdf>
- Pulungan, A. F. (2017). Pemanfaatan Pektin dari Kulit Jeruk Manis Sebagai Biosorben dalam Menurunkan Kadar Tembaga (Cu) pada Limbah Cair Industri Elektroplating. *Jurnal Ilmiah Farmasi IMELDA*, 1(1), 10–17.
- Ramirez-Muñoz, A., Pérez, S., Muñoz-Saldaña, J., Flórez, E., & Acelas, N. (2021). Eco-friendly materials obtained through a simple thermal transformation of water hyacinth (*Eichhornia Crassipes*) for the removal and immobilization of Cd²⁺ and Cu²⁺ from aqueous solutions. *Environmental Nanotechnology*,

- Monitoring and Management*, 16(August).
<https://doi.org/10.1016/j.enmm.2021.100574>
- Ratnasari, N. D., Moelyaningrum, A. D., & Ellyke. (2017). Penurunan Kadar Tembaga (Cu) pada Limbah Cair Industri Elektroplating Menggunakan Cangkang Telur Ayam Potong Teraktivasi Termal. *Sanitasi: Jurnal Kesehatan Lingkungan*, 9(2), 56–62.
<http://journalsanitasi.keslingjogja.net/index.php/sanitasi>
- Reynolds, T. D., & Richards, P. A. (1996). Unit operations and processes in environmental engineering 2nd ed. In *PWS series in engineering*. (p. 25,350,749).
- Rezania, S., Ponraj, M., Talaiekhosani, A., Mohamad, S. E., Md Din, M. F., Taib, S. M., Sabbagh, F., & Sairan, F. M. (2015). Perspectives of phytoremediation using water hyacinth for removal of heavy metals, organic and inorganic pollutants in wastewater. *Journal of Environmental Management*, 163, 125–133. <https://doi.org/10.1016/j.jenvman.2015.08.018>
- Saththasivam, J., Wang, K., Yiming, W., Liu, Z., & Mahmoud, K. A. (2019). A flexible Ti3C2Tx (MXene)/paper membrane for efficient oil/water separation. *RSC Advances*, 9(29), 16296–16304. <https://doi.org/10.1039/c9ra02129a>
- Sawyer, C. N. (2002). *Chemistry for Environmental Engineering and Science by (fifth)*. McGraw-Hill.
- Sekarwati, N., Murachman, B., & Sunarto. (2015). Dampak logam berat Cu (tembaga) dan Ag (perak) pada limbah cair industri perak terhadap kualitas air sumur dan kesehatan masyarakat serta upaya pengendaliannya di Kota Gede Yogyakarta. *Jurnal Ekosains*, VII(1), 13.
<http://pasca.uns.ac.id/s2ilmulingkungan/wp-content/uploads/sites/25/2016/09/Publikasi-Novita.pdf>
- Sembel, D. T. (2015). *Toksikologi Lingkungan Dampak Pencemaran dari Berbagai Bahan Kimia dalam Kehidupan Sehari-hari* (A. Pramesta (ed.)). CV. ANDI OFFSET.
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti3C2Tx MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*,

- 5(12), 11481–11488. <https://doi.org/10.1021/acssuschemeng.7b02695>
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2018). Mercuric ion capturing by recoverable titanium carbide magnetic nanocomposite. *Journal of Hazardous Materials*, 344, 811–818. <https://doi.org/10.1016/j.jhazmat.2017.11.026>
- Shikuku, V. O., Donato, F. F., Kowenje, C. O., Zanella, R., & Prestes, O. D. (2015). A comparison of adsorption equilibrium, kinetics and thermodynamics of aqueous phase clomazone between faujasite X and a natural zeolite from Kenya. *South African Journal of Chemistry*, 68(January), 245–252. <https://doi.org/10.17159/0379-4350/2015/v68a33>
- Shuck, C. E., Sarycheva, A., Anayee, M., Levitt, A., Zhu, Y., Uzun, S., Balitskiy, V., Zahorodna, V., Gogotsi, O., & Gogotsi, Y. (2020). Scalable Synthesis of $\text{Ti}_3\text{C}_2\text{Tx}$ MXene. *Advanced Engineering Materials*, 22(3), 1–8. <https://doi.org/10.1002/adem.201901241>
- Sirajuddin, Syahrir, M., & Syahrir, I. (2017). Optimasi Kecepatan Pengadukan pada Proses Adsorpsi Limbah Cair Laundry untuk Menurunkan Kadar Surfaktan Menggunakan Batu Bara. *Seminar Nasional Sains Dan Teknologi 2017*, November, 1–8. jurnal.umj.ac.id/index.php/semnastek
- Somerville, R. (2007). *Low-cost Adsorption Materials for Removal of Metals from Contaminated Water*.
- Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer $\text{Ti}_3\text{C}_2\text{MXene}$ /cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193. <https://doi.org/10.1039/d0nj00672f>
- Su, T., Liu, N., Gao, Y., Lei, D., Wang, L., Ren, Z., Zhang, Q., Su, J., & Zhang, Z. (2021). MXene/cellulose nanofiber-foam based high performance degradable piezoresistive sensor with greatly expanded interlayer distances. *Nano Energy*, 87(March), 106151. <https://doi.org/10.1016/j.nanoen.2021.106151>
- Sugiharto. (2008). *Dasar-Dasar Pengelolaan Air Limbah*. Penerbit Universitas Indonesia (UI-Press).
- Suyono, Y. (2012). Studi Awal Pembuatan Nanokomposit dengan Filler Organoclay untuk Kemasan. *Biopropal Industri*, 3(2), 63–69.

- Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5). <https://doi.org/10.1142/S2010135X18500352>
- Tchobanoglous, G., L. Burton, F., & Stensel, H. D. (2003). Constituents in Wastewater. In *Wastewater Engineering Treatment and Reuse* (pp. 57–60).
- Tian, W., VahidMohammadi, A., Reid, M. S., Wang, Z., Ouyang, L., Erlandsson, J., Pettersson, T., Wågberg, L., Beidaghi, M., & Hamed, M. M. (2019). Multifunctional Nanocomposites with High Strength and Capacitance Using 2D MXene and 1D Nanocellulose. *Advanced Materials*, 31(41). <https://doi.org/10.1002/adma.201902977>
- Tien, C. (2019). Front Matter. *Introduction to Adsorption*, i–ii. <https://doi.org/10.1016/b978-0-12-816446-4.09991-7>
- Tunesi, M. M., Soomro, R. A., Han, X., Zhu, Q., Wei, Y., & Xu, B. (2021). Application of MXenes in environmental remediation technologies. *Nano Convergence*, 8(1). <https://doi.org/10.1186/s40580-021-00255-w>
- Udyani, K., & Wulandari, Y. (2014). Aktivasi Zeolit Alam untuk Peningkatan Kemampuan sebagai Adsorben pada Pemurnian Biodiesel. In *Seminar Nasional Sains dan Teknologi Terapan II*.
- Vakili, M., Cagnetta, G., Huang, J., Yu, G., & Yuan, J. (2019). Synthesis and regeneration of a MXene-based pollutant adsorbent by mechanochemical methods. *Molecules*, 24(13), 1–11. <https://doi.org/10.3390/molecules24132478>
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali treated Ti₃C₂T_x MXenes and their dye adsorption performance. *Materials Chemistry and Physics*, 206, 270–276. <https://doi.org/10.1016/j.matchemphys.2017.12.034>
- WHO. (2011). Safety evaluation of certain food additives and contaminants. Methylmercury. In *WHO Food Additives Series* (Vol. 63).
- Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-dimensional titanium carbide for efficiently reductive removal of highly toxic chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3), 1795–

1803. <https://doi.org/10.1021/am5074722>

- Yustinah, Hudzaifah, Aprilia, M., & AB, S. (2019). Keseimbangan Adsorpsi Logam Berat (Pb) Dengan Adsorben Tanah Diatomit Secara Batch. *Jurnal KONVERSI*, 9(1), 17–28. <https://doi.org/10.24853/konversi.9.1.12>
- Zhang, Y., Wang, L., Zhang, N., & Zhou, Z. (2018). Adsorptive environmental applications of MXene nanomaterials: A review. *RSC Advances*, 8(36), 19895–19905. <https://doi.org/10.1039/c8ra03077d>
- Zhao, Q., Wang, J., Li, Z., Guo, Y., Tang, B., Abudula, A., & Guan, G. (2021). Two-dimensional Ti₃C₂TX-nanosheets/Cu₂O composite as a high-performance photocatalyst for decomposition of tetracycline. *Carbon Resources Conversion*, 4(March), 197–204. <https://doi.org/10.1016/j.crcon.2021.05.002>
- Zheng, J. C., Liu, H. Q., Feng, H. M., Li, W. W., Lam, M. H. W., Lam, P. K. S., & Yu, H. Q. (2016). Competitive sorption of heavy metals by water hyacinth roots. *Environmental Pollution*, 219, 837–845. <https://doi.org/10.1016/j.envpol.2016.08.001>
- Zou, G., Guo, J., Peng, Q., Zhou, A., Zhang, Q., & Liu, B. (2015). Synthesis of urchin-like rutile titania carbon nanocomposites by iron-facilitated phase transformation of MXene for environmental remediation. *Journal of Materials Chemistry A*, 4(2), 489–499. <https://doi.org/10.1039/c5ta07343j>

