

DAFTAR PUSTAKA

- Adhani, R., & Husaini. (2017). *Logam Berat Sekitar Manusia*. Lambung Mangkurat University Press.
- Alberty, R. ., & Daniel, F. (1992). *Kimia Fisika*. Erlangga.
- Arvianto, R. I., Mauludi, K., Damayanti, A. K., & Pradipta, M. F. (2019). Studi Kinetika Adsorpsi Emas Menggunakan Kulit Mangga (*Mangifera indica*) Termodifikasi Asam Sulfat. *Chimica et Natura Acta*, 7(1), 1. <https://doi.org/10.24198/cna.v7.n1.19191>
- Asrofi, M., Abral, H., Kasim, A., Pratoto, A., Mahardika, M., Park, J. W., & Kim, H. J. (2018). Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers*, 19(8), 1618–1625. <https://doi.org/10.1007/s12221-018-7953-1>
- Astuti, W. (2018). Adsorpsi Menggunakan Material Berbasis Lignoselulosa. In *Unnes Press*.
- Atkins, P., Paula, J. de, & Keeler, J. (2018). *Physical Chemistry* (11th editi). Oxford University Press.
- Azhari R, M., Saleh, C., & Yusuf, B. (2017). Pemanfaatan Serbuk Eceng Gondok (*Eichornia crassipes*) Teraktivasi Dengan Sistem Kantong Celup Sebagai Adsorben Penjerap Ion Logam Kadmium (Cd). *Jurnal Atomik*, 02(2), 197–203.
- Basyiruddin, F., Setiawan, A., & Dermawan, D. (2018). Identifikasi Pengaruh pH Terhadap Kemampuan Biosorpsi *Saccharomyces cerevisiae* dalam Mengurangi Kadar Cu. *Conference Proceeding on Waste Treatment Technology*, 1(1), 85–90.
- Bird, T. (1985). *Physical Chemistry*. Gramedia.
- Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, 9, 100120. <https://doi.org/10.1016/j.mtadv.2020.100120>
- Chung, D. D. L. (2010). *Composite Materials, Science and Applications* (2nd ed.).

Springer London. <https://doi.org/10.1007/978-1-84882-831-5>

- Collini, L. (2012). Copper Alloys - Early Applications and Current Performance - Enhancing Processes. In *Copper Alloys - Early Applications and Current Performance - Enhancing Processes*. <https://doi.org/10.5772/1912>
- Dong, X., Wang, Y., Jia, M., Niu, Z., Cai, J., Yu, X., Ke, X., Yao, J., & Zhang, X. (2019). Sustainable and scalable in-situ synthesis of hydrochar-wrapped Ti₃AlC₂-derived nanofibers as adsorbents to remove heavy metals. *Bioresource Technology*, 282(December 2018), 222–227. <https://doi.org/10.1016/j.biortech.2019.03.010>
- Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). MXene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022. <https://doi.org/10.1039/c9ra05251h>
- Elumalai, S., Yoshimura, M., & Ogawa, M. (2020). Simultaneous Delamination and Rutile Formation on the Surface of Ti₃C₂T_x MXene for Copper Adsorption. *Chemistry - An Asian Journal*, 15(7), 1044–1051. <https://doi.org/10.1002/asia.202000090>
- Fard, A. K., Mckay, G., Chamoun, R., Rhadfi, T., Preud'Homme, H., & Atieh, M. A. (2017). Barium removal from synthetic natural and produced water using MXene as two dimensional (2-D) nanosheet adsorbent. *Chemical Engineering Journal*, 317, 331–342. <https://doi.org/10.1016/j.cej.2017.02.090>
- Febrianti, N. (2019). *Analisis Kandungan Logam Berat (Pb, Cd, Fe, Cu) pada Air Tanah di Rawa Pening Kabupaten Semarang Jawa Tengah. 1*, 105–112.
- Fuad, M. T., Aunurohim, & NurHidayati, T. (2013). Efektivitas Kombinasi *Salvinia Molesta* dengan *Hydrilla Verticillata* dalam Remediasi Logam Cu pada Limbah Elektroplating. *Jurnal Sains Dan Seni POMITS*, 2(1), 240–246.
- Gan, D., Huang, Q., Dou, J., Huang, H., Chen, J., Liu, M., Wen, Y., Yang, Z., Zhang, X., & Wei, Y. (2020). Bioinspired functionalization of MXenes (Ti₃C₂TX) with amino acids for efficient removal of heavy metal ions. *Applied Surface Science*, 504(October), 144603. <https://doi.org/10.1016/j.apsusc.2019.144603>

- Greenberg, A. E., Clesceri, L. S., & Andrew, E. D. (1992). *Standard Methods for the Examination of Water and Wastewater* (18th ed.). American Public Health Association.
- Hajar, E. W. I., Sitorus, R. S., Mulianingias, N., & Welan, F. J. (2016). Efektivitas Adsorpsi Logam Pb 2+ dan Cd 2+ Menggunakan Media Adsorben Cangkang Telur Ayam. *Konversi*, 5(1), 1. <https://doi.org/10.20527/k.v5i1.4771>
- Harinaldi. (2005). *Prinsip-Prinsip Statistik Untuk Teknik dan Sains*. Erlangga.
- Hemalatha, D., Narayanan, R. M., & Sanchitha, S. (2020). Removal of Zinc and Chromium from industrial wastewater using water hyacinth (*E. crassipes*) petiole, leaves and root powder: Equilibrium study. *Materials Today: Proceedings*, 43, 1834–1838. <https://doi.org/10.1016/j.matpr.2020.10.725>
- Ibrahim, Y., Kassab, A., Eid, K., Abdullah, A. M., Ozoemena, K. I., & Elzatahry, A. (2020). Unveiling fabrication and environmental remediation of mxene-based nanoarchitectures in toxic metals removal from wastewater: Strategy and mechanism. *Nanomaterials*, 10(5). <https://doi.org/10.3390/nano10050885>
- Ina, A. T. (2014). *Pemanfaatan Pektin Kulit Buah Jeruk Siam (Citrus nobilis var. microcarpa) sebagai Adsorben Logam Tembaga (Cu)*. S1 thesis, Universitas Atma Jaya.
- Jun, B. M., Heo, J., Taheri-Qazvini, N., Park, C. M., & Yoon, Y. (2020). Adsorption of selected dyes on Ti₃C₂T_x MXene and Al-based metal-organic framework. *Ceramics International*, 46(3), 2960–2968. <https://doi.org/10.1016/j.ceramint.2019.09.293>
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(ii) from synthetic wastewater using Ti₃C₂T_x MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180. <https://doi.org/10.1039/c9ew00625g>
- Khatami, M., & Iravani, S. (2021). MXenes and MXene-based Materials for the Removal of Water Pollutants: Challenges and Opportunities. *Comments on Inorganic Chemistry*, 41(4), 213–248. <https://doi.org/10.1080/02603594.2021.1922396>

- Kistiyanto, W. P. (2016). *Pengaruh Variasi Temperatur Kalsinasi Pada Sintesa Lithium Mangan Oksida Dengan Rasio MOL Li/Mn 0,8 Terhadap Kemampuan Adsorpsi Lithium Lumpur Sidoarjo*. Institut Teknologi Sepuluh Nopember.
- Lima, É. C., Adebayo, M. A., & Machado, F. M. (2015). Kinetic and equilibrium models of adsorption. In *Carbon Nanostructures* (Vol. 0, Issue 9783319188744). https://doi.org/10.1007/978-3-319-18875-1_3
- Liu, T., Yang, X., Wang, Z. L., & Yan, X. (2013). Enhanced chitosan beads-supported Fe₀-nanoparticles for removal of heavy metals from electroplating wastewater in permeable reactive barriers. *Water Research*, 47(17), 6691–6700. <https://doi.org/10.1016/j.watres.2013.09.006>
- Luo, J., Zhang, W., Yuan, H., Jin, C., Zhang, L., Huang, H., Liang, C., Xia, Y., Zhang, J., Gan, Y., & Tao, X. (2017). Pillared Structure Design of MXene with Ultralarge Interlayer Spacing for High-Performance Lithium-Ion Capacitors. *ACS Nano*, 11(3), 2459–2469. <https://doi.org/10.1021/acsnano.6b07668>
- Muhid, A. (2019). Analisis Statistik. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Naguib, M., Mashtalir, O., Carle, J., Presser, V., Lu, J., Hultman, L., Gogotsi, Y., & Barsoum, M. W. (2012). Two-dimensional transition metal carbides. *ACS Nano*, 6(2), 1322–1331. <https://doi.org/10.1021/nn204153h>
- Nalendra, A. R. A., Rosalinah, Y., Priadi, A., & Al., E. (2021). *Statistika Seri Dasar dengan SPSS*. Media Sains Indonesia.
- Neris, J. B., Luzardo, F. H. M., Santos, P. F., De Almeida, O. N., & Velasco, F. G. (2019). Evaluation of single and tri-element adsorption of Pb²⁺, Ni²⁺ and Zn²⁺ ions in aqueous solution on modified water hyacinth (*Eichhornia crassipes*) fibers. *Journal of Environmental Chemical Engineering*, 7(1), 102885. <https://doi.org/10.1016/j.jece.2019.102885>
- Nurohmah, L., Wulandari, P. A., & Fathoni, R. (2019). Kemampuan Adsorpsi Logam Berat Cu dan Pb dengan Menggunakan Adsorben Kulit Jagung (*Zea Mays*). *Jurnal Chemurgy*, 3(2), 18. <https://doi.org/10.30872/cmgy.v3i2.3579>

- Organization, W. H., & Nations, F. and A. O. of the U. (1982). *Evaluation of certain food additives and contaminants : twenty-sixth report of the Joint FAO/WHO Expert Committee on Food Additives*. World Health Organization.
- Oscik, J. (1982). *Adsorption*. John Willey & Sons, Inc.
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science*, 9(3), 1–17. <http://doi.org/10.1007/s13201-019-0927-7>
- Peng, Q., Guo, J., Zhang, Q., Xiang, J., Liu, B., Zhou, A., Liu, R., & Tian, Y. (2014). Unique lead adsorption behavior of activated hydroxyl group in two-dimensional titanium carbide. *Journal of the American Chemical Society*, 136(11), 4113–4116. <https://doi.org/10.1021/ja500506k>
- Permata, M. A. D., Purwiyanto, A. I. S., & Diansyah, G. (2018). Kandungan Logam Berat Cu (Tembaga) Dan Pb (Timbal) Pada Air Dan Sedimen Di Kawasan Industri Teluk Lampung, Provinsi Lampung. *Journal of Tropical Marine Science*, 1(1), 7–14. <https://doi.org/10.33019/jour.trop.mar.sci.v1i1.667>
- Pratiwi, N. I. (2017). *Studi Regenerasi Batu Apung Sungai Pasak Pariaman Sebagai Adsorben untuk Menyisihkan Amonium (NH₄⁺) dalam Air Tanah*. Universitas Andalas.
- Ramadhan, R. (2016). *Analisis Penyebaran Logam Berat Tembaga (Cu) Pada Air Tanah Dan Aliran Sungai di Sekitar Industri Kerajinan Perak Kotagede Daerah Istimewa Yogyakarta (Issue 1969)*. Universitas Islam Indonesia.
- Ramirez-Muñoz, A., Pérez, S., Muñoz-Saldaña, J., Flórez, E., & Acelas, N. (2021). Eco-friendly materials obtained through a simple thermal transformation of water hyacinth (*Eichhornia Crassipes*) for the removal and immobilization of Cd²⁺ and Cu²⁺ from aqueous solutions. *Environmental Nanotechnology, Monitoring and Management*, 16(August). <https://doi.org/10.1016/j.enmm.2021.100574>
- Reynolds, T.D & Richards, P. A. (1996). *Unit Operation and Processes in Environmental Engineering*. PWS Publishing Company.
- Said, N. I. (2010). Metoda Penghilangan Logam Berat (As, Cd, Cr, Ag, Cu, Pb, Ni dan Zn) di dalam Air Limbah Industri. *Jurnal Air Indonesia*, 6(2), 136–148.

<https://doi.org/10.29122/jai.v6i2.2464>

- Sawyer, C. N., McCarty, P. L., & Parkin, G. F. (2002). *Chemistry for Environmental Engineering and Science* by (fifth). McGraw-Hill.
- Seader, J. D., & Henley, E. J. (1998). *Separation Process Principles*. John Wiley & Sons.
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti₃C₂T_x MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*, 5(12), 11481–11488. <https://doi.org/10.1021/acssuschemeng.7b02695>
- Shuck, C. E., Sarycheva, A., Anayee, M., Levitt, A., Zhu, Y., Uzun, S., Balitskiy, V., Zahorodna, V., Gogotsi, O., & Gogotsi, Y. (2020). Scalable Synthesis of Ti₃C₂T_x MXene. *Advanced Engineering Materials*, 22(3), 1–8. <https://doi.org/10.1002/adem.201901241>
- Somerville, R. (2007). *Low-cost adsorption materials for removal of metals from contaminated water. 1*, 74.
- Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer Ti₃C₂MXene/cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193. <https://doi.org/10.1039/d0nj00672f>
- Sridhar, P. (1996). Modelling of affinity separation by batch and fixed bed adsorption - A comparative study. *Chemical Engineering and Technology*, 19(4), 357–363. <https://doi.org/10.1002/ceat.270190409>
- Su, T., Liu, N., Gao, Y., Lei, D., Wang, L., Ren, Z., Zhang, Q., Su, J., & Zhang, Z. (2021). MXene/cellulose nanofiber-foam based high performance degradable piezoresistive sensor with greatly expanded interlayer distances. *Nano Energy*, 87(May), 106151. <https://doi.org/10.1016/j.nanoen.2021.106151>
- Suyono, Y. (2012). Studi Awal Pembuatan Nanokomposit dengan Filler Organoclay Untuk Kemasan. *Biopropal Industri*, 3(2), 63–69.
- Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like

- titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5).
<https://doi.org/10.1142/S2010135X18500352>
- Tanpichai, S., Biswas, S. K., Witayakran, S., & Yano, H. (2019). Water Hyacinth: A Sustainable Lignin-Poor Cellulose Source for the Production of Cellulose Nanofibers. *ACS Sustainable Chemistry and Engineering*, 7(23), 18884–18893. <https://doi.org/10.1021/acssuschemeng.9b04095>
- Tchobanoglous, G., Burton, F. L., & Stensel, H. D. (2003). *Wastewater Engineering Treatment and Reuse* (Fourth). Metcalf & Eddy Inc.
- Vakili, M., Cagnetta, G., Huang, J., Yu, G., & Yuan, J. (2019). Synthesis and regeneration of a MXene-based pollutant adsorbent by mechanochemical methods. *Molecules*, 24(13), 1–11.
<https://doi.org/10.3390/molecules24132478>
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali treated Ti₃C₂T_x MXenes and their dye adsorption performance. *Materials Chemistry and Physics*, 206, 270–276.
<https://doi.org/10.1016/j.matchemphys.2017.12.034>
- Xiao, Z., Ruan, S., Kong, L. B., Que, W., Zhou, K., Liu, Y., & Zhang, T. (2020). *MXenes and MXenes-based Composites*.
- Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-dimensional titanium carbide for efficiently reductive removal of highly toxic chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3), 1795–1803. <https://doi.org/10.1021/am5074722>
- Yu, G., Wang, X., Liu, J., Jiang, P., You, S., Ding, N., Guo, Q., & Lin, F. (2021). Applications of nanomaterials for heavy metal removal from water and soil: A review. *Sustainability (Switzerland)*, 13(2), 1–14.
<https://doi.org/10.3390/su13020713>
- Zhang, Y., Wang, L., Zhang, N., & Zhou, Z. (2018). Adsorptive environmental applications of MXene nanomaterials: A review. *RSC Advances*, 8(36), 19895–19905. <https://doi.org/10.1039/c8ra03077d>