

DAFTAR PUSTAKA

- Agarwal, C. O., Vakil, K. K., Mahamuni, A., Tekale, P. D., Gayake, P. V., & Vakil, J. K. (2016). Evaluation of Surface Roughness of The Bracket Slot Floor - A 3D Perspective Study. *Progress in Orthodontics*, 17(1).
- Amini, F., Jafari, A., Amini, P., & Sepasi, S. (2012). Metal ion Release from Fixed Orthodontic Appliances - An In Vivo Study. *European Journal of Orthodontics*, 34(1), 126–130.
- Anusavice, K. J., Shen, C., & Rawls, H. R. (2013). *Phillips' Science of Dental Materials* (12th ed.). Elsevier.
- Azad, M. A. K., Sarker, M., Li, T., & Yin, J. (2018). Probiotic Species in the Modulation of Gut Microbiota: An Overview. *BioMed Research International*, 2018, 1–8.
- Azizi, A., Jamilian, A., Nucci, F., Kamali, Z., Hosseinikhoo, N., & Perillo, L. (2016). Release of Metal Ions from Round and Rectangular NiTi Wires. *Progress in Orthodontics*, 17(10).
- Bakar, A. (2012). *Kedokteran Gigi Klinis*. Quantum Sinergis Media.
- Behroozi, Z., Momeni Danaei, S., Sardarian, A. R., Moshkelghosha, V., & Sardarian, A. R. (2016). Evaluation of the Corrosion of Five Different Bracket-Archwire Combination: An In-vitro Analysis Using Inductively Coupled Plasma Mass Spectrometry. *Journal of Dentistry (Shiraz University of Medical Sciences)*, 17(3), 262–267.
- Bonde, M. M., & Anindita, P. S. (2016). Uji Pelepasan Ion Logam Nikel (Ni) Dan Kromium (Cr) Kawat Ortodontik Stainless Steel Yang Direndam Dalam Air Kelapa. *Pharmacon*, 5(4), 40–45.
- Boss, C. B., & Fredeen, K. J. (1997). *Concepts, Instrumentation and Techniques in Inductively Coupled Plasma Optical Emission Spectrometry* (2nd ed.). Parkin Elmer.
- Callister, T.P. 2012. *Fundamental of Materials Science and Engineering; An Integrated Approach*. 5th ed. New York: John Wiley & Son, Inc.
- Chakravarthi, S., Padmanabhan, S., & Chitharanjan, A. B. (2012). Allergy and orthodontics. *Journal of orthodontic science*, 1(4), 83–87.
- Chang, C. J., Lee, T. M., & Liu, J. K. (2013). Effect of Bracket Bevel Design and Oral Environmental Factors on Frictional Resistance. *Angle Orthodontist*, 83(6), 956–965.

- Chauhan, D., Chauhan, T., Gupta, K., & Sachdev, V. (2013). A Study of Malocclusion and Orthodontic Treatment Needs According to Dental Aesthetic Index among School Children of a Hilly State of India. *Journal of International Society of Preventive and Community Dentistry*, 3(1), 32.
- Chitra, P., Prashantha, G. S., & Rao, A. (2020). Effect of Fluoride Agents on Surface Characteristics of NiTi Wires. An Ex vivo Investigation. *Journal of Oral Biology and Craniofacial Research*, 10(4), 435–440.
- Cobourne, M. T., & DiBiase, A. T. (2010). *Hanbook of Orthodontics*. Elsevier Limited.
- Daniel, W. W., & Cross, C. L. (2013). *Biostatistics : A Foundation for Analysis in the Health Science* (10th ed.). John Wiley and Sons, Inc.
- Darvell, B. W. (2009). *Materials Science for Dentistry* (9th ed.). Woodhead Publishing Limited.
- De Filippis, F., Pasolli, E., & Ercolini, D. (2020). The Food-gut Axis: Lactic acid Bacteria and Their Link to Food, the Gut Microbiome and Human Health. *FEMS Microbiology Reviews*, 44(4), 454–489.
- Deriaty, T., Nasution, I., & Yusuf, M. (2018). Nickel Ion Release from Stainless Steel Brackets in Chlorhexidine and Piper betle Linn Mouthwash. *Dental Journal (Majalah Kedokteran Gigi)*, 51(1), 5.
- Do Nascimento, L. E., Pithon, M. M., Ruellas, A. O., Franzotti, E. A., Filho, A. C., de Souza, M. M., & Bolognese, A. M. (2020). Rates of Tooth Movement and Bone Remodeling Activity: Self-ligating versus Conventional Brackets. *Journal of Clinical and Experimental Dentistry*, 12(4), e391–e398.
- Elyashkil, M., Shafai, N., & Mokhtar, N. (2021). Effect of malocclusion severity on oral health related quality of life in Malay adolescents. *Health and quality of life outcomes*, 19(1), 71.
- Farani, W., & Abdillah, M. I. (2021). Prevalensi Maloklusi Anak Usia 9-11 Tahun di SD IT Insan Utama Yogyakarta. *Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva*, 10(1), 26–31.
- Fernández-Miñano, E., Ortiz, C., Vicente, A., Calvo, J. L., & Ortiz, A. J. (2011). Metallic Ion Content and Damage to The DNA in Oral Mucosa Cells of Children with Fixed Orthodontic Appliances. *BioMetals*, 24(5), 935–941.
- Ferracane, J. L. (2001). *Materials in Principles and Applications Dentistry* (2nd ed.). Lippincott Williams and Wilkins.
- Fleming, P., & Seehra, J. (2010). Fixed Orthodontic Appliances : A Practical Guide. In *Textbook of Orthodontics*. Springer Nature Switzerland AG.

- Gapsari, Femiana. (2017). *Pengantar Korosi*. Universitas Brawijaya Press.
- Genchi, G., Carocci, A., Lauria, G., Sinicropi, M. S., & Catalano, A. (2020). Nickel: Human Health and Environmental Toxicology. *International journal of environmental research and public health*, 17(3), 679.
- Gölz, L., Knickenberg, A. C., Keilig, L., Reimann, S., Papageorgiou, S. N., Jäger, A., & Bourauel, C. (2016). Nickel Ion Concentrations in the Saliva of Patients Treated with Self-ligating Fixed Appliances: A Prospective Cohort Study. *Journal of Orofacial Orthopedics*, 77(2), 85–93.
- Graber, L. W., Vanarsdall, R. L., & Vig, K. W. L. (2012). *Orthodontics Current Principles and Techniques* (5th ed.). Mosby, Inc.
- Hakami, Z., Chung, H. S., Moafa, S., Nasser, H., Sowadi, H., Saheb, S., Bokhari, A. M., dan Anderson, N. K. (2020). Impact of Fashion Braces on Oral Health Related Quality of Life: A Web-based Cross-sectional Study. *BMC Oral Health*, 20(1), 1–9.
- Harrison, J. E., Scholey, J., Worthington, H. V., Bickley, S., O'Brien, K. D., & Shaw, B. C. (2008). Orthodontic Treatment for Crowded Teeth in Children. *Cochrane Database of Systematic Reviews*, 4, 1–5.
- Hasyim, H. S., Devi AP, L. S., dan Sumono, A. (2016). Pengaruh Perendaman Kawat Nikel-Titanium Termal Ortodonti dalam Minuman Teh Kemasan terhadap Gaya Defleksi Kawat. *e-Jurnal Pustaka Kesehatan*, 4(2), 375-380.
- Hepdarcan, S. S., Yilmaz, R. B. N., & Nalbantgil, D. (2016). Which Orthodontic Wire and Working Sequence Should be Preferred for Alignment Phase? A Review. *Turkish Journal of Orthodontics*, 29(2), 47–50.
- Heravi, F., Abbaszadegan, M. R., Merati, M., Hasanzadeh, N., Dadkhah, E., & Ahrari, F. (2013). DNA Damage in oral mucosa cells of Patients with Fixed Orthodontic Appliances. *Journal of dentistry (Tehran, Iran)*, 10(6), 494–500.
- Hill, D., Sugrue, I., Tobin, C., Hill, C., Stanton, C., & Ross, R. P. (2018). The Lactobacillus casei Group: History and Health Related Applications. *Frontiers in Microbiology*, 9(2107), 1–12.
- Huang, H. H., Chiu, Y. H., Lee, T. H., Wu, S. C., Yang, H. W., Su, K. H., & Hsu, C. C. (2003). Ion Release from NiTi Orthodontics Wires in Artificial Saliva with Various Acidities. *Biomaterials*, 24(20), 3585–3592.
- Huang, J., Yao, Y., Jiang, J., & Li, C. (2018). Effects of Motivational Methods on Oral Hygiene of Orthodontic Patients: A Systematic Review and Meta-analysis. *Medicine (United States)*, 97(47).
- Isaacson, K. G., Muir, J. D., & Reed, R. T. (2006). Removable Orthodontics Appliances. In *Review of Orthopaedics*. Elsevier.

- Islam, S. U. (2016). Clinical Uses of Probiotics. *Medicine*, 95(5), 1–5.
- Jamshidi, S., Rahmati Kamel, M., Mirzaie, M., Sarrafan, A., Khafri, S., dan Parsian, H. (2017). Evaluation of Scalp Hair Nickel and Chromium Level Changes in Patients with Fixed Orthodontic Appliance: A One-year Follow-up Study. *Acta Odontologica Scandinavica*, 76(1), 1–5.
- Karlina, I., Amtha, R., Roeslan, B. O., & Zen, Y. (2016). The Release of Total Metal Ion and Genotoxicity of Stainless Steel Brackets: Experimental Study Using Micronucleus Assay. *The Indonesian Biomedical Journal*, 8(2), 97.
- Khan, H. (2015). *Orthodontic Brackets: Selection, Placement and Debonding*. CreateSpace Independent Publishing Platform.
- Kim, S. K., Guevarra, R. B., Kim, Y. T., Kwon, J., Kim, H., Cho, J. H., Kim, H. B., & Lee, J. H. (2019). Role of Probiotics in Human Gut Microbiome-associated Diseases. *Journal of Microbiology and Biotechnology*, 29(9), 1335–1340.
- Kuhta, M., Pavlin, D., Slaj, M., Varga, S., Lapter-Varga, M., & Slaj, M. (2009). Type of Archwire and Level of Acidity: Effects on The Release of Metal Ions from Orthodontic Appliances. *Angle Orthodontist*, 79(1), 102–110.
- Lee, S. M., & Hwang, C.-J. (2015). A Comparative Study of Frictional Force in Self-ligating Brackets According to The Bracket-archwire Angulation, Bracket Material, and Wire Type. *The Korean Journal of Orthodontics*, 45(1), 13–19.
- Lee, Y. K. (2015). Translucency of Dental Ceramic, Post and Bracket. *Materials*, 8(11), 7241–7249.
- Lin, Y. T. J., Chou, C. C., & Hsu, C. Y. S. (2017). Effects of Lactobacillus casei Shirota Intake on Caries Risk in Children. *Journal of Dental Sciences*, 12(2), 179–184.
- Littlewood, S. J., & Mitchell, L. (2019). *An Introduction to Orthodontic* (5th ed.). Oxford University Press.
- Lohakare, S. S. (2008). Orthodontic Removable Appliances. In *Nuevos sistemas de comunicación e información*. Jaypee Brother Medical Publishers (P) Ltd.
- Loyola-Rodríguez, J. P., Lastra-Corso, I., García-Cortés, J. O., Loyola-Leyva, A., Domínguez-Pérez, R. A., Avila-Arizmendi, D., Contreras-Palma, G., & González-Calixto, C. (2020). In Vitro Determination of Genotoxicity Induced by Brackets Alloys in Cultures of Human Gingival Fibroblasts. *Journal of Toxicology*, 2020, 1–6.
- Lubis, H. F., Harahap, K. I., & Lubis, N. T. (2020). Differences in Nickel Ions Released from Nickel-titanium Arch Wire after Immersion in Detergent and Non-detergent Toothpaste. *Majalah Kedokteran Gigi Indonesia*, 6(2), 77.

- Manappallil, J. J. (2010). *Basic Dental Materials* (3rd ed.). Jaypee Brother Medical Publishers (P) Ltd.
- Markowiak, P., & Ślizewska, K. (2017). Effects of Probiotics, Prebiotics, and Synbiotics on Human Health. *Nutrients*, 9(1021), 1–30.
- McCabe, J. F., & Walls, A. W. . (2008). *Applied Dental Materials* (9th ed.). Blackwell Publishing Ltd.
- Mermet, J. M. (2005). Is It Still Possible, Necessary and Beneficial to Perform Research in ICP-Atomic Emission Spectrometry? *Journal of Analytical Atomic Spectrometry*, 20, 11–16.
- Minanga, M. A., & Anindita, P. S. (2016). Pelepasan Ion Nikel dan Kromium Braket Ortodontik Stainless Steel yang Direndam Dalam Obat Kumur. *Pharmacon*, 5(1), 135–141.
- Mizrahi, E. (2015). *Orthodontic Pearls : A Selection of Practical Tips and Clinical Expertise* (2nd ed.). Taylor and Francis Group.
- Mokoena, M. P. (2017). Lactic Acid Bacteria and Their Bacteriocins: Classification, Biosynthesis and Applications Against Ropathogens: A Mini-Review. *Molecules*, 22(8).
- Nair, S. V, Padmanabhan, R., & Janardhanam, P. (2012). Evaluation of The Effect of Bracket and Archwire Composition on Frictional Forces in The Buccal Segments. *Indian Journal of Dental Research*, 23(2), 203–208.
- Pakpahan, E. L. (2018). Pengaruh Lemon terhadap Pelepasan Ion Nikel dan Kromium Braket Ortodonti Stainless Steel. *Jurnal Ilmiah dan Teknologi Kedokteran Gigi*, 14(2), 46.
- Parashar, S., Maurya, R., Gupta, A., Hegde, C., & Anand, N. (2015). Estimation of Release of Nickel and Chromium by Indian Made Orthodontic Appliance in Saliva. *Journal of Clinical and Diagnostic Research*, 9(9), ZC75–ZC79.
- Peniasi, Wibowo, D., & Kurniawan, F. K. D. (2018). Efek Perendaman Minuman Probiotik Terhadap Daya Lenting Kawat Ortodontik Lepas Stainless Steel. *Dentin Jurnal Kedokteran Gigi*, II(1), 103–107.
- Piqué, N., Berlanga, M., & Miñana-Galbis, D. (2019). Health Benefits of Heat-killed (Tyndallized) Probiotics: An Overview. *International Journal of Molecular Sciences*, 20(10), 1–30.
- Proffit, W. R., Fields, H. W., & Sarver, D. M. (2013). *Contemporary Orthodontics*. Elsevier.
- Protect. 2022. *Metal Bracket*. <https://en.protectmec.com> [Diakses Mei 2022].

- Qisthi, R. R., Erlita, I., & Saputera, D. (2019). Surface Hardness Evaluation Of Bulk-fill Composite Resin After Immersion in Probiotic Drinks and Carbonated Drinks. *Jurnal Kedokteran Gigi*, *IV*(2), 156–161.
- Rahardjo, P. (2009). *Piranti Ortodonti Lepas*. Airlangga University Press.
- Rahardjo, P. (2012). *Ortodonti Dasar* (2nd ed.). Airlangga University Press.
- Rahilly, G., & Price, N. (2003). Current Products and Practice Nickel Allergy and Orthodontics. *Journal of Orthodontics*, *30*(2), 171–174.
- Roeswahjuni, N., Fitriani, D., & Wardiananti, A. D. (2019). The Efficacy Of Green Tea (*Camellia sinensis*) Leaves Extract As Corrosion Inhibitor For Orthodontics Stainless steel wire (Research report). *Dentino Jurnal Kedokteran Gigi*, *IV*(1), 77–82.
- Rasyid, N. I., Pudyani, P. S., dan Heryumani, JCP. (2014). Pelepasan Ion Nikel dan Kromium Kawat Australia dan Stainless Steel dalam Saliva Buatan. *Dental Journal (Majalah Kedokteran Gigi)*, *47*(3), 168-172.
- Rishor-Olney, C. R. dan Gnugnoli, D. M. (2022). *Nickel Allergy*. StatPearls Publishing.
- Saito, M., Arakaki, R., Yamada, A., Tsunematsu, T., Kudo, Y., & Ishimaru, N. (2016). Molecular Mechanisms of Nickel Allergy. *International journal of molecular sciences*, *17*(2), 202.
- Saragih, J., Muttaqin, Z., & Hadi, L. (2021). Perbedaan Efek Minuman Berkarbonasi dengan Minuman Probiotik terhadap Perubahan Gaya Z-Spring. *Jurnal Farmasi Medistra (Jfm)*, *3*(2), 86–92.
- Seminario-Amez, M., López-López, J., Estrugo-Devesa, A., Ayuso-Montero, R., & Jané-Salas, E. (2017). Probiotics and Oral Health: A Systematic Review. *Medicina Oral, Patología Oral y Cirugía Bucal*, *22*(3), e282–e288.
- Shara, A. J., & Habar, E. H. (2018). Piranti Fungsional Frankel (Functional Appliance of Frankel). *Makassar Dent J*, *7*(1), 21–25.
- Shimizu, K., Yamada, T., Ogura, H., Mohri, T., Kiguchi, T., Fujimi, S., Asahara, T., Yamada, T., Ojima, M., Ikeda, M., & Shimazu, T. (2018). Synbiotics Modulate Gut Microbiota and Reduce Enteritis and Ventilator-associated Pneumonia in Patients with Sepsis: A Randomized Controlled Trial. *Critical Care*, *22*(1), 1–9.
- Shruthi, D. P., Patil, G. ., & Prithviraj, D. R. (2020). Comparative Evaluation of Ion Release in Bonded and Nonbonded Stainless Steel Brackets with Use of Different Mouthwashes: An In vitro Study. *Contemporary Clinical Dentistry*, *11*(1), 15–19.

- Singh, V. P., & Sharma, A. (2014). Epidemiology of Malocclusion and Assessment of Orthodontic Treatment Need for Nepalese Children. *International Scholarly Research Notices*, 2014, 1–4.
- Siwy, C. J., Tendean, L. E. N., & Anindita, P. S. (2015). Uji Pelepasan Logam Kromium (Cr) dan Nikel (Ni) Beberapa Merek Braket Stainless Steel dalam Cairan Saliva Artifisial. *e-GIGI*, 3(2), 1–5.
- Soeharsono, Adriani, L., Safitri, R., Sjojfan, O., Abdullah, S., Rostika, R., Lengkey, H. A. W., & Mushawwir, A. (2010). *Probiotik. Basis Ilmiah, Aplikasi, dan Aspek Praktis* (Soeharsono (ed.)). Widya Padjadjaran.
- Soni, J., Goje, S., Kulkarni, N., Shyagali, T. R., & Bhayya, D. P. (2018). Evaluation of Determinants for The Nickel Release by The Standard Orthodontic Brackets. *International Orthodontics*, 16(1), 31–41.
- Sumule, I., Anindita, P. S., & Waworuntu, O. A. (2015). Pelepasan Ion Nikel dan Kromium Braket Stainless Steel yang Direndam Dalam Minuman Berkarbonasi. *e-GIGI*, 3(2), 1–6.
- Sun, Z., Harris, H. M. B., McCann, A., Guo, C., Argimón, S., Zhang, W., Yang, X., Jeffery, I. B., Cooney, J. C., Kagawa, T. F., Liu, W., Song, Y., Salvetti, E., Wrobel, A., Rasinkangas, P., Parkhill, J., Rea, M. C., O’Sullivan, O., Ritari, J., O’Toole, P. W. (2015). Expanding the Biotechnology Potential of Lactobacilli through Comparative Genomics of 213 Strains and Associated Genera. *Nature Communications*, 6(88322).
- Top Brand Award. (2021). *Top Brand Index Fase 2 2021 Susu Fermentasi Bermerek dalam Kemasan*. <https://www.topbrand-award.com>
- Ujilestari, T.-, Susilaningrum, D. F., Damayanti, B. A., Saputri, M. A., & Alfian, R. N. (2021). The Benefit and The Content of Lactic Acid Bacteria “Lactobacillus casei Shirota Strain” in Yakult. *Indonesian Journal of Biology Education*, 4(1), 25.
- Wang, Y., Liu, C., Jian, F., Mcintyre, G. T., Millett, D. T., Hickman, J., & Lai, W. (2018). Initial Arch Wires Used in Orthodontic Treatment with Fixed Appliances. *Cochrane Database of Systematic Reviews*, 7, 11.
- Wasono, N. P., Assa, Y. A., & Anindita, P. . (2016). Pelepasan Ion Nikel dan Kromium Braket Stainless Steel yang Direndam dalam Minuman Isotonik. *Jurnal Ilmiah Farmasi - UNSRAT*, 5(1).
- Wendl, B., Wiltsche, H., Lankmayr, E., Winsauer, H., Walter, A., Muchitsch, A., Jakse, N., Wendl, M., & Wendl, T. (2017). Metal Release Profiles of Orthodontic Bands, Brackets, and Wires: an In Vitro Study. *Journal of Orofacial Orthopedics*, 78(6), 494–503.

- Williams, J. K., Cook, P. A., Isaacson, K. G., & Thom, A. R. (1995). *Fixed Orthodontic Appliances: Principles and Practice*. Butterworth-Heinemann Ltd.
- Wilschefski, S. C., & Baxter, M. R. (2019). Inductively Coupled Plasma Mass Spectrometry: Introduction to Analytical Aspects. *Clinical Biochemist Reviews*, 40(3), 115–133.
- Wu, Y., Cao, L., & Cong, J. (2020). The Periodontal Status of Removable Appliances vs Fixed Appliances: A Comparative Meta-analysis. *Medicine*, 99(50), e23165.
- Yakult. (2022). *Yakult*. <https://yakult.co.id>
- Zawistowska-Rojek, A., & Tyski, S. (2018). Are Probiotic Really Safe for Humans? *Polish Journal of Microbiology*, 67(3), 251–258.
- Zou, J., Meng, M., Law, C. S., Rao, Y., & Zhou, X. (2018). Common Dental Diseases in Children and Malocclusion. *International Journal of Oral Science*, 10(1), 1–7.

