

## BIBLIOGRAPHY

- Al Azhar Muhammad 2019. Resistensi Insulin Dan Disfungsi Sekresi Insulin Sebagai Faktor Penyebab Diabetes Melitus Tipe 2 (Resistance Of Insulin And Dysfunction Of Insulin Secretion As Factors Which Diabetes Melitus Type 2)
- Ali M, Al Shamma G, Hashim H. Beta Carotene, Glycemic Control and Dyslipidemia in Type 2 Diabetes Mellitus. Journal Faculty Medicine Baghdad 2006. 48:435-41
- Andayani, Y. 2003. *Mekanisme Aktivitas Antihiperglikemik Ekstrak Buncis (Phaseolus vulgaris Linn) pada tikus diabetes dan identifikasi komponen Aktif.* Disertasi S3.Institut Pertanian Bogor
- Atchibri A L,Ocho Anin., Kouakou T H., Brou K D., Kouadio Y J., & Gnakri D. 2010 Evaluation Of Bioactive Components In Seeds Of Phaseolus Vulgaris L (Fabaceae) Cultivated In Côte D'ivoire. *Journal Of Applied Biosciences*, 31, 1928 – 1934
- Adriani. 2018. Prediksi senyawa Bioaktif Dari Tanaman Sanrego (Lunasia Amara Blanco) Sebagai Inhibitor Enzim Siklookksigenase-2 (Cox-2) Melalui Pendekatan Molecular Docking. *Jurnal Ilmiah Pena*. 1(1): 9-10.
- Anand, A., Sharma, N., Khurana, N. 2017. Prediction Of Activity Spectra Of Substances Assisted Prediction Of Biological Activity Spectra Of Potential Anti-Alzheimer's Phytoconstituents. *Asian Journal of Pharmaceutical and Clinical Research*. 10(22159): 13-14.
- Arisman. 2013. Obesitas, Diabetes Melitus, dan Dislipidemia. Penerbit Buku Kedokteran EGC. Jakarta.
- Alberti KGMM, Zimmet P, Shaw J. Metabolic syndrome-a new worldwide definition. A consensus statement from the International Diabetes Federation. *Diabetic Medicine* [serial on Internet]. 2006

Nov 5]; 23 (5): 469– 80. Available from: <http://doi.wiley.com/10.1111/j.1464-5491.2006.01858.x>

Botero D, Wolfs dorf JI 2005 Diabetes mellitus pada anak-anak dan remaja. Arch Med Res 36: 281-290.

Byndloss MX, Olsan EE, Rivera-Chávez F, *et al.*, Sinyal PPAR-gamma menghambat ekspansi disbiotik. Ilmu 2017-357 (6351): 570 - 575.

• • Studi ini menunjukkan bahwa mikrobiota usus memodulasi ketersediaan oksigen dalam lumen usus melalui butirat, sehingga membatasi ekspansi patogen.

Bautista, M., Esquel, S., J., Esquivel, C., S., Durant, M., I., Valadez, V., C. 2011. Inflammatory Gene Continence Foundation of Australia. 2014. Sembelit dan Mengendalikan Isi Perut. Sydney Road, Brunswick.

Brownlee, I. A. (2011) The physiological roles of dietary fibre. Food Hydrocolloids,

Buchbauer G, Ilic A, Aktivitas Biologis Mono- dan Seskuiterpen Terpilih: Kemungkinan Penggunaan dalam Pengobatan. Dalam: Ramawat K, Mérillon JM (eds) Produk Alami. Springer, Berlin, Heidelberg Der Marderosian, A.; Beutler, JA Tinjauan Produk Alami, 2nd ed.; Fakta dan Perbandingan; Seattle, WA, AS, 13–43 (2002).

Cani, P. D. *et al.*, (2009) „Changes in gut microbiota control inflammation in obese mice through a mechanism involving GLP-2-driven improvement of gut permeability“, Gut, 58(8), pp. 1091–1103. doi: 10.1136/gut.2008.165886.

Croteau R, Kutchan TM & Lewis NG. 2015. Natural products (Secondary metabolites). In Biochemistry & Molecular Biology of Plants, B. Buchanan, W. Grussem, R. Jones, Eds. 2nd Ed. London: Wiley & Blackwell

Cypess, A. M. dan Kahn, C. R. 2010. Brown fat as a therapy for obesity and diabetes. Curr Opin Endocrinol Diabetes Obes. 17(2): 143– 149.

Expression in White Adipose Tissue of Young Mice. Hindawi Publishing Corporation.

Darleen A. Sandoval and David A. D'Alessio. 2014. *Physiology of proglucagon peptides : role of glucagon and glp-1 in health and disease*

Delzenne, N. M. et al., (2011) „Targeting gut microbiota in obesity: Effects of prebiotics and probiotics“, Nature Reviews Endocrinology. Nature Publishing Group, 7(11), pp. 639– 646. doi: 10.1038/nrendo.2011.126.

Dilip Sharma, Suril Verma, Shivani Vaidya, Kiran Kalia, Vinod Tiwari. 2018. Recent updates on GLP-1 agonists: Current advancements & challenges Department of Pharmacology and Toxicology, National Institute of Pharmaceutical Education and Research (NIPER)- Ahmedabad, Gandhinagar 382355, Gujarat, India

Donnelly, D. 2012. *The Structure and Function of the Glucagon-like peptide-1 Receptor and it's Ligands*. Br.J.Pharmacol 166(1):27-41.

Drew E.J, Reichardt N, Williams L. M, Mayer D. C, Walker W. A., Farquharson J. A, Kastora S, Farquharson F, Milligan G, Morrison J D, Preston T, Flint J. H & Louis P. 2018. Dietary fibers inhibit obesity in mice, but host responses in the cecum and liver appear unrelated to fiber-specific changes in cecal bacterial taxonomic composition

Dhingra, D., Michael, M., Rajput, H., & Patil, R. T. (2012). Dietary fibre in foods: A review. Journal of Food Science and Technology, 49(3), 255– 266. <https://doi.org/10.1007/s13197-011-0365-5>

D. Halas, C. F. Hansen, D. J. Hampson et al, “Dietary supplementation with benzoic acid improves apparent ileal digestibility of total nitrogen and increases villous height and caecal microbial diversity in weaner pigs,” *Animal Feed Science and Technology*, vol. 160, pp. 137– 147, 2011.

D. Cong, A. K. Y. Fong, R. Lee, and K. S. Pang, “ Absorption of benzoic acid in segmental regions of the vascularly perfused rat small intestine preparation,” *Drug Metabolism and Disposition*, vol. 29, no. 12, pp. 1539– 1547, 2001.

Dahm, C. C., Keogh, R. H., Spencer, E. A., Greenwood, D. C., Key, T. J., Fentiman, I. S., Rodwell, S. A. (2010). Dietary fiber and colorectal cancer risk: A nested case-control study using food diaries. *Journal of the National Cancer Institute*, 102(9), 614– 626.  
<https://doi.org/10.1093/jnci/djq092>

Duke JA. 2009. *List of Chemicals of Euphorbia hirta L* In: Phytochemical and Ethnobotanical Databases.

Fei Wang, Stephanie M. Yoder, Qing Yang, Alison B. Kohan, Tammy L. Kindel, Jacob Wang, and Patrick Tso. 2015. Chronic high-fat feeding increases GIP and GLP-1 secretion without altering body weight. *Department of Pathology and Laboratory, University of Cincinnati, Cincinnati, Ohio*

Fairbanks, L. A., Blau, K., & Jorgensen, M. J. (2010). High-fiber diet promotes weight loss and affects maternal behavior in rhesus monkeys. *American Journal of Primatology*, 72(3), 234– 241.  
<https://doi.org/10.1002/ajp.20772>

Fadhilah, Q. 2019. Pengaruh Serat Bengkuang (*Pachyrhizus erosus*L.) terhadap Perkembangan Obesitas pada Mencit Putih Jantan (*Mus musculus*L.) yang diberi pakan berlemak tinggi. Skripsi. Universitas Andalas. Padang

Faqih, K., Yahmin., Suharti. 2019. Skrining Turunan Flavonoid Sebagai Kandidat Inhibitor Protease nsP2 dari Virus Chikungunya Menggunakan Molecular Docking. *Jurnal Kimia dan Terapannya*. 3(1): 38

- Forli, S., Huey, R., Pique, M.E., Sanner, M.F., Goodsell, D.S., Olson, A.J. 2016. Computational protein-ligand docking and virtual drug screening with the AutoDock suite. *HHS Public Access*. 11(5): 1-6.
- FSANZ. 2002. Food Standards Australia New Zealand. <http://www.foodstandards.gov.au/Pages/default.aspx>[Diakses pada 29 September 2017].
- G.A. Sim, J.M.Robertson, andT.H. Goodwin, “ The crystal and molecular structure of benzoic acid,” *Acta Crystallographica*, vol. 8, no. 3, pp. 157– 164, 1955.
- Gao Z, Yin J, Zhang J, *et al.*, Butir meningkatkan sensitivitas insulin dan meningkatkan pengeluaran energi pada tikus. *Diabetes*. 2009 ; 58 (7): 1509 - 1517.
- Greenstein, B., Wood, D. 2010. At a Glance Sistem Endokrin Edisi Kedua. Penerbit Erlangga. Jakarta.
- Gill S.K.,, M. Rossi, B. Bajka dan K. Whelan. 2020. Dietary Fibre in Gastrointestinal Health and Disease. *Nature Reviews Gastroenterology & Hepatology*.
- Guyton, A., C. dan Hall, J., E. 1997. Buku Ajar Fisiologi Kedokteran Edisi 9. EGC. Jakarta.
- Hamer HM, Jonkers D, Venema K, Vanhoutvin S, Troost FJ, Brummer RJ. Review article: the role of butyrate on colonic function. *Aliment Pharmacol Ther*. 2008;27:104– 19.
- Hosseini E, Grootaert C, Verstraete W, Van de Wiele T. Propionate as a health-promoting microbial metabolite in the human gut. *Nutr Rev*. 2011;69:245– 58.
- Hooverstad, T., & Midtvedt, T. (1986). Asam lemak rantai pendek pada tikus dan tikus bebas kuman. Itu
- H. Wang, Q. He, G. Wang, X. Xu, and H. Hao, “ FXR modulators for enterohepatic and metabolic diseases,” *Expert Opinion on Therapeutic Patents*, vol. 28, no. 11, pp. 765– 782, 2018.

J.W. Bridges,M. R. French, R. L. Smith, andR. T. Williams,<sup>1,6</sup> “The fate of benzoic acid in various species,” *Biochemical Journal*, vol. 118, no. 1, pp. 47– 51, 1970.

J. S. Teodoro, A. P. Rolo, and C. M. Palmeira, “ Hepatic FXR: key regulator of whole-body energy metabolism,” *Trends in Endocrinology and Metabolism*, vol. 22, no. 11, pp. 458– 466, 2011.

Khan R, Sultana S, 2011. Farnesol melemahkan 1,2-dimethylhydrazine diinduksi stress oksidatif, peradangan dan respon apoptosis di usus besar Wistar tikus, *Chem Bio interact* 192 (3), 193-200.

Kelutur, F.J., Mustarichie, R., Umar, A.K. 2020. Virtual Screening Kandungan Senyawa Kipas Laut (*Gorgonia mariae*) sebagai Antiasma. *Jurnal Penelitian Kimia*. 16(2): 207-208.

Kim, S., Thiessen, P.A., Cheng, T., Yu, B., Shoemaker, B.A., Wang, J., dkk. 2016. Literature information in PubChem: associations between PubChem records and scientific articles. *Journal of Cheminformatics*. 8(32): 1.

Kilo, A.L., Aman, L.O., Sabihi, I., Kilo, J.L. 2019. Studi Potensi Pirazolin Tersubstitusi 1-N Dari Tiosemikarbazon Sebagai Agen Antiamuba Melalui Uji *In silico*. *Indo. J. Chem.* 7(1): 13.

Lattimer JM, Haub MD. Effects of dietary fiber and its components on metabolic health. *Nutrients*. 2010;2:1266– 89.

Lapczynski A, Bathia SP, et al. Ulasan bahan wewangian di farnesol, food chem toxicol 46 (11), 149-156 (2008)

Lin HV, Frassetto A, Kowalik EJ Jr, et al,. Butir dan propionat melindungi dari obesitas yang diinduksi diet dan mengatur <sup>2022-07-18 08:23:10</sup> hormon leptin melalui mekanisme 3-independen reseptor asam lemak. *PLoS One*. 2012 ; 7 (4): e35240.

- Lutsey PL, Steffen LM, Stevens J. Dietary intake and the development of the metabolic syndrome: The atherosclerosis risk in communities study. *Circulation* [serial on Internet]. 2008;
- Lovejoy, J., M. DiGirolamo. 1992. Habitual dietary intake and insulin sensitivity in lean and obese adults. *The American Journal of Clinical Nutrition* 55(6): 1174-9.
- Makatita, F.A., Wardhani, R., Nuraini. 2020. Riset *In silico* Dalam Pengembangan Sains Di Bidang Pendidikan, Studi Kasus: Analisis Potensi Cendana Sebagai Agen Anti-Aging. *Jurnal Abdi* .2 (1): 59.
- Mozaffarian, D., Hoa, T., Rimm, E. B., Willett, W. C., & Hu, F. B. (2011). Changes in Diet and Lifestyle and Long-Term Weight Gain in Women and Men. *The New England Journal of Medicine*, 364, 2392–404.
- Nauli, T. 2014. Penentuan Sisi Aktif Selulase Aspergillus Niger dengan *Docking Ligan. JKTI*, 16(2).
- Natarajan N, Pluznick JL. Dari mikroba ke manusia: peran mikroba metabolit asam lemak rantai pendek dalam biologi sel inang. *Am J Physiol Cell Physiol.* 2014 ; 307 (11): C979 - C985.
- Nassar, Zeyad., & Abdalrahim, Amin MS. 2010. The Pharmacological Properties of terpenoid from Sandoricum Koetjape. *Journal Medcentral*, 2010, 1-11.
- Patel, R. and Dupont, H. L. (2015) "New approaches for bacteriotherapy: Prebiotics, new-generation probiotics, and synbiotics", *Clinical Infectious Diseases*, 60(Suppl 2), pp. S108–S121. doi: 10.1093/cid/civ177.

- Papathanasopoulos A, Camilleri M. Dietary fiber supplements: effects in obesity and metabolic syndrome and relationship to gastrointestinal functions. *Gastroenterology*. 2010;138(1):62–5.
- Parasuraman, S. 2011. Prediction of activity spectra for substances. *J Pharmacol Pharmacoter*. 2(1): 1.
- Phillips, A. O., & Phillips, G. O. (2011). Biofunctional behaviour and health benefits of a specific gum arabic. *Food Hydrocolloids*, 25(2), 165–169. <https://doi.org/10.1016/j.foodhyd.2010.03.012>
- Picatoste, B., E. Ramírez, A. Caro-Vadillo, C. Iborra, S. Ares-Carrasco, dan J. Egido. 2013. Sitagliptin reduces cardiac apoptosis, hypertrophy and fibrosis primarily by insulin-dependent mechanisms in experimental type-II diabetes. Potential roles of GLP-1 isoforms. *PLoS ONE* 8(10): e78330.
- Peishen Zhao, Yi-Lynn Liang, Matthew J. Belousoff, Giuseppe Deganutti, Madeleine M. Fletcher, Francis S. Willard, Michael G. Bell, Michael E. Christe, Kyle W. Sloop, Asuka Inoue, Tin T. Truong, Lachlan Clydesdale, Sebastian G. B. Furness, Arthur Christopoulos, Ming-Wei Wang, Laurence J. Miller, Christopher A. Reynolds, Radostin Danev, Patrick M. Sexton & Denise Wootten. 2020. Activation of the GLP-1 receptor by a non-peptidic agonist. *Nature Computation Science*
- Quick, V., Wall, M., Larson, N., Haines, J., & Neumark-Sztainer, D. (2013). Personal, behavioral and socioenvironmental predictors of overweight incidence in young adults: 10-yr longitudinal findings. *International Journal of Behavioral Nutrition and Physical Activity*, 10, 1– 13. <https://doi.org/10.1186/1479-5868-10-37>
- Ramadhani, A. 2014. Perbedaan Kadar Trigliserida Sebelum dan Setelah Pemberian Sari Bengkuang (Pachyrhizus erosus) pada Wanita. *Journal of Nutrition College*, Vol 3, No 4
- Rheza Paleva. 2018. Mekanisme Resistensi Insulin Terkait Obesitas (Insulin Resistance Mechanisms Related to Obesity)
- Reimer, R. A., dan I. M. McBurney. 1996. Dietary Fiber Modulates Intestinal

- Proglucagon Messenger Ribonucleic Acid and Postprandial Secretion of Glucagon-Like Peptide-1 and Insulin in Rats. *Endocrinology* 137(9). 1-9.
- Raju SM, Raju B (2010) Ilustrasi biokimia medis. Edisi ke-2. Jaypee Brothers Medical Publishers ltd, New Delhi, India.
- Ramayanti, K., Riza, H., Fajriaty, I. 2016. Molecular Docking Of Drymaritin, Triptonine A And Triptonine B Compounds Against Hiv Enzymes. *Department of Pharmacy, Faculty of Medicine, Tanjungpura University*: 5.
- Rollando, 2017. *Pengantar kimia medisinal*. Malang: CV. Seribu Bintang. Halaman 12-21.
- Roy CC, Kien CL, Bouthillier L, Levy E. Short-chain fatty acids: ready for prime time? *Nutr Clin Pract.* 2006;21:351– 66.
- Rose, P.W., Prlic, A., Bi, C., Bluhm, W.F., Christie, C.H., Dutta, S., dkk. 2014. The RCSB Protein Data Bank: views of structural biology for basic and applied research and education. *Nucleic Acids Research*. 10(1093): 1.
- Rukmana, R dan H. Yudirachman. 2014. Kiat Sukses Budi Daya Bengkuang: Tanaman Multi Manfaat. Lily Publisher. Yogyakarta.
- Ruslin., Yana, N.R.A., Leorita, M. 2020. Desain Turunan Senyawa Leonurine Sebagai Kandidat Obat AntiInflamasi. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*. 6(1): 189.
- Siedel JC, Vischer TL. Obesitas sebagai determinan mortalitas dan morbiditas. Dalam: Gibney MJ, Margett BM, Kearney JM, Arab L. Gizi Kesehatan Masyarakat. Jakarta: EGC; 2009. Hal.203-215.
- Santoso, P., Amelia, A., Rahayu, R. 2019. Jicama (*Pachyrhizus erosus*) fiber prevents excessive blood glucose and body weight increase without affecting food intake in mice fed with high-sugar diet. *Journal of Advanced Veterinary and Animal Reseach*6(02):222-230.
- Santoso, P., Rita, M., 2020. Isolasi dan Uji Khasiat Serat Bengkuang. Yogyakarta: K-Media.

- Santoso, P., Maliza, R., Rahayu, R., & Amelia, A. (2020). Pancreoprotective Effect of Jicama (*Pachyrhizus erosus*, Fabaceae) Fiber against High-Sugar Diet in Mice. *Open Access Macedonian Journal of Medical Sciences*, 8(A), 326-332. <https://doi.org/10.3889/oamjms.2020.4528>
- Santoso Putra, Maliza Rita, Insani Jamalul Siti, Fadhila Qonitah, Rahayu Resti. 2021. Preventive effect of jicama (*Pachyrhizus erosus*) fiber against diabetes development in mice fed with high-fat diet.
- Sari, I.W., Junaidin., Pratiwi, D. 2020. Studi *Molecular Docking* Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon Stamineus*) Pada Reseptor Glukosidase Sebagai Antidiabetes Tipe 2. *Jurnal Farmagazine*. 7(2): 56
- Syahputra, G., Ambarsari, L., Sumaryada, T. 2014. Simulasi Docking Kurkumin Enol, Bisdemetoksikurkumin Dan Analognya Sebagai Inhibitor Enzim12-Lipoksgenase. *Jurnal Biofisika*. 10(1): 56.
- Smith PM, Howitt MR, Panikov N, et al,. Metabolit mikroba, asam lemak rantai pendek, mengatur homeostasis sel Treg kolon. Ilmu. 2013 ; 341 (6145): 569 - 573.
- Sleeth ML, Thompson EL, Ford HE, Zac-Varghese SE, Frost G. Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation. *Nutr Res Rev*. 2010;23:135– 45.
- Sinaga, D, Yantri, E., Yusrawati. (2018). Kadar insulin-like growth factor 1, ghrelin ASI, dan peningkatan berat badan bayi pada ibu menyusui obesitas dan normal. *Jurnal Gizi Klinik Indonesia*
- Siswadono. (2000). *Kimia medisinal*. Edisi II. Surabaya: Airlangga University Presss. Halaman 227-243.
- Sihombing, Noventy C. 2010. formula gel antioksidan ekstrak buah buncis (*phaseulus vulgaris* L) dengan menggunakan basis AQUPEC 505 HV. *Jurnal ilmiah universitas padjadjaran*.

- Suyono, S., 2009. Diabetes Melitus di Indonesia. In: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., Setiasti, S., editors. Buku Ilmu Penyakit Dalam Jilid 3. 5th ed. Jakarta: Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia pp 1877.
- Tazoe, H., Otomo, Y., Kaji, I., Tanaka, R., Karaki, SI, & Kuwahara, A. (2008). Peran reseptor asam lemak rantai pendek, GPR41 dan GPR43 pada fungsi kolon. *Jurnal Fisiologi dan Farmakologi*, 59 ( Suppl. 2), 251.
- Taşçı, K. S., and Bingöl A. S. 2018. GLP-1 localisation and proglucagon gene expression in healthy and diabetic mouse ileum. Department of Histology and Embryology, Faculty of Veterinary Medicine, Kafkas University,
- Tasyurek, H. M., Altunbas, H. A., Balci, M. K., and a n dd a tnel i glu, S., 2014, Incretins: Their Physiology and Application in The Treatment of Diabetes Mellitus, *Diabetes Metabolism Research and Reviews*, Volume 30, 354-371.
- Thoma, R., Löffler, B., Stihle, M., Huber, W., Ruf, A., and Henning , M., 2003, Structural Basis of Proline-Specific Exopeptidase Activity as Observed in Human Dipeptidyl Peptidase-IV, *Structure*, Volume 11, Issue 8, 947-959.
- Turner N, Hariharan K, Tigand J, Frangioudakis G, Beal SM, Wright LE, Zeng XY, Leslie SJ, Li JY, Kraegen EW, Cooney GJ, Ye JM. 2009. Enhancement of muscle mitochondrial oxidative capacity and alterations in insulin action are lipid species dependent: potent tissue-specific effects of medium-chain fatty acids. *Diabetes* 58: 2547– 2554.
- Trayhurn P, Beattie JH. 2001. Physiological role of adipose tissue: white adipose tissue as an endocrine and secretory organ. *Proc Nutr Soc* 60: 329– 339.

- Vrang N, Hansen M, Larsen PJ, Tang-Christensen M. Karakterisasi proyeksi preproglucagon batang otak ke inti hipotalamus paraventrikular dan dorsomedial. Res otak 1149: 118– 126, 2007.
- Wang ZQ, Yu Y, Zhang XH, Floyd EZ, Bourdreau A, Lian K, Cefalu WT. 2012. Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. *Int J Nanomedicine*; 7:2999– 3012; doi:10.2147/IJN.S30887
- Wangko S. W. 2020. Aspek Fisiologik Short Chain Fatty Acid (SCFA). Rumah Sakit Gereja Masehi Injili di Minahasa Pancaran Kasih Manado, Sulawesi Utara, Indonesia
- Windeløv J. A, Nicolai J, Wewer Albrechtsen, Rune E, Kuhre, Sara L, Jepsen, Daniel Hornburg & Jens Pedersen, Elisa P, Jensen, Katrine D, Galsgaard, Marie Winther-Sørensen, Anne Ørgaard, Carolyn F, Deacon, Matthias Mann, Hannelouise Kissow, Bolette Hartmann, Jens J, Holst. 2017. Why is it so difficult to measure glucagon-like peptide-1 in a mouse?
- Watzl, B., Girrbach, S., & Roller, M. (2005). Inulin, oligofructose and immunomodulation. British Journal of Nutrition, 93(S1), S49. <https://doi.org/10.1079/BJN20041357>
- Widiyati, Eni. 2006. Penentuan adanya senyawa triterpenoid dan uji aktifitas Biologi pada beberapa spesies tanaman obat tradisional masyarakat pedesaan bengkulu. *Jurnal gradien*, 2, 116-122
- Wong, JM, de Souza, R., Kendall, CW, Emam, A., & Jenkins, DJ (2006). Kesehatan usus besar: Fermentasi dan asam lemak rantai pendek. *Jurnal Gastroenterologi Klinis*, 40, 235.
- Yadav, H. et al., (2013) „Beneficial metabolic effects of a probiotic via butyrate-induced GLP-1 hormone secretion“, J Biol Chem, 288(35), pp. 25088–25097. doi: doi:10.1074/jbc.M113.452516. PMID:23836895
- Yang, Y. Y., Ma, S., Wang, X. X., & Zheng, X. L. (2017). Modification and Application of Dietary Fiber in Foods. *Journal of Chemistry*, 2017. <https://doi.org/10.1155/2017/9340427>

Yao, B., Fang, H., Xu, W., Yan, Y., Xu, H., Liu, Y., ... Zhao, Y. (2014).

Dietary fiber intake and risk of type 2 diabetes:  
A dose-response analysis of prospective studies.  
European Journal of Epidemiology, 29(2), 79–  
88. <https://doi.org/10.1007/s10654-013-9876-x>

Zhou J, Hegsted M, McCutcheon KL, Keenan MJ, Xi X,  
Raggio AM, Martin RJ. Peptide YY and  
proglucagon mRNA expression patterns and  
regulation in the gut. *Obesity (Silver Spring)*.  
2006;14:683– 9. *Jurnal Nutrisi*, 116, 1772.

Zhang, Z., Xu, G., Liu, D., Zhu, W., Fan, X., & Liu, X. (2013). Dietary fiber consumption and risk of stroke. European Journal of Epidemiology, 28(2), 119–130. <https://doi.org/10.1007/s10654-013-9876-x>