

## DAFTAR PUSTAKA

1. Rahmat ST, Tan WK, Kawamura G, Matsuda A, Lockman Z. Synthesis of rutile TiO<sub>2</sub> nanowires by thermal oxidation of titanium in the presence of KOH and their ability to photoreduce Cr(VI) ions. *J Alloys Compd.* 2020;812:152094. doi:10.1016/j.jallcom.2019.152094
2. Zhang R, Ma H, Wang B. Removal of chromium(VI) from aqueous solutions using polyaniline doped with sulfuric acid. *Ind Eng Chem Res.* 2010;49(20):9998-10004. doi:10.1021/ie1008794
3. Colón G, Hidalgo MC, Navío JA. Photocatalytic deactivation of commercial TiO<sub>2</sub> samples during simultaneous photoreduction of Cr(VI) and photooxidation of salicylic acid. *J Photochem Photobiol A Chem.* 2001;138(1):79-85. doi:10.1016/S1010-6030(00)00372-5
4. Mahmudah N. Sintesis dan Karakterisasi Fotokatalitik TiO<sub>2</sub> Menggunakan Metode Solvothermal Pada Variasi Suhu. Published online 2019.
5. Liu C, Zhang L, Liu R, et al. Hydrothermal synthesis of N-doped TiO<sub>2</sub> nanowires and N-doped graphene heterostructures with enhanced photocatalytic properties. *J Alloys Compd.* 2016;656:24-32. doi:10.1016/j.jallcom.2015.09.211
6. Frasnawati E, Aritonang AB, Syahbanu I. Sintesis dan Karakterisasi TiO<sub>2</sub>/Ti Nanotube Menggunakan Metode Anodisasi. *J Kim Khatulistiwa.* 2019;8(2):9-14.
7. Jacob KA, Peter PM, Jose PE, Balakrishnan CJ, Thomas VJ. A simple method for the synthesis of anatase-rutile mixed phase TiO<sub>2</sub> using a convenient precursor and higher visible-light photocatalytic activity of Co-doped TiO<sub>2</sub>. *Mater Today Proc.* 2021;49:1408-1417. doi:10.1016/j.matpr.2021.07.104
8. Zilfa, Suyani H, Safni, Jamarun N. Degradasi Senyawa Permetrin Secara Fotolisis Dengan TiO<sub>2</sub>-Anatase Sebagai Katalis. *J Sains Mater Indones.* 2007;11:107-111.
9. Wellia DV. Sintesis Lapisan Tipis TiO<sub>2</sub> Berpori yang Dimodifikasi oleh Nitrogen dengan Metode Perokso Sol-Gel, Karakterisasi dan Aplikasinya sebagai Material Pembersih Diri (Self Cleaning Material). *J Ris Kim.* 2017;9(2):6. doi:10.25077/jrk.v9i2.286
10. Kusumawardani C. Titanium Dioksida Terdoping Nitrogen : Kajian Tentang

Sintesis , Karakteristik dan Aplikasinya. *Pros Semin Nas Penelitian, Pendidikan dan Penerapan MIPA, Fak MIPA, Univ Negeri Yogyakarta*. Published online 2009:124-133. <http://eprints.uny.ac.id/12356/1/14>. Kim Cahyorini%28124 - 133%29.pdf.

11. Setyani A, Wibowo EAP. Fabrikasi Nanotubes Titanium Dioksida ( $TiO_2$ ) Menggunakan Metode Hidrotermal. *J Kim Val.* 2017;3(1):20-26. doi:10.15408/jkv.v3i1.5036
12. Li G, Zou B, Feng S, et al. Synthesis of N-Doped  $TiO_2$  with good photocatalytic property. *Phys B Condens Matter.* 2020;588(December 2019):412184. doi:10.1016/j.physb.2020.412184
13. Triwahyono S, Salamun N, Jalil AA, Izan SM, Setiabudi HD, Prasetyoko D. Zirconium-Loaded Mesostructured Silica Nanoparticles Adsorbent for Removal of Hexavalent Chromium from Aqueous Solution. *Ind Eng Chem Res.* 2019;58(2):704-712. doi:10.1021/acs.iecr.8b02167
14. Sarin V, Pant KK. Removal of chromium from industrial waste by using eucalyptus bark. *Bioresour Technol.* 2006;97(1):15-20. doi:10.1016/j.biortech.2005.02.010
15. Li Y, Wang C, Fu H, Wang P. Journal of Environmental Chemical Engineering Marigold-flower-like  $TiO_2$  / MIL-125 core – shell composite for enhanced photocatalytic Cr ( VI ) reduction. 2021;9(April).
16. Rahmat ST, Tan WK, Kawamura G, Matsuda A, Lockman Z. Facile fabrication of rGO/Rutile  $TiO_2$  nanowires as photocatalyst for Cr(VI) Reduction. *Mater Today Proc.* 2019;17:1143-1151. doi:10.1016/j.matpr.2019.06.543
17. Azeez NA, Dash SS, Gummadi SN, Deepa VS. Nano-remediation of toxic heavy metal contamination: Hexavalent chromium [Cr(VI)]. *Chemosphere.* 2021;266:129204. doi:10.1016/j.chemosphere.2020.129204
18. Slamet S, Arbianti R, Marlina E. Pengolahan Limbah Cr(VI) dan Fenol dengan Fotokatalis Serbuk  $TiO_2$  dan  $CuO/TiO_2$ . *Reaktor.* 2007;11(2):78. doi:10.14710/reaktor.11.2.78-85
19. He Z, Cai Q, Wu M, et al. Photocatalytic reduction of Cr(VI) in an aqueous suspension of surface-fluorinated anatase  $TiO_2$  nanosheets with exposed {001} facets. *Ind Eng Chem Res.* 2013;52(28):9556-9565. doi:10.1021/ie400812m

20. Ameta R, Solanki MS, Benjamin S, Ameta SC. *Photocatalysis.*; 2018. doi:10.1016/B978-0-12-810499-6.00006-1
21. Sucahya TN, Permatasari N, Bayu A, Nandiyanto D. Fotokatalisis untuk Pengolahan Limbah Cair. *J Integr Proses.* 2016;6(1):1-15.
22. Zhang J, Tian B, Wang L, Xing M, Lei J. Mechanism of Photocatalysis. Published online 2018:1-15. doi:10.1007/978-981-13-2113-9\_1
23. Pertiwi P. Sintesis N-Doped TiO<sub>2</sub> Berpori dengan Penambahan H<sub>3</sub>PO<sub>4</sub> untuk Aplikasi Fotoreduksi Logam Berat Ion Cr(VI). Published online 2019.
24. Prasetya JR. N-Doped TiO<sub>2</sub> Berpori dengan CTAB sebagai Zat Pembentuk Pori dan Aktivitas Fotokatalitiknya. Published online 2021.
25. Herrmann. Water Treatment By Heterogeneous. *Water.* Published online 2005:171-194.
26. Wahyuni ET, Mudasir M, Sinambela S. Study of Cr(VI) Photoreduction Catalyzed by CdO-Zeolite. *Indones J Chem.* 2010;2(2):113-119. doi:10.22146/ijc.21923
27. Linsebigler AL, Lu G, Yates JT. Photocatalysis on TiO<sub>2</sub> Surfaces: Principles, Mechanisms, and Selected Results. *Chem Rev.* 1995;95(3):735-758. doi:10.1021/cr00035a013
28. Wellia DV, Fitria D, Safni S. C-N-Codoped TiO<sub>2</sub> Synthesis by using Peroxo Sol Gel Method for Photocatalytic Reduction of Cr(VI). *J Pure Appl Chem Res.* 2018;7(1):26-32. doi:10.21776/ub.jpacr.2018.007.01.373
29. Shalan AE, Elseman AM, Rashad MM. Controlling the Microstructure and Properties of Titanium Dioxide for Efficient Solar Cells. *Titan Dioxide - Mater a Sustain Environ.* Published online 2018. doi:10.5772/intechopen.72494
30. Wardiyati S. Sintesis Nanokatalis TiO<sub>2</sub> Anatase dalam Larutan Elektrolit dengan Metode Sol Gel. *J Sains Mater Indones.* 2014;15:153-157.
31. Liu J, Yang W. Synthesis and electron irradiation modification of anatase TiO<sub>2</sub> with different morphologies. *Ceram Int.* 2021;(August). doi:10.1016/j.ceramint.2021.12.251
32. Bourikas K, Kordulis C, Lycourghiotis A. Titanium dioxide (Anatase and Rutile): Surface chemistry, liquid-solid interface chemistry, and scientific synthesis of

supported catalysts. *Chem Rev.* 2014;114(19):9754-9823.  
doi:10.1021/cr300230q

33. Saleh FT. Sensitization of semiconducting nano powder catalysts in photodegradation of medical drugs and microorganisms in water. *Sensitization of semiconducting nano powder catalysts in photodegradation of medical drugs and microorganisms in water*. Published online 2011.
34. Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y. Visible-light photocatalysis in nitrogen-doped titanium oxides. *Science (80- )*. 2001;293(5528):269-271. doi:10.1126/science.1061051
35. Yang G, Jiang Z, Shi H, Xiao T, Yan Z. Preparation of highly visible-light active N-doped TiO<sub>2</sub> photocatalyst. *J Mater Chem.* 2010;20(25):5301-5309. doi:10.1039/c0jm00376j
36. Xu Q chi, Wellia D V., Amal R, Liao DW, Loo JSC, Tan TTY. Superhydrophilicity-assisted preparation of transparent and visible light activated N-doped titania fil. *J Nanoscale*. 2010;(2):1122-1127. doi:10.1039/c0nr00105h
37. Rafique M, Tahir MB, Rafique MS, Safdar N, Tahir R. *Nanostructure Materials and Their Classification by Dimensionality*. Elsevier Inc.; 2020. doi:10.1016/b978-0-12-821192-2.00002-4
38. Zhang A, Zheng G, Lieber CM. Emergence of Nanowires. 2016;(D):1-13. doi:10.1007/978-3-319-41981-7\_1
39. Zhang YX, Li GH, Jin YX, Zhang Y, Zhang J, Zhang LD. Hydrothermal synthesis and photoluminescence of TiO<sub>2</sub> nanowires. *Chem Phys Lett*. 2002;365(3-4):300-304. doi:10.1016/S0009-2614(02)01499-9
40. Liu B, Boercker JE, Aydil ES. Oriented single crystalline titanium dioxide nanowires. *Nanotechnology*. 2008;19(50). doi:10.1088/0957-4484/19/50/505604
41. Huang Y, Lieber CM. Integrated nanoscale electronics and optoelectronics: Exploring nanoscale science and technology through semiconductor nanowires. *Pure Appl Chem*. 2004;76(12):2051-2068. doi:10.1351/pac200476122051
42. Putri DF, Ritonga HM, Murdiati V, Zainul R. a Review What Is Hydrothermal ? Published online 2018. doi:10.31227/osf.io/dm56c

43. Mohammed NM, Bashiri R, Sufian S, Kait CF, Majidai S. One-Dimensional Titanium Dioxide and Its Application for Photovoltaic Devices. *Titan Dioxide - Mater a Sustain Environ*. Published online 2018. doi:10.5772/intechopen.72976
44. Nor AM, Achoi MF, Mamat MH, Zabidi MM, Abdullah S, Mahmood MR. Synthesis of TiO<sub>2</sub> nanowires via hydrothermal method. *Jpn J Appl Phys*. 2012;51(6 PART 2). doi:10.1143/JJAP.51.06FG08
45. Husein S, Wahyuni ET, Mudasir M. Synthesis of Tin(II) Oxide (SnO) Nanoparticle by Hydrothermal Method. *JKPK (Jurnal Kim dan Pendidik Kim)*. 2019;4(3):145. doi:10.20961/jkpk.v4i3.29898
46. Adi WK. Sintesis dan Karakterisasi Nanopartikel dan Nanotube TiO<sub>2</sub> untuk Aplikasi Sel Surya Tersensitasi Zat Pewarna. Published online 2012.
47. Kavitha M, Gopinathan C, Pandi P. Synthesis and Characterization of TiO<sub>2</sub> Nanopowders in Hydrothermal and Sol-Gel Method. *Int J Adv Res Technol*. 2013;2(4):102-108.
48. Setiabudi ARHAM. *Karakterisasi Material: Prinsip Dan Aplikasinya Dalam Penelitian Kimia*. Vol 1.; 2012.
49. Cullity BD. *Introduction to Magnetic Material*. Addison-Wesley Publishing Company Inc; 1972.
50. Nofebriani D. Sintesis N-Doped TiO<sub>2</sub> Berpori Menggunakan Metode Peroxo Sol Gel untuk Mendegradasi Logam Berat Ion Cd(II). Published online 2019.
51. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. *J Nano Saintek*. 2009;2(1):1-9.
52. Julinawati J, Marlina M, Nasution R, Sheilatina S. Applying Sem-edx Techniques to Identifying the Types of Mineral of Jades (Giok) Takengon, Aceh. *J Nat Unsyiah*. 2015;15(2):116128.
53. Widyandari B. UV-Vis Diffuse Reflectance Spectroscopy ( UV-Vis DRS ). *Fis Berk*. 2004;7(c):2-4.
54. Astuti A. Bab IV Karakterisasi Material. 2016;(July):1-12. doi:10.13140/RG.2.1.1589.6567
55. Haug A, Hiesgen R, Schulze M, Schiller G, Friedrich KA. Fourier transform

- infrared spectroscopy. *PEM Fuel Cell Diagnostic Tools*. Published online 2011:369-379. doi:10.5650/jos1956.32.586
56. Schiwe G, Czysz W, Johannsen L. IR-Spektroskopie. *Fresenius' Zeitschrift für Anal Chemie*. 1966;222(1):54-56. doi:10.1007/BF00504655
57. Suhartati T. *Dasar-Dasar Spektrofotometri UV-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*. AURA; 2017. doi:10.1007/978-3-642-16483-5\_5683
58. Low W, Boonamnuayvitaya V. A study of photocatalytic graphene-TiO<sub>2</sub> synthesis via peroxy titanic acid refluxed sol. *Mater Res Bull*. 2013;48(8):2809-2816. doi:10.1016/j.materresbull.2013.04.020
59. Boercker JE, Enache-Pommer E, Aydil ES. Growth mechanism of titanium dioxide nanowires for dye-sensitized solar cells. *Nanotechnology*. 2008;19(9). doi:10.1088/0957-4484/19/9/095604
60. Xing M, Zhang J, Chen F. New approaches to prepare nitrogen-doped TiO<sub>2</sub> photocatalysts and study on their photocatalytic activities in visible light. *Appl Catal B Environ*. 2009;89(3-4):563-569. doi:10.1016/j.apcatb.2009.01.016
61. Wen B, Liu C, Liu Y. Depositional characteristics of metal coating on single-crystal TiO<sub>2</sub> nanowires. *J Phys Chem B*. 2005;109(25):12372-12375. doi:10.1021/jp050934f
62. Kumar MP, Jagannathan R, Ravichandran S. Photoelectrochemical System for Unassisted High-Efficiency Water-Splitting Reactions Using N-Doped TiO<sub>2</sub> Nanotubes. *Energy and Fuels*. 2020;34(7):9030-9036. doi:10.1021/acs.energyfuels.0c00634
63. Khan TT, Rafiqul Bari GAKM, Kang HJ, et al. Synthesis of N-doped TiO<sub>2</sub> for efficient photocatalytic degradation of atmospheric NOx. *Catalysts*. 2021;11(1):1-13. doi:10.3390/catal11010109
64. Etacheri V, Seery MK, Hinder SJ, Pillai SC. Highly visible light active TiO<sub>2</sub>-xNx heterojunction photocatalysts. *Chem Mater*. 2010;22(13):3843-3853. doi:10.1021/cm903260f
65. Yen YC, Ou S, Lin KJ. One-Pot Synthesis of Nitrogen-doped TiO<sub>2</sub> Nanowires with Enhanced Photocurrent Generation. *J Chinese Chem Soc*.

2017;64(12):1392-1398. doi:10.1002/jccs.201700226

66. Cheng X, Yu X, Xing Z. Characterization and mechanism analysis of N doped TiO<sub>2</sub> with visible light response and its enhanced visible activity. *Appl Surf Sci.* 2012;258(7):3244-3248. doi:10.1016/j.apsusc.2011.11.072
67. Wang X, Pehkonen SO, Ray AK. Removal of Aqueous Cr(VI) by a Combination of Photocatalytic Reduction and Coprecipitation. *Ind Eng Chem Res.* 2004;43(7):1665-1672. doi:10.1021/ie030580j
68. Wu Q, Zhao J, Qin G, Wang C, Tong X, Xue S. Photocatalytic reduction of Cr(VI) with TiO<sub>2</sub> film under visible light. *Appl Catal B Environ.* 2013;142-143:142-148. doi:10.1016/j.apcatb.2013.04.056
69. Fatimah S, Haris A. Pengaruh Dopan Zink Oksida pada TiO<sub>2</sub> terhadap Penurunan Kadar Limbah Fenol dan Cr(VI) secara Simultan dengan Metode Fotokatalisis. *J Kim Sains dan Apl.* 2014;17(3):86-89. doi:10.14710/jksa.17.3.86-89
70. Mourid EH, Lakraimi M, Benaziz L. High efficiency of calcined anionic clay to remove the chromate anions CrO<sub>4</sub><sup>2-</sup> from polluted water. *French-Ukrainian J Chem.* 2020;8(2):26-47. doi:10.17721/fujcv8i2p26-47
71. Tio FK, Purnawan C, Ayuningtyas AK, Kimia J, Matematika F, Alam P. Reduksi Logam Berat Chromium (Vi)Fotokatalis Komposit TiO<sub>2</sub>-SiO<sub>2</sub>. 2013;13(2):257-264.