

DAFTAR KEPUSTAKAAN

- [1] A. Rajab, M. Tsuchie, M. Kozako, M. Hikita, and T. Suzuki, “Low thermal fault gases of various natural monoesters and comparison with mineral oil,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 23, no. 6, pp. 3421–3428, 2016, doi: 10.1109/TDEI.2016.006068.
- [2] L. S. Nasrat, N. Kassem, and N. Shukry, “Aging Effect on Characteristics of Oil Impregnated Insulation Paper for Power Transformers,” *Engineering*, vol. 05, no. 01, pp. 1–7, 2013, doi: 10.4236/eng.2013.51001.
- [3] A. Chumaidy, “Analisis Kegagalan Minyak Isolasi Pada Transformator Daya Berbasis Kandungan Gas Terlarut,” *Sainstech J. Penelit. dan Pengkaj. Sains dan Teknol.*, vol. 22, no. 1, pp. 41–54, 2020, doi: 10.37277/stch.v22i1.577.
- [4] T. V. Oommen, C. C. Claiborne, and J. T. Mullen, “Biodegradable electrical insulation fluids,” *Proc. Electr. Insul. Conf.*, pp. 465–468, 1997, doi: 10.1109/eeic.1997.651191.
- [5] M. Latif, “Pengaruh Temperatur Terhadap Kekuatan Dielektrik Minyak Nabati Sebagai Bahan Isolasi Transformator Daya,” *TeknikA*, vol. 1, no. 30, pp. 48–51, 2008.
- [6] V. Mentlik, P. Trnka, J. Hornak, and P. Totzauer, “Development of a biodegradable electro-insulating liquid and its subsequent modification by nanoparticles,” *Energies*, vol. 11, no. 3, 2018, doi: 10.3390/en11030508.
- [7] A. Rajab and M. H. , M. Tsuchie, M. Kozako, “Various Fatty Acid Mono Esters,” pp. 4–7, 2015.
- [8] C. P. McShane, G. A. Gauger, and J. Luksich, “Fire resistant natural ester dielectric fluid and novel insulation system for its use,” *Proc. IEEE Power Eng. Soc. Transm. Distrib. Conf.*, vol. 2, pp. 890–894, 1999, doi:

10.1109/tdc.1999.756167.

- [9] C. P. Mcshane and K. J. Rapp, "Dielectric Coolant for Safety and Life Extension," *Cem. Ind. Tech. Conf. 2003. Conf. Rec. IEEE-IAS/PCA 2003*, pp. 141–147, 2003.
- [10] A. Rajab, H. Gumlilang, M. Tsuchie, M. Kozako, M. Hikita, and T. Suzuki, "Study on static electrification of the PFAE-mineral oil mixture," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 602, no. 1, 2019, doi: 10.1088/1757-899X/602/1/012016.
- [11] J. Siburian, "Karakteristik transformator," *J. Teknol. Energi UDA*, vol. VIII, no. 21, pp. 21, 23, 2019.
- [12] S. L. M. Y. K. Y. RONALD E. WALPOLE, RAYMOND H. MYERS, "AGEING ASSESSMENT OF INSULATION PAPER WITH CONSIDERATION OF IN-SERVICE AGEING AND NATURAL ESTER APPLICATION," *BMC Public Health*, vol. 5, no. 1, pp. 1–8, 2012.
- [13] T. V. Oommen and T. A. Prevost, "Cellulose insulation in oil-filled power transformers: Part II - maintaining insulation integrity and life," *IEEE Electr. Insul. Mag.*, vol. 22, no. 2, pp. 5–14, 2006, doi: 10.1109/MEI.2006.1618996.
- [14] V. Naidu, MS., and Kamaraju, *High Voltage Engineering*, vol. 15, no. 5. 1995.
- [15] M. E. RIDHA RADHITYA, Prof. Dr. Ir. T. Haryono, M.Sc ; Dr. Eng. Suharyanto, ST, "Pengaruh Rendaman Minyak Transformator Terhadap Kekuatan Dielektrik Isolasi Kertas," *Tek. Elektro Univ. Gadjah Mada*, 2014.
- [16] M. F. Safala, "Penstabilan Tegangan Sekunder Pada Transformator Daya 150/20 Kv Akibat Jatuh Tegangan," *Tek. Elektro Univ. Negeri Semarang*, pp. 13–14, 2016.
- [17] R. H. Widodo, Soemarwanto, and H. Suyono, "Pengaruh Filterisasi Minyak Trafo Terhadap Kinerja Transformator Daya 30 MVA di Gardu Induk

- Sengkaling,” *J. Mhs. teub*, vol. 2, pp. 1–6, 2014.
- [18] Y. Jing *et al.*, “Dielectric properties of natural ester, synthetic ester midel 7131 and mineral oil diala D,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 21, no. 2, pp. 644–652, 2014, doi: 10.1109/TDEI.2013.003917.
- [19] F. Nugraha, “Pengujian karakteristik minyak isolasi.”
- [20] H. SAYOGI, “ANALISIS MEKANISME KEGAGALAN ISOLASI PADA MINYAK TRAFO MENGGUNAKAN ELEKTRODA BERPOLARITAS BERBEDA PADA JARUM + BIDANG.”
- [21] A. Einstein and N. Ardsley, *The j. m. .*
- [22] L. E. Lundgaard, W. Hansen, and S. Ingebrigtsen, “Ageing of mineral oil impregnated cellulose by acid catalysis,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 15, no. 2, pp. 540–546, 2008, doi: 10.1109/TDEI.2008.4483475.
- [23] C. B. Ardiansyah, “Kajian Pengaruh Suhu Ambient Trafo Terhadap Susut Umur Trafo Di PLN UP3 Cempaka Putih,” 2020.
- [24] E. O. dos Santos, A. M. S. Silva, W. D. Fragoso, C. Pasquini, and M. F. Pimentel, “Determination of degree of polymerization of insulating paper using near infrared spectroscopy and multivariate calibration,” *Vib. Spectrosc.*, vol. 52, no. 2, pp. 154–157, 2010, doi: 10.1016/j.vibspect.2009.12.004.
- [25] C. Brochure, *Thermal performance of transformers. .*
- [26] A. Rasyid and F. Murdiya, “Karakteristik Tegangan Tembus Ac Pada Material Isolasi Padat Campuran Resin Dengan Alumina (Al₂O₃),” *J. Chem. Inf. Model.*, vol. 4, no. 2, pp. 1–6, 2017.
- [27] C. P. McShane, J. L. Corkran, K. J. Rapp, and J. Luksich, “Aging of paper insulation retrofilled with natural ester dielectric fluid,” *Conf. Electr. Insul. Dielectr. Phenom. (CEIDP), Annu. Rep.*, no. March, pp. 124–127, 2003, doi: 10.1109/ceidp.2003.1254810.

- [28] Raka Anthony Elfreda, “Analisis Tegangan Tembus Kertas Isolasi Transformator Akibat Lama Perendaman Pada Isolasi Minyak Transformator,” 2018.

