## **DAFTAR PUSTAKA**

- Abrahim, et al (2020) 'Time to recovery and its predictors among adults hospitalized with COVID-19: A prospective cohort study in Ethiopia', *PLoS ONE*, 15(12), pp. 1–11.
- Albercaa, R. W. et al. (2021) 'Obesity as a risk factor for COVID-19: an overview', Critical Reviews in Food Science and Nutrition, 61(13), pp. 2262–2276.
- Alwarawrah, Y., Kiernan, K. and MacIver, N. J. (2018) 'Changes in nutritional status impact immune cell metabolism and function', *Front. Immunol*, 9(MAY), pp. 1–14.
- Bajaj, V. et al. (2021) 'Aging, Immunity, and COVID-19: How Age Influences the Host Immune Response to Coronavirus Infections?', Front. Physiol, 11(January), pp. 1–23.
- Bhatti, U., Ali Laghari, Z. and Syed, B. M. (2019) 'Effect of body mass index on respiratory parameters: A cross-sectional analytical study', *Pak J Med Sci*, 35(6), pp. 1724–1729.
- Bielińska, M. et al (2016) 'The influence of the body mass index (BMI) on selected parameters of the coagulation system in patients with disorders of the balance system taking oral contraceptives', otolaryngol pol, 70(4), pp. 28–34.
- Borga, M. et al. (2018) 'Advanced body composition assessment: From body mass index to body composition profiling', J Investig Med, 66(5), pp. 887–895.
- Bourke, C. D., Jones, K. D. J. and Prendergast, A. J. (2019) 'Current understanding of innate immune cell dysfunction in childhood undernutrition', Front. Immunol, 10(July), pp. 1–15.
- Caccialanza, R. *et al.* (2021) 'Nutritional parameters associated with prognosis in non-critically ill hospitalized COVID-19 patients: The NUTRI-COVID19 study', *Clinical Nutrition*, (2021), pp. 1 8.
- Candrawati, N. W. and Cassidy, W. R. (2021) 'Interpretasi nilai Cycle Threshold (CT) Reverse Transcriptase-Polymerase Chain Reaction (RT-PCR) SARS-CoV-2 pada pasien hamil dengan uji antibodi SARS-CoV-2 positif dan COVID-19 asimtomatik', *Intisari Sains Medis*, 12(3), pp. 822 827.
- Catanzaro, M. *et al.* (2020) 'Immune response in COVID-19: addressing a pharmacological challenge by targeting pathways triggered by SARS-CoV-2', *Signal Transduction and Targeted Therapy*, 5(84). pp. 1 10.

- Cuevas, A. and Barquera, S. (2020) 'COVID-19, Obesity, and Undernutrition: A Major Challenge for Latin American Countries', *Obesity*, 28(10), pp. 1791–1792.
- Demelo-Rodríguez, P. et al. (2020) 'Incidence of asymptomatic deep vein thrombosis in patients with COVID-19 pneumonia and elevated D-dimer levels', *Thrombosis Research*, 192(May), pp. 23–26.
- Deng, T. et al. (2016) 'Obesity, Inflammation, and Cancer', Annu. Rev. Pathol. Mech. Dis. 11, pp. 421 449.
- Dobner, J. and Kaser, S. (2018) 'Body mass index and the risk of infection from underweight to obesity', *Clinical Microbiology and Infection*, 24(1), pp. 24–28.
- Dobszai, D. *et al.* (2019) 'Body-mass index correlates with severity and mortality in acute pancreatitis: A meta-analysis', *World J Gastroenterol*, 25(6), pp. 729–743.
- Ellulu, M. S. et al. (2016) 'Obesity and Inflammation: The Linking Mechanism and the Complications.', Arch Med Sci, 13(4), pp. 851–863.
- Fadl, N., Ali, E. and Salem, T. Z. (2021) 'COVID-19: Risk Factors Associated with Infectivity and Severity', *Scand J Immunol*, 93(6), pp. 1–14.
- Ferreira, M. E. R. et al. (2021) 'Covid-19 and obesity: A systematic review and meta-analysis on the pre-existing clinical conditions, covid-19 symptoms, laboratory findings and clinical outcomes', EXCLI Journal, 20, pp. 1610–1614.
- de Frel, D. L. *et al.* (2020) 'The Impact of Obesity and Lifestyle on the Immune System and Susceptibility to Infections Such as COVID-19', *Front. Nutr*, 7(July), pp. 1–12.
- Gao, F. et al. (2020) 'Obesity Is a Risk Factor for Greater COVID-19 Severity', Diabetes Care, 43(7), pp. E72–E74.
- Gao, M. *et al.* (2021) 'Associations between body-mass index and COVID-19 severity in 6·9 million people in England: a prospective, community-based, cohort study', *Lancet Diabetes Endocrinol*, 9(6), pp. 350–359.
- Godtfredsen, A. C. M. *et al.* (2020) 'Fibrin lysability is associated with central obesity and inflammation in women with polycystic ovary syndrome', *Acta Obstet Gynecol Scan*, 99(8), pp. 1078–1084.
- Grant, W. B. *et al.* (2020) 'Evidence that Vitamin D Supplementation Could Reduce Risk of Influenza and COVID-19 Infections and Deaths', *Nutrients*, 12(988), pp. 1–19.

- Gwela, A. et al. (2019) 'Undernutrition, Host Immunity and Vulnerability to Infection among Young Children', *Pediatric Infectious Disease Journal*, 38(8), pp. E175–E177.
- Hayashi, Y. et al. (2019) 'The crucial roles of coagulation factors in inducing brown adipose tissue dysfunction and systemic metabolic disorder in obesity', European Heart Journal, 40(Supplement\_1), pp. 3617.
- Hu, X. et al. (2020) 'Factors associated with negative conversion of viral RNA in patients hospitalized with COVID-19', Science of the Total Environment, 728(175), pp. 1 7.
- Jordan, R. E., Adab, P. and Cheng, K. K. (2020) 'Covid-19: Risk factors for severe disease and death', *The BMJ*, 368(March), pp. 1–2.
- Karczewski, J. et al. (2018) 'Obesity and inflammation', Eur. Cytokine Netw, 29(3), pp. 83–94.
- Koethe, J. R. et al. (2016) 'From Wasting to Obesity: The Contribution of Nutritional Status to Immune Activation in HIV 214(Suppl 2), pp. S75–S82.
- Kompaniyets, L. *et al.* (2021) 'Body Mass Index and Risk for COVID-19–Related Hospitalization, Intensive Care Unit Admission, Invasive Mechanical Ventilation, and Death United States, March–December 2020', *MMWR Surveillance Summaries*, 70(10), pp. 355–361.
- Kopec, A. K. *et al.* (2017) 'Thrombin promotes diet-induced obesity through fibrin-driven inflammation', *J Clin Invest*, 127(8), pp. 3152–3166.
- Kwok, S. et al. (2020) 'Obesity: A critical risk factor in the COVID-19 pandemic', Clin Obes, 10, pp. 1 11.
- Léonard-Lorant, I. et al. (2020) 'Acute pulmonary embolism in patients with COVID-19 at CT angiography and relationship to d-dimer levels', Radiology, 296(3), pp. E189–E191.
- Li, B. *et al.* (2020) 'Prevalence and impact of cardiovascular metabolic diseases on COVID-19 in China', *Clinical Research in Cardiology*, 109(5), pp. 531–538.
- Li, X. et al. (2019) 'Predictive effects of body mass index on immune reconstitution among HIV-infected HAART users in China', BMC Infectious Diseases, 19(1), pp. 1–9.
- Livadariu, R. M. *et al.* (2017) 'Obesity is Linked with Inflammation-Evaluation of Subclinical Inflammatory Status in Obese Patients', *J Surgery*, 13(4), pp. 127 131.
- Mascio, D. Di et al. (2020) 'Systematic Review Outcome of coronavirus spectrum

- infections', AJOG MFM, (May), pp. 1 10.
- Mohan, M., Cherian, J. J. and Sharma, A. (2020) 'Exploring links between vitamin D deficiency and COVID-19', *PLoS Pathog*, 16(9), pp. 1–6.
- Moriconi, D. *et al.* (2020) 'Obesity prolongs the hospital stay in patients affected by COVID-19, and may impact on SARS-COV-2 shedding', *Obesity Research and Clinical Practice*, 14(3), pp. 205–209.
- Murdaca, G., Pioggia, G. and Negrini, S. (2020) 'Vitamin D and Covid 19: an update on evidence and potential therapeutic implications', *Clin Mol Allergy*, 18(23), pp. 1–8.
- Neto, J. A. B. *et al.* (2022) 'Association Between Underweight and Excess Body Weight Before Sars-Cov-2 Infection and Clinical Outcomes of Covid-19: Multicenter Study', *Nutrition*, pp. 1 33.
- Pangrazzi, L. et al. (2020) 'The impact of body mass index on adaptive immune cells in the human bone marrow', *Immunity and Ageing*, 17(1), pp. 1–11.
- Pei, J. et al. (2017) 'Cardiorenal disease connection during post-menopause: The protective role of estrogen in uremic toxins induced microvascular dysfunction', *International Journal of Cardiology*, 238(2017), pp. 22–30.
- Pranata, R. et al. (2021) 'Body mass index and outcome in patients with COVID-19: A dose-response meta-analysis', Diabetes and Metabolism, 47(2), pp. 1 9.
- Radujkovic, A. et al. (2020) 'Vitamin D Deficiency and Outcome of COVID-19 Patients', Nutrients, 12(2757), pp. 1 13.
- Ragab, D. et al. (2020) 'The COVID-19 Cytokine Storm; What We Know So Far', Front. Immunol, 11(1446), pp. 1–8.
- Razdan, K., Singh, K. and Singh, D. (2020) 'Vitamin D Levels and COVID-19 Susceptibility: Is there any Correlation?', *Medicine in Drug Discovery*, 7, pp. 1 3.
- Rodriguez-Morales, A. J. et al. (2020) 'Clinical, laboratory and imaging features of COVID-19: A systematic review and meta-analysis', *Travel Medicine and Infectious Disease*, 34(March), pp. 1 13.
- Rosenthal, N. *et al.* (2020) 'Risk Factors Associated with In-Hospital Mortality in a US National Sample of Patients with COVID-19', *JAMA Network Open*, 3(12), pp. 1–14.
- Rossi, E. L. *et al.* (2016) 'Obesity-associated alterations in inflammation, epigenetics, and mammary tumor growth persist in formerly obese mice', *Cancer Prev Res*, 9(5), pp. 339–348.

- Ryan, D. H. and Kahan, S. (2018) 'Guideline Recommendations for Obesity Management', *Med Clin N Am*, 102(1), pp. 49–63.
- Sabbatini, A.R. and Kararigas, G. (2020) 'Menopause-Related Estrogen Decrease and the Pathogenesis of HFpEF', *JACC*, 75(9), pp. 1074–1082.
- Sattar, N. *et al.* (2020) 'Obesity Is a Risk Factor for Severe COVID-19 Infection', CIRCULATIONAHA, 142, pp. 4–6.
- Shah, S. *et al.* (2020) 'No correlation between Ct values and severity of disease or mortality in patients with COVID 19 disease', *Indian Journal of Medical Microbiology*, 39(2021), pp. 116 117.
- Sladoje, D. P., Kisić, B. and Mirić, D. (2017) 'The Monitoring of Protein Markers of Inflammation and Serum Lipid Concentration in Obese Subjects with Metabolic Syndrome', *J Med Biochem*, 36(4), pp. 366–374.
- Tonglolangi, O. S., Pratiningrum, M. and Yadi, Y. (2021) 'Hubungan Nilai Ct Pada Pemeriksaan Real-Time Rt-Pcr Sars-Cov-2 Dengan Gejala Klinis', *J. Ked. Mulawarman*, 8(3), pp. 89 99.
- Trunfio, M. et al. (2021) 'COVID-19 Symptomatic Patients', Viruses, 13(281), pp. 1–14.
- Vitale, N. (2021) 'Body Mass Index and Covi d-19: Likely Causes for Obesity and Undernutrition Correlation with Disease Severity', *J Cell Immuno*, 3(4), pp. 5–10.
- Wang, Y. et al. (2021) 'NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice. 1', medRxiv, 1(165), pp. 1–13.
- Wang, Z. et al. (2022) 'What are the risk factors of hospital length of stay in the novel coronavirus pneumonia (COVID-19) patients? A survival analysis in southwest China', PLoS ONE, 17(1), pp. 14–23.
- Weiss, G. (2018) 'Nutrition and infection', *Clinical Microbiology and Infection*, 24(1), pp. 8–9.
- Weitz, J. I., Fredenburgh, J. C. and Eikelboom, J. W. (2017) 'A Test in Context: D-Dimer', *JACC*, 70(19), pp. 2411–2420.
- Womble, J. T. *et al.* (2021) 'Imbalanced coagulation in the airway of type-2 high asthma with comorbid obesity', *Journal of Asthma and Allergy*, 14, pp. 967–980.
- Yao, Y. *et al.* (2020) 'D-dimer as a biomarker for disease severity and mortality in COVID-19 patients: A case control study', *Journal of Intensive Care*, 8(49), pp. 1–11.

- Ye, P. *et al.* (2021) 'Both Underweight and Obesity Are Associated With an Increased Risk of Coronavirus Disease 2019 (COVID-19) Severity', *Front. Nutr*, 8(649422), pp. 1–8.
- Zhang, L. et al. (2020) 'D-dimer levels on admission to predict in-hospital mortality in patients with Covid-19', *J Thromb Haemost*, 18(6), pp. 1324–1329.
- Zong, X. et al.(2019) 'Association of D-dimer level on admission with hospital length of stay for children with community-acquired pneumonia', Chinese Journal of Clinical Laboratory Science, 12, pp. 700 705.

