

DAFTAR PUSTAKA

- Abdallah, ME., Haroun, SA., Gomah, AA., El-Naggar, NE., and Badr, HH. 2013. Application of *Actinomycetes* as Biocontrol Agents in the Management of Onion Bacterial Rot Diseases. *Arch Phytopathol Plant Protect.* 46 (15): 1797-1808.
- Aeny, TN., Prasetyo, J., Suharjo, R., Dirmawati, SR., Efri., and Niswati A. 2018. Short Communication: Isolation and Identification of Actinomycetes Potential as the Antagonist of *Dickeya zaeae* Pineapple Soft Rot in Lampung In donesia. *Biodiversitas.* 19(6): 2052-2058.
- Agnita, HK., Susilowati, A., and Setyaningsih, R. 2017. Isolation and Identification of Rice Phyllosphere Bacterial Antagonists against *Xanthomonas oryzae* pv. *oryzae* Causes of Bacterial Leaf Blight in Rice (*Oryza sativa*). Naskah Publikasi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Sebelas Maret. <https://digilib.uns.ac.id> [diakses 15 Maret 2020].
- Agus. 2014. Padi (*Oryza sativa*). <http://www.ristek.go.id>. Diakses pada tanggal 15 Maret 2020.
- Agustiansyah., Ilyas, S., Sudarsono., Machmud, M., 2010. Pengaruh Perlakuan Benih Secara Hayati Pada Benih Padi Terinfeksi *Xanthomonas oryzae* pv. *oryzae* Terhadap Mutu Benih dan Pertumbuhan Bibit. *J. Agron. Indonesia* 38 (3): 185-191.
- Ahmed, M., Kibret, M. 2014. Mechanisms applications of plant growth promoting rhizobacteria: Current perspective. *J. King Saud Univ – Sci.* 26:1-20.
- Akhdiya, A., Susilowati, DN. 2008. Aktivitas Penghambatan Bakteriosin dari Aktinomiset Terhadap Bakteri Patogen Tanaman Pangan dan Patogen Tular Makanan. *Penelitian Pertanian Tanaman Pangan.* 27 (1): 55-60.
- Albhoosi, AA., GP. Purayil., EE., Saeed, GA., Ramadan., S. Tariq., AS. Altaee., KAE. Tarabily., SFA. Qamar. 2022. *Jurnal of fungi* 8(8): 1-24.
- Ambarwati. 2007. Studi *Actinomycetes* yang Berpotensi Menghasilkan Antibiotik dari Rhizosfer Tumbuhan Putri Malu (*Mimosa pudica* L.) dan Kucing-kucingan (*Acalypha indica* L.). *Jurnal Penelitian Science dan Teknologi* 8(1): 1-14.
- Amelia, R., dan Aditiawati P. 2016. Keanekaragaman Bakteri Rizosfer Pemacu Pertumbuhan Tanaman (*Plant Growth Promoting Rhizobacteria*/PGPR) Selama Pertumbuhan Ubi Jalar Cilembu (*Ipomoea batatas* L var. *Rancing*). *Prosiding Snips* 2016. Hal : 899-906.
- Amrulloh, MK., Addy, HS., Wahyuni, WS. 2021. Karakterisasi Fisiologis dan Biokimia Penyebab Penyakit Bakteri Pembuluh Kayu Pada Tanaman

Cengkeh (*Syzygium aromaticum* L.) in PT Tirta Harapan. *Jurnal Proteksi Tanaman Tropis* (2021) 2(1): 1-7.

Anandan, R., Dhanasekaran., and Gopinath, PM. 2016. *Actinobacteria Basics and Biotechnological Applications*. Intech Open.

Anggraini, YS., TM. Linda., W. Lestari. 2018. Seleksi Aktinomisetes dalam Menghasilkan Indole Acetic Acid dan Efektivitas Terhadap Perkecambahan Benih Cabai Merah (*Capsicum annum* L.). *Biospecies* 11(2): 115-122.

Arasu M., Duraipandiyan V., Agastian P., and Ignacimuthu S. 2008. Antimicrobial Activity of *Streptomyces* spp. ERI-26 recovered from Western Ghats of Tamil Nadu. *J. Mycol. Med.* 18:147-153.

Arwiyanto, T. 1997. Pengendalian Hayati Penyakit Layu Bakteri Tembakau. I. Isolasi Bakteri Antagonis. *Jurnal Perlindungan Tanaman Indonesia* 3: 44-60.

Asysyuura., Nawangsih, AA., Mutaqin., KH., Sudir. 2017. Identifikasi Patotipe *Xathomonas oryzae* pv. *oryzae* dari Tanaman Padi di Sulawesi Selatan. *JurnalFitopatologi Indonesia* 13 (3): 73-80.

Badan Pusat Statistik Pertanian. 2018. *Pusat Data dan Informasi Pertanian, Kementerian Pertanian Republik Indonesia*. Jakarta.

Badan Pusat Statistik Pertanian. 2021. *Pusat Data dan Informasi Pertanian, Kementerian Pertanian Republik Indonesia*. Jakarta.

Bergeijk, DA., Terlouw, BR., Medema, MH., Wezel, GP. 2020. Ecology and genomics of Actinobacteria: new concepts for natural product discovery. *Nature Reviews Microbiology*. 18: 546-558.

Bhatti, AA., Haq S., and Bhat RA. 2017. *Actinomycetes* Benefaction Role in Soil and Plant Health. *Microb. Pathog.* 111:458-467.

BKPP Pertanian Aceh. 2009. *Budidaya Tanaman Padi*. Petunjuk Teknis Lapangan. 20 hal.

Boskosar R., dan Wahyuni S. 2019. Penggunaan Gps Untuk Mendeteksi Penyebaran Penyakit Tungro pada Dua Musim Tanam Padi di Kecamatan Poco Ranaka Timur Kabupaten Manggarai Timur Propinsi Nusa Tenggara Timur. *Agrica*, 12(1): 1979-0368.

Boubekri, K., A. Soumare., I. Mardad., K. Lyamlouli., M. Hafidi., Y. Ouhdouch., L. Kouisni. 2021. The Screening of Potassium- and Phosphate-Solubilizing Actinobacteria and the Assessment of Their Ability to Promote Wheat Growth Parameters. *Microorganisms*. 9: hal 470.

Boukaya, N., Y. Goudjal., M. Zamoum., FC. Chaouch., N. Sabaou., F. Mathieu., A. Zitouni. 2018. Biocontrol and plant-growth-promoting capacities of actinobacterial strains from the Algerian Sahara and characterisation of

Streptosporangium becharensense SG1 as a promising biocontrol agent. *Hal open science*.

Bradbury J.F., 1970. Isolation and Preliminary Study of Bacteria from Plants. *Rev. Plant Path.* 49:213-218.

Bradbury, J.F. (1984) Genus II. *Xanthomonas* Dowson. In: Bergey's Manual of Systematic Bacteriology (Krieg, N.R. and Holt, J.G., eds), pp. 199–210. Baltimore: Williams dan Wilkins.

Cabanas, CGL., Legarda G., Rosa, DR., Tobiaz, PP., Corredor, AV., Niqui, JL., Trivino, JC., Roca A., Blnco JM. 2018. *Indigenous Pseudomonas* spp. Strains from the Olive (*Olea europaea* L.) Rhizosphere as Effective Biocontrol Agents against *Verticillium dahliae*: From the Host Roots to the Bacterial Genomes. *Front. Microbiol* 9:277.

CABI (Centre for Agriculture and Bioscience International). 2016. *Xanthomonas oryzae* pv. *oryzae* [Distribution map]. *Distribution Maps of Plant Diseases*. No. October. Wallingford, UK: CABI. Map 304. 7.

Castiblanco, LF., dan Sundin, GW. 2016. New Insights on Molecular Regulation of Biofilm Formation in Plant-Associated Bacteria. *J Intgr Plant Biol* 58(4):362–372.

Culp, EJ., Yim, G., Waglechner, N., Wang, W., Pawlowski, AC., and Wright, GD. 2019. Hidden Antibiotics in *Actinomycetes* Can Be Identified by Inactivation of Gene Clusters for Common Antibiotics. *Nature Biotechnology* 1-2.

Conn, VM., Walker AR., Franco, CMM. 2008. Endophytic Actinobacteria Induce Defense Pathways in *Arabidopsis thaliana*. *Molecular Plant-Microbe Interactions* 21(2): 208-218.

David, O., Nino, L., Pamela, C., Ronald, J., and Bogdanove. 2006. *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Molecular Plant Pathology*. 7(5): 303–324.

Deenamo, N., Kuyogsuy, A., Khompatara, K., Chanwun, T., Ekchaweng, K., Churngchow, N. 2018. Salicylic Acid Induces Resistance in Rubber Tree Against *Phytophthora Palmivora*. *J. Mol. Sci.* 19:1883.

Drancourt, M., Bollet, C., Carlioz, A., Martelin, R., Gayral, JP., and Raoult, D. 2000. 16S Ribosomal Sequence Analysis of A Large Collection of Environmental and Clinical Unidentifiable Bacterial Isolates. *Journal of Clinical Microbiology*. 38 (10): 3623–3630.

Donggulo, CV., Lapanjang, IM., Made, U. 2017. Pertumbuhan Dan Hasil Tanaman Padi (*Oryza Sativa* L) Pada Berbagai Pola Jajar Legowo Dan Jarak Tanam. *J. Agroland* 24 (1) : 27 - 35.

- Esnard, J., Potter, J.L., Zuckerman, B.M. 1995. *Streptomyces costaricanus* sp. novn Isolated from Nematode-suppressive soil. *International Journal of systematic and Evolutionary Microbiology*. 5(4): 775-779.
- Faatih, Mukhlissul. 2012. Dinamika Komunitas Aktinobakteria Selama Proses Pengomposan. *Widyariset* 15 (3) : 611-618
- Fatmawati, U., Meryandini, A., Nawangsih, A.A., and Wahyudi, A.T. 2019. Screening and Characterization of Actinomycetes Isolated from Soybean Rhizosphere for Promoting Plant Growth. *Biodiversitas* 20 (10): 2970-2977.
- Glare, T., Caradus, J., Gelernter, W., Jackson, T., Keyhani, N., Kohl, J., and Stewart, A. 2012. Have Biopesticides Come of Age. *Trends in Biotechnology*. 30 (5): 250-258.
- Gomes, E.B., Dias, L.R., and Miranda, R.S. 2018. Actinomycetes Bioactive Compounds: Biological Control of Fungi and Phytopathogenic Insect. *African Journal of Biotechnology* 17(17): 552-559.
- Hadianto, W., Hakim, L., dan Bakhtiar. 2015. Ketahanan Beberapa Genotipe Padi Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*). *J. HPT Tropika* 15(2): 152 – 163.
- Hamidah. 2013. Isolasi dan Identifikasi Isolat Actinomycetes dari Rizosfer Padi (*Oryza sativa* L.) Sebagai Penghasil Antifungi. Naskah Publikasi. Fakultas Farmasi Universitas Muhammadiyah Surakarta. Hal 1-15. <http://eprints.ums.ac.id> [diakses 15 Maret 2020].
- Hanum, R., Bakhtiar., Hakim L. 2016. Pertumbuhan, Hasil dan Ketahanan Enam varietas Padi (*Oryza sativa* L.) Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv *oryzae*). *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah* 1(1): 138-146
- Hardiansyah, M.Y., Musa, Y., Jaya, A.M. 2020. Identifikasi Plant Growth Promoting Rhizobacteria pada Rizosfer Bambu Duri dengan Gram KOH 3%. *Agrotech. Res. J* 4(1): 41-46.
- Hatta, M., Ichsan, C.N., dan Salman. 2010. Respons Beberapa Varietas Padi Terhadap Waktu Pemberian Bahan Organik Pada Metode Sri. *J. Floratek* 5: 43 + 53.
- He, Y.W., Wu, J., Cha, J.S., and Zhang, L.H. 2010. Rice Bacterial Blight Patogen *Xanthomonas oryzae* pv. *oryzae* Produces Multiple Dsf-Family Signals in Regulation of Virulence Factor Production. *BMC Microbiology* 2010. 10: 187.
- Heng, J.L.S., Shah, U.K., and Hamzah, H. 2011. Isolation, characterization and identification of potential actinobacteria with antifungal activities to wards chilli anthracnose. *African Journal of Biotechnology* 10(32):5979-5987.

- Hifni, HR., dan Kardin, K. 1998. Pengelompokan Isolat *Xanthomoas oryzae* pv. *oryzae* dengan Menggunakan Galur Isogenik Padi IRRI. *Hayati* 5(3):66-72.
- Holt, JG., Krieg, NR., Sneath, PHA., Staley, JT and Williams, ST. 1994. *Bergey's Manual of Determinative Bacteriology* (9th). Lippincott Williams and Wilkins. USA.
- IRRI. 1996. Standard Evaluation System (SES) for Rice 4th edition. Diterjemahkan oleh Silitonga, T. S, I.H. Somantri, A.A. Daradjat dan H. Kurniawan. Jakarta: Departemen Pertanian Badan Penelitian dan Pengembangan Pertanian. Komisi Nasional Plasma Nutfah.
- Jeffrey, LSH. 2008. Isolation, Characterization and Identification of *Actinomycetes* from Agriculture Soils at Semongok, Sarawak. *Afr J Biotechnol* 7 (20): 3697-3702.
- Jonitha, I. 2021. Seleksi Aktinobakteri Untuk Pengendalian Layu Bakteri Oleh *Ralstonia syzygii* subsp. *indonesiensis* Pada Tanaman Cabai Secara *In Planta*. [Skripsi]. Padang. Fakultas Pertanian. Universitas Andalas. 66 hal.
- Kawuri, R. 2012. Pemanfaatan *Streptomyces Thermocarb oxydus* untuk Mengendalikan Penyebab Penyakit Busuk Daun Pada Lidah Buaya (*Aloe barbadensis* Mill.) di Bali. [Disertasi]. Bali: Universitas Udayana.
- Keller, B., Feuillet, C., and Messmer, M. 2000. Basic Concepts and Application in Resistance Breeding. Pp. 101–160 In: Slusarenko AJ, Fraser RSS, van Loon LC, eds. *Mechanisms of Resistance to Plant Diseases*. Kluwer Academic Publisher. London.
- Khaeruni, A., Taufik, M., Wijayanto, T., and Johan, EA. 2014. Perkembangan Penyakit Hawar Daun Bakteri Pada Tiga Varietas Padi Sawah Yang Diinokulasi Pada Beberapa Fase Pertumbuhan. *Jurnal Fitopatologi Indonesia* 10(4): 119-125.
- Klement Z., Rudolph K., and Sand DC., 1990. *Methods in Phytopathology*. Akademia Kiado: Budapest. Hungary.
- Klement, Z., and Goodman, R. N. 1967. The role of the living bacterial cell and induction time in hypersensitive reaction of tobacco plants. *Phytopathology* 57:322-323.
- Kumar, IS., Zaharin N., and Nadarajah, K.. 2018. In silico Identification of Resistance and Defense Related Genes for Bacterial Leaf Blight (BLB) in Rice. *J Pure Appl Microbiol*, 12(4), 1867-1876 Dec. 2018.
- Lalitha, MS., Devi, GL., Kumar, GN., and Shashidhar, HE. 2010. Molecular Marker-Assisted Selection: A Tool for Insulating Parental Lines of Hybrid Rice Against Bacterial Leaf Blight. *Internat. J. Plant Pathol.* 1:114-123

- Li, SB., Xu, SR., Zhang, RN., Liu, Y., and Zhou, RC. 2016. The Antibiosis Action and Rice Induced Resistance, Mediated by a Lipopeptide from *Bacillus amyloliquefaciens* B014, in Controlling Rice Disease Caused by *Xanthomonas oryzae* pv. *oryzae*. *J. Microbiol. Biotechnol.* (2016), 26(4), 748–756.
- Lo, Lai, Cheach, Wong, and Ho. 2002. *Actinomycetes* isolated from sample crocker range sabah. Asean review of biodiversity and environmental conservation (ARBEC).
- Lubis, UNQ., Sukma, D., dan Sudarsono. 2020. Respon Plantlet *In Vitro* dan Induksi Ketahanan Bibit *Phalaenopsis amabilis* terhadap *Dickeya dadantii* Menggunakan Asam Salisilat. *J. Agron. Indonesia.* 48 (3): 331-338.
- Muangham, S., Wasu, P., and Kannika, D. 2014. Melanogenic *Actinomycetes* from Rhizosphere Soil Antagonistic Activity Against *Xanthomonas oryzae* and Plant-Growth-Promoting Traits. *Journal of Microbiology* 61: 164–170.
- Mutmainnah. 2013. Isolasi *Actinomycetes* dari Tanah Pembuangan Limbah Pabrik Gula Tebu (Camming) Bone Sebagai Penghasil Antibiotika. *Program Studi Farmasi Fakultas Farmasi Universitas Hasanuddin Makassar.*
- Nafis, A., Raklami, A., Bechtaoui, N., Khalloufi, FE., Alaoui, AE., Glick, BR., Hafidi, M., Kouisni, L., Ouhdouch, Y., and Hassani, L. 2019. Actinobacteria from Extreme Niches in Morocco and Their Plant Growth-Promoting Potentials. *Diversity* 2019, (11): 139.
- Nakaew, N., and Rangjaroen, C. 2015. Utilization of Rhizospheric *Streptomyces* for Biological Control of *Rigidoporus* sp. Causing White Root Disease in Rubber Tree. *Eur J Plant Pathol.*
- Nontji, M., and Dhaifina, AF. 2019. Potential of *Indigenous* Methanotrophic Bacteria as a Biological Control Agent Against *Xanthomonas oryzae* pv. *oryzae* Causing Diseases on Rice. *Makara Journal of Science* 23(2): 87-90.
- Nurjasmii, R., Suryani., Carta. 2019. Penghambatan *Actinomycetes* Asal Limbah Kulit Bawang Merah terhadap *Sclerotium Rolfsii* Secara *In Vitro*. *Jurnal Ilmiah Respati* 10(1): 14-20.
- Nurjasmii, R., Suryani. 2018. Uji Daya Hambat Filtrat Zat Metabolit *Actinomycetes* Asal Hutan Pinus Gunung Bunder Bogor terhadap Pertumbuhan *Curvularia* sp. Secara *In Vitro*. *Jurnal ilmiah Respati.*
- Nurkanto, A., Listyaningsih, F., Julistiono., dan Agusta, A. 2010. Eksplorasi Keanekaragaman *Actinomycetes* Tanah Ternate Sebagai Sumber Antibiotik. *Jurnal Biologi Indonesia.*

- Nuryanto, SB dan Kadir, TS. 2012. Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri pada Tanaman Padi. Iptek Tanaman Pangan. 7: 2.
- Nuryanto, SB. 2017. Penyakit Hawar Pelepah (*Rhizoctonia solani*) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 12(2): 63-71.
- Oko, AO., Idenyi, J., Kumar, A., Ogah, O., Eluu, SC., Lal, KL., Oko, EE., Ugbo, JE. 2017. Major Nutritional Differences Among Selected Local, Foreign And Diabetic Rice Varieties Consumed in South East Nigeria. *Oryza* 54(1): 50-56.
- Okoro, CK., Brown, R., Jones, A., Andrews, B., Asenjo, J., Goodfellow, M., and Bull, A. 2009 Diversity of Culturable Actinomycetes in Hyper-Arid Soils of the Atacama Desert, Chile. *Antonie Van Leeuwenhoek* 95:121–133.
- Oliveira, MFD., Silva, MGD., and Sand, STVD. 2010. Anti-Phytopathogen Potential of Endophytic Actinobacteria Isolated from Tomato Plants (*Lycopersicon esculentum*) in Southern Brazil, and Characterization of *Streptomyces* sp. R18(6), a Potential Biocontrol Agent. *Research in Microbiology*. 161: 565572.
- Pramudyani, R., Qomariah, L., dan Yasin, M. 2014. Tumpangsari Tanaman Cabai Merah dengan Bawang Daun menuju Pertanian Ramah Lingkungan. Prosiding Seminar Nasional Pertanian Organik. Kalimantan Selatan. Balai Pengkajian Teknologi Pertanian Kalimantan Selatan. 8 hlm.
- Prasetyo, J, and Aeny, TN. 2014. Pineapple Fruit Collapse: Newly Emerging Disease of Pineapple Fruit in Lampung, Indonesia. *J HPT Tropika* 14 (1): 96-99.
- Prihatiningsih, N., dan Djatmiko HA. 2001. Eksistensi Jamur Patogen dan Filoplan pada Tanaman Padi Akibat Perlakuan Fungisida serta Pengaruhnya Terhadap Penyelamatan Produksi. *Prosiding Kongres Nasional XVI dan Seminar Ilmiah PFI*, Bogor, hal 22-24.
- Prihtanti, TM., dan Pangestika, M. 2020. Dinamika Produktivitas Padi, Harga Eceran Beras (HEB), dan Harga Pembelian Pemerintah (HPP), serta Korelasi antara HPP dan HEB. *Jurnal Ilmu Pertanian Indonesia (JIPI)*.
- Purwantisaria, S., Parmana, S., Handayanib, D., Karnoto. 2019. Ketahanan Sistemik Tanaman Kentang Oleh Aplikasi PGPR The Potato Plants Systemic Resistance Induced by PGPR Application. *Bioma* Vol. 21 (2): 126-131.
- Putra, C., dan Giyanto, G. 2014. Kompatibilitas *Bacillus* spp. dan Aktinomiset Sebagai Agens Hayati *Xanthomonas oryzae* pv. *oryzae* dan Pemacu Pertumbuhan Padi. *J Fitopatol Indonesia* 10 (1): 160-169.

- Rakhmalia, R., Randy, GR., dan Yuniarti, A. 2015. Kandungan C-Organik, N-Total Tanah serta Hasil Padi Gogo (*Oryza sativa* L.) Akibat Perlakuan Pupuk Organik pada Ultisols Asal Desa Kentrong, Provinsi Banten. *Jurnal Agrikultura* 2015, 26 (2): 99-103.
- Roopa, KP and Gadag, AS. 2019. Management of Soil-Borne Diseases of Plants Through Some Cultural Practices and Actinobacteria. *Plant Health Under Biotic Stress* Hal: 129-145.
- Saepulloh, A., dan Fatimah, DDS. 2016. Pengembangan Sistem Pakar Diagnosis Penyakit dan Hama Pada Tanaman Padi Varietas Sarinah Berbasis Android. *Jurnal Algoritma Sekolah Tinggi Teknologi Garut*. 2302-7339 13(1): 149-150.
- Safrizal., Lisawita., Lubis, K., Maathuis, FJM., and Safni, I. 2020. Mapping Bacterial Leaf Blight Disease of Rice (*Xanthomonas oryzae* pv. *oryzae*) in North Sumatra. *IOP Conf. Ser.: Earth Environ. Sci.* 454 012160.
- Sameer, SH. 2018. Evaluation Efficiency Of Some Biological Agents And Chemical Fungicides Against *Fusarium oxysporum* f.sp. *Cucumerinum* In Cucumber Plants. *Journal of Agriculture Science* 10 (1): 137-149.
- Sariasih, S., Widiyanti, F., dan Widiawati, W. 2020. Metode Penyimpanan Bakteri *Xanthomonas Oryzae* pv. *oryzae* Penyebab Penyakit Hawar Daun Bakteri pada Tanaman Padi Menggunakan Glycerol. *Jurnal Pengelolaan Laboratorium Pendidikan*. 2 (1): 1-7.
- Schaad, N. W., Jones, J. B, and Chun, W. 2001. Laboratory Guide for Identification of Plant Pathogenic Bacteria. St Paul: The American Phytopathology Society.
- Shahriar, SA., Imtiaz, AA., Hossain, MB., Husna, A., and Eaty, MNK. 2020. Rice Blast Disease. *Annual Research & Review in Biology* 35(1): 50-64.
- Shan, W., Zhou, Y., Liu, H., and Yu, X. 2018. Endophytic *Actinomycetes* from Tea Plants (*Camellia sinensis*): Isolation, Abundance, Antimicrobial, and Plant Growth Promoting Activities. *BioMed Research International* Volume 2018, Article ID 1470305, 12 pages.
- Sivan, A., and Chet, I. 1986. Biological Control of *Fusarium* spp. in cotton, Wheat and Muskmelon By *Trichoderma harzianum*. *J. Phytopathology* 116: 39-47.
- Soltani, N., Shahidi, B., and Padasht, DF. 2014. Control of *Bipolaris oryzae* the Causal Agent of Rice Brown Spot Disease by Soil *Streptomyces* sp. Isolate G. *International Journal of Advanced Biological and Biomedical Research*, 4(2): 310-317.

- Sudewi, S., Ala, A., Baharuddin., dan Farid, M. 2020. Keragaman Organisme Pengganggu Tanaman (OPT) pada Tanaman Padi Varietas Unggul Baru (VUB) dan Varietas Lokal pada Percobaan Semi Lapangan. *Jurnal Agrikultu ra*. 31 (1): 15-24.
- Sudir., Nurhayanto, B., Kadir, TS. 2012. Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri Pada Taman Padi. *Iptek Tanaman Pangan* 7 (2): 79-87.
- Sudir., Nasution, A., Santoso., dan Nuryanto, B. 2014. Penyakit Blas *Pyricularia grisea* pada Tanaman Padi dan Strategi Pengendaliannya. *Iptek Tanaman Pangan* 9(2): 86-87.
- Sunaryanto, R., Marwanto, B., dan Matsuo, Y. 2010. Isolasi *Actinomycetes* Laut Penghasil Metabolit Sekunder yang Aktif terhadap Sel Kanker A459. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 5(2): 111-116.
- Suparyono., Sudir., dan Suprihanto. 2004. Pathotype profile of *Xanthomoas campestris* pv.*Oryzae*, Isolates from the Rice Ecosystem in Java. *Indonesian Journal of Agricultural Science* 5(2): 63-69.
- Suprayogi., Praptiwi, MA., Iqbal, A., and Agustono, TJ. 2019. Agronomic Performance of F4 Population of Rice Breeding Lines Derived From The Cross of Black Rice and Mentik Wangi varieties. *IOP Conf. Series: Earth and Environmental Science* 250.
- Suryadi, Y., Samudra, IM., Priyatno, TP., Susilowati, DN., Lestari, P., Fatimah., and Kadir, TS. 2016. Determination of Pathotypes from Indonesian *Xanthomonas oryzae* pv. *Oryzae* Population causing Bacterial Leaf Blight and their Reactions on Differential Rice. *Makara Journal of Science*, 20(3):109-118.
- Susanto, U. dan Sudir. 2012. Ketahanan Genotipe Padi terhadap *Xanthomonas oryzae* pv. *oryzae* Patotipe III, IV, dan VIII. *Penelitian Pertanian Tanaman Pangan* 31 (2) : 108-116.
- Sutariarti, GAK., dan Wahab, A. 2012. Karakterisasi Fisiologis dan Kemangkusan *Rizobakteri* Indigenus Sulawesi Tenggara sebagai Pemacu Pertumbuhan Tanaman Cabai. *Jurnal Hortikultura* 22 (1): 57-64.
- Sutariati, GAK., Zulaiza, DS., Kasra, LD., Wangadi, S., dan Mudi, LA. 2014. Invigorasi Benih Padi Gogo Lokal untuk Meningkatkan Vigor dan Mengatasi Permasalahan Dormansi Fisiologis Pascapanen. *Jurnal Agroteknos*. 4(1): 10-17.
- Swings, J., Van Den Mooter, M., Vauterin, L., Hoste, B., Gillis, M., Mew, T.W. and Kersters, K. (1990). Reclassification of the causal agents of bacterial blight *Xanthomonas campestris* pathovar *oryzae* and bacterial leaf streak *Xanthomonas campestris* pathovar *oryzicola* of rice as

pathovars of *Xanthomonas oryzae* new species Ex Ishiyama 1922 Revived Name. *Int. J. Syst. Bacteriol.* 40, 309–311.

- Syahputra, AA., Murniati., dan Puspita, F. 2015. Uji Beberapa Dosis Pupuk Hayati Berbahan Aktif *Bacillus* Sp.Pada Pertumbuhan dan Hasil Padi Sawah (*Oryza sativa* L.) dengan Metode Sri. *JOM Faperta* 2(1): 4-5.
- Tan, CJ., How, KC., Lohmia, PP., Ismet, A., Getha, K., Seki, T., and Vikineswary, S. 2002. Bioactivity of selected actinomycetes against *Ganoderma boninense*. *Asia Pacific Journal of Molecular Biology & Biotechnology.* 10(2): 119–125.
- Vetha, VPA., Azhagu, SK., and Vijay, PP. 2013 Brown Rice Hidden Nutrients. *Journal of Bioscience and Technology.* 4(1): 503-507.
- Wahyudi, TA., Meliah, S., dan Nawangsih, A. 2011. *Xanthomonas oryzae* pv. *oryzae*. Bakteri Hawar Daun Pada Padi: Isolasi, Karakterisasi dan Telaah Mutagenesis dengan Transposon. *Jurnal Proteksi Tanaman Departemen, Intitut Pertanian Bogor.* 15 (1): 89.
- Wahyudi, AT., Priyanto, JA., Fijrina, HN., Mariastuti, HD., and Nawangsih, AA. 2019. *Streptomyces* spp. from Rhizosphere Soil of Maize With Potential as Plant Growth Promoter. *Biodiversitas* 20 (9): 2547-2553.
- Wangiyana, W., Laiwan, W., Sanisah. 2009. Pertumbuhan Dan Hasil Tanaman Padi Var. Ciherang Dengan Teknik Budidaya “Sri (*System Of Rice Intensification*)” Pada Berbagai Umur Dan Jumlah Bibit Per Lubang Tanam. *Crop Agro,* 2 (1).
- Wibowo, RH., Sipriyadi., Mubarik, NR., Rusmana, I., Suhartono, MT. 2020. Isolation and Screening of Soil Chitinolytic Actinobacteria As The Anti-Fungal Producer of Plant Pathogens. *Journal of Islamic Science and Technology* 6 (2): 273-286.
- Wirawan, KA., Susrusa BIK., dan Ambarwati. 2014. Analisis Produktivitas Tanaman Padi di Kabupaten Badung Provinsi Bali. *Jurnal Manajemen Agribisnis* 2(1):79-80.
- Xu, T., Li, Y., Zeng, X., Yang, Y., Yuan, S., Hu, X., Zeng, J., Wang, Z., Liu, Q., Liu, Y., Liao, H., Tong, C., Liu, X., and Zhu, Y. 2016. Isolation and Evaluation of end Ophytic *Streptomyces* Endus OsiSh 2with Potential Application for Biocontrol of Rice Blast Disease. *Journal of the Science of Food and Agriculture* 2016.
- Xue, Y., Shui, G., and Wenk, M.R. 2014. TPS1 Drug Design for Rice Blast Disease in Magnapor The *Oryzae*, Springer Plus, 3, 18.
- Yadav, AN., Verma, P., Kumar, S., Kumar V., Kumar M., Sugitha, TCK., Singh BP., Saxena, AK., Dhaliwal, HS. 2018. Actinobacteria from Rhizosphere: Molecular Diversity, Distributions, and Potential Biotechnological

Applications. *New and Future Developments in Microbial Biotechnology and Bioengineering*.

- Yanti, Y., dan Resti, Z. 2010. Pengimbasan Ketahanan Tanaman bawang Merah dengan Bakteri Rizoplan Indigenus Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas axonopodis* pv. *allii*). Prosiding Seminar Nasional Pengelolaan Organisme Pengganggu Ramah Lingkungan, Purwokerto, 10-11.
- Yanti, Y., Habazar, T., Resti Z., dan Suhailita, D. 2013. Penapisan Isolat Rizobakteri Dari Perakaran Tanaman Kedelai Yang Sehat untuk Pengendalian Penyakit Pustul Bakteri (*Xanthomonas axonopodis* pv. *glycines*). *Jurnal HPT Tropika*. 13(1):24-34.
- Yanti, Y., Rifai, I., Pratama, YA., Harahap, MI. 2019. Penapisan Isolat Rizobakteri *Indigenous* untuk Pengendalian *Ganoderma boninense* Di Pre-Nursery Kelapa Sawit (*Elaeis guineensis* Jacq.). *Jurnal Agro*. 6 (2).
- Yuliani, D., Sudir., dan Mejaya, MJ. 2017. Komposisi dan Dominasi Patotipe *Xanthomonas oryzae* pv. *oryzae* Penyebab Hawar Daun Bakteri pada Tanaman Padi dengan Pola Tanam Tidak Serempak. *Penelitian Pertanian Tanaman Pangan* 1(2): 278-279.
- Yuvika., Nasution, A., dan Gafur, A. 2013. Isolasi dan Penapisan in Vitro Aktinomiset untuk Mengendalikan *Xanthomonas*. *Jurnal Fitopatologi Indonesia* 9(4): 124-129.
- Zahara, R., Marlina., dan Abduh, U. 2016. Pengaruh *Corynebacterium* sp. dalam Menekan Pertumbuhan Penyakit Hawar Daun Bakteri pada Tanaman Padi (*Oryza sativa* L.). *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah* 1(1): 189-190 .
- Zhang, X., Zhang, YJ., Zhao, C., Liu, S., Wang, L., Yang, H., He, W., Xiang., and Wang. 2014. *Nonomuraea fuscirosea* sp. nov., An Actinomycetes Isolated from the Rhizosphere Soil of Rehmanna (*Rehmanna glutinosa* Libosch). In ternational *Journal of Systematic and Evolutionary Microbiology* (64): 1102–1107.

