

## DAFTAR PUSTAKA

- [1] Z. G. Datsios, P. N. Mikropoulos, and T. E. Tsovilis, "Effects of Lightning Channel Equivalent Impedance on Lightning Performance of Overhead Transmission Lines," *IEEE Trans. Electromagn. Compat.*, vol. 61, no. 3, pp. 623–630, 2019, doi: 10.1109/TEMPC.2019.2900420.
- [2] N. Zawani and M. Faizuhar, "Modelling of 132 kV Overhead Transmission Lines by using ATP / EMTP for Modelling of 132kV Overhead Transmission Lines by Using ATP / EMTP for Shielding Failure Pattern Recognition," *Procedia Eng.*, vol. 53, no. December, pp. 278–287, 2013, doi: 10.1016/j.proeng.2013.02.037.
- [3] D. C. I. J. S. L. R. Alipio, "An Investigation into the Effect of the Probabilistic Distribution of Lightning Current Amplitude on a Transmission Line Backflashover Rate," 2021, [Online]. Available: <https://ieeexplore.ieee.org/document/9627406>
- [4] H. Swalehe, P. V. Chombo, and B. Marungsri, "Flashover and back-flashover analysis with lightning strokes of 69 kV and 24 kV lines in Thailand using ATP/EMTP," *Int. J. Energy Convers.*, vol. 6, no. 4, pp. 111–120, 2018, doi: 10.15866/irecon.v6i4.15253.
- [5] R. Shariatinasab and J. Gholinezhad, "The effect of grounding system modeling on lightning-related studies of transmission lines," vol. 15, pp. 545–554, 2017.
- [6] R. P. Luntungan, L. S. Patras, and G. MCh Mangindaan, "Analisa Daerah Lindung dan Grounding Pada Tower Transmisi Akibat Terjadinya Back Flashover," *J. Tek. Elektro dan Komput.*, vol. 7, no. 3, pp. 199–206, 2018, [Online]. Available: <https://ejournal.unsrat.ac.id/index.php/elekdankom/article/view/20766>
- [7] K. Biantoro, I. W. A. Wijaya, and I. G. N. Janardana, "Mengamankan Area Gedung Beserta," vol. 7, no. 1, pp. 131–137, 2020.
- [8] B. C. Rahmono, "Studi Perhitungan Tegangan *Back flashover* di Terminal Isolator pada Sutet 275 kV Bengkayang-Mambong Akibat Sambaran Petir Langsung," *J. Tek. Elektro Univ. Tanjungpura*, vol. 1, no. 1, 2019.
- [9] B. A. B. Ii and T. Pustaka, "Djiteng Marsudi, pembangkitan energi listrik edisi kedua, Erlangga, 2011, hal 1-2 5," pp. 5–37, 2011.
- [10] A. Of *et al.*, "ANALISIS TINGKAT KERAWANAN BAHAYA SAMBARAN PETIR DENGAN METODE SIMPLE ADDITIVE WEIGHTING DI PROVINSI BALI ANALYSIS OF THE LEVEL OF AREA

VULNERABILITY TO LIGHTNING STRIKE USING SIMPLE ADDITIVE WEIGHTING IN BALI PROVINCE,” pp. 193–201, 2014.

- [11] Y. Yusmartato and R. Nasution, “Menentukan Parameter Generator Impuls Untuk Gelombang Impuls Petir,” *JET (Journal Electr. Technol.*, vol. 5, no. 3, pp. 128–136, 2020, [Online]. Available: <https://jurnal.uisu.ac.id/index.php/jet/article/view/3549>
- [12] D. S. Widyastuti and S. Sugiarto, “Dampak Pemberian Impuls Arus Terhadap Tingkat Perlindungan *Arrester* Tegangan Rendah,” *Angkasa J. Ilm. Bid. Teknol.*, vol. 7, no. 2, p. 75, 2017, doi: 10.28989/angkasa.v7i2.151.
- [13] P. S. Harijanto, B. E. Prasetyo, and E. Raganingrum, “Uji Performa Pengaman Gangguan Petir Pada Saluran Transmisi 70 kV GI Kebonagung – GI Polehan Menggunakan ATP DRAW,” *ELPOSYS J. Sist. Kelistrikan*, vol. 8, no. 2, pp. 32–37, 2021, doi: 10.33795/elposys.v8i2.48.
- [14] J. Napitupulu, I. Safarudin, A. Hernandez, and G. Hutapea, “Studi Kegagalan Perlindungan Kawat Tanah Terhadap Sambaran Petir Pada Saluran Transmisi 150 KV,” *J. Tek. Elektro*, vol. 10, no. 1, pp. 60–67, 2021, [Online]. Available: <http://jurnal.darmaagung.ac.id/index.php/teknologienergi/article/view/1356>
- [15] F. T. Industri, “*Arrester* Pada Saluran Udara Tegangan Tinggi Evaluation of Installation Location Effect of Surge *Arrester* on 150 KV High-Voltage Overhead Line ( Sutt ) for Switching,” 2015.
- [16] A. Ametani and T. Kawamura, “A method of a lightning surge analysis recommended in Japan using EMTP,” *IEEE Trans. Power Deliv.*, vol. 20, no. 2 I, pp. 867–875, 2005, doi: 10.1109/TPWRD.2004.839183.
- [17] M. A. S. Petir, S. A. Nugroho, and S. Aprilia, “Analisis Perbandingan Karakteristik *Arrester* Jenis,” vol. 10, no. 1, pp. 1–6, 2021.
- [18] J. T. Elektro, F. Teknik, U. Sriwijaya, and G. Berjalan, “ANALISA PROTEKSI PETIR PADA GARDU DISTRIBUSI 20 KV PT PLN ( PERSERO ) RAYON,” vol. 1, no. 3, pp. 1–8, 2014.
- [19] A. Adri and I. H. Rosma, “Analysis of Configuration and Performance of *Arrester* for Protecting Substation against Impulse Lightning Using ATP-EMTP Software,” *J. Tek. Elektro, Fak. Tek. Univ. Riau*, vol. 5, no. 1, pp. 1–7, 2018.
- [20] Herman Halomoan Sinaga, T. Haryono, and Tumiran, “Model *Arrester* SiC Menggunakan Model *Arrester* ZnO IEEE WG 3.4.11,” *J. Tek. Elektro*, vol. 5, no. 1, pp. 2–6, 2005, [Online]. Available: <http://puslit2.petra.ac.id/ejournal/index.php/elk/article/view/16145>
- [21] A. F. Lubis, “Simulasi Perbandingan Performa Penggunaan Model *Arrester* pada Saluran Transmisi,” pp. 26–28, 2020.

- [22] T. Saengsuwan and W. Thipprasert, "The lightning *arrester* modeling using ATP-EMTP," *Kasetsart J. - Nat. Sci.*, vol. 42, no. 1, pp. 156–164, 2008, doi: 10.1109/tencon.2004.1414786.
- [23] firdaus arif muhammad, "Jom FTEKNIK Volume 4 No . 1 Februari 2017 Jom FTEKNIK Volume 4 No . 1 Februari 2017," vol. 4, no. 1, pp. 1–8, 2017.
- [24] G. Pada, S. Transmisi, M. Y. Nugroho, M. Facta, and A. Syakur, "PENGUNAAN ATP DRAW 3 . 8 UNTUK MENENTUKAN JUMLAH BACKFLASHOVER".
- [25] A. Layout and G. M. Lines, "Introduction to ATPDraw," pp. 1–57.
- [26] C. A. Christodoulou, L. Ekonomou, G. P. Fotis, P. Karamelas, and I. A. Stathopoulos, "Parameters' optimisation for surge *arrester* circuit models," *IET Sci. Meas. Technol.*, vol. 4, no. 2, pp. 86–92, 2010, doi: 10.1049/iet-smt.2009.0048.

