

DAFTAR PUSTAKA

- (1) Quang, B.; Id, L.; Nurcombe, V.; Cool, S. M.; Blitterswijk, C. A. Van; Boer, J. De; Lydia, V.; Lapointe, S. The Components of Bone and What They Can Teach Us about Regeneration. *MDPI* 2017, 11 (14), 1–16. <https://doi.org/10.3390/ma11010014>.
- (2) Sihombing, I.; Wangko, S.; Kalangi, S. J. R. Peran Estrogen Pada Remodeling Tulang. *Biomedik* 2012, 4 (3), 18–28.
- (3) Torres, E.; Fombuena, V.; Vallés-Lluch, A.; Ellingham, T. Improvement of Mechanical and Biological Properties of Polycaprolactone Loaded with Hydroxyapatite and Halloysite Nanotubes. *Mater. Sci. Eng. C* 2017, 75, 418–424. <https://doi.org/10.1016/j.msec.2017.02.087>.
- (4) Trakoolwannachai, V.; Kheolamai, P.; Ummartyotin, S. Characterization of Hydroxyapatite from Eggshell Waste and Polycaprolactone (PCL) Composite for Scaffold Material. *Compos. Part B Eng.* 2019, 173 (May). <https://doi.org/10.1016/j.compositesb.2019.106974>.
- (5) Bee, S. L.; Hamid, Z. A. A. Characterization of Chicken Bone Waste-Derived Hydroxyapatite and Its Functionality on Chitosan Membrane for Guided Bone Regeneration. *Compos. Part B Eng.* 2019, 163 (January), 562–573. <https://doi.org/10.1016/j.compositesb.2019.01.036>.
- (6) Siregar, A. A.; Jamarun, N.; Yulia, E.; Putri, E. Modification of Hydroxyapatites With Magnesium Using Calcium From Blood Blood Skin (*Tegillarca Granosa*) and Test of Antibacy Activity.
- (7) Mtavangu, S. G.; Mahene, W.; Machunda, R. L.; van der Bruggen, B.; Njau, K. N. Cockle (*Anadara Granosa*) Shells-Based Hydroxyapatite and Its Potential for Defluoridation of Drinking Water. *Results Eng.* 2022, 13 (March), 100379. <https://doi.org/10.1016/j.rineng.2022.100379>.
- (8) Moeini, S.; Mohammadi, M. R.; Simchi, A. In-Situ Solvothermal Processing of Polycaprolactone/Hydroxyapatite Nanocomposites with Enhanced Mechanical and Biological Performance for Bone Tissue Engineering. *Bioact. Mater.* 2017, 2 (3), 146–155. <https://doi.org/10.1016/j.bioactmat.2017.04.004>.
- (9) Hartatiek; Utomo, J.; Noerjannah, L. I.; Rohmah, N. Z.; Yudyanto. Physical and Mechanical Properties of Hydroxyapatite/Polyethylene Glycol Nanocomposites. *Mater. Today Proc.* 2020, 44, 3263–3267. <https://doi.org/10.1016/j.matpr.2020.11.511>.
- (10) Herman, V.; Karam, A.; Albano, C.; Gonzales, G. High Density Polyethylene - Hydroxyapatite Composites Synthetized by In Situ Ethylene Polymerization. *Rev. la Fac. Ing. U.C.V* 2014, 30 (1), 211–218.
- (11) Oladele, I. O.; Agbabiaka, O. G.; Adediran, A. A.; Akinwekomi, A. D.; Balogun, A. O. Structural Performance of Poultry Eggshell Derived Hydroxyapatite Based High Density Polyethylene Bio-Composites. *Heliyon* 2019, 5 (10), e02552. <https://doi.org/10.1016/j.heliyon.2019.e02552>.
- (12) Rivera, E. M. Hydroxyapatite-Based Materials: Synthesis and Characterization. *Biomed. Eng. - Front. Challenges* 2011, No. May. <https://doi.org/10.5772/19123>.
- (13) Liza, Y. M.; Yasin, R. C.; Maidani, S. S.; Zainul, R. Gelation Sol- Gel Proses s Densification Ageing Drying. *Pendidik. FMIPA Univ. Negeri Padang* 2018.
- (14) Boskey, A. L. Bone Composition: Relationship to Bone Fragility and Antiosteoporotic Drug Effects. *Bonekey Rep.* 2013, 2 (July), 1–11. <https://doi.org/10.1038/bonekey.2013.181>.
- (15) Kalsi, S.; Singh, J.; Sehgal, S. S.; Sharma, N. K. Biomaterials for Tissue Engineered Bone Scaffolds: A Review. *Mater. Today Proc.* 2021, No. xxxx.

- <https://doi.org/10.1016/j.matpr.2021.04.273>.
- (16) Zaokari, Y.; Persaud, A.; Ibrahim, A. Biomaterials for Adhesion in Orthopedic Applications: A Review. *Eng. Regen.* 2020, 1 (July), 51–63. <https://doi.org/10.1016/j.engreg.2020.07.002>.
 - (17) Widyastuti, A. Reproduksi Kerang Darah (Anadara Sp.). *Oseana* 2011, XXXVI (2), 11–20.
 - (18) Solang, M. Blood Cockle (Anadara Granosa) Supplementation to Increase Serum Calcium Level and Femur Growth of Low-Protein Diet Rat. *Nusant. Biosci.* 2017, 9 (1), 62–67. <https://doi.org/10.13057/nusbiosci/n090111>.
 - (19) Elsa, D. A.; Setiawan, A. A.; Subagyo, G. W. Cangkang Kerang Darah (Anadara Granosa) Sebagai Substitusi Agregat Kasar Pada Campuran Beton. *J. Ranc. Bangun* 2019, 07 (02), 55–61.
 - (20) Sulistiyarningsih, E.; Arbi, U. Y. Aspek Bio-Ekologi Dan Pemanfaatan Kerang Marga Anadara (Mollusca: Bivalvia: Arcidae). *Oseana* 2020, 45 (2), 69–85.
 - (21) Azis, Y.; Jamarun, N.; Arief, S.; Nur, H. Facile Synthesis of Hydroxyapatite Particles from Cockle Shells (Anadara granosa) by Hydrothermal Method. *Orient. J. Chem.* 2015, 31 (2).
 - (22) Dhanaraj, K.; Suresh, G. Conversion of Waste Sea Shell (Anadara Granosa) into Valuable Nanohydroxyapatite (NHAp) for Biomedical Applications. *Vacuum* 2018, 152, 222–230. <https://doi.org/10.1016/j.vacuum.2018.03.021>.
 - (23) Sari, T. P.; Jamarun, N.; Darajat, S.; Azharman, Z.; Asril, A. Effect of Mixing Temperature on the Synthesis of Hydroxyapatite by Sol-Gel Method. *Orient. J. Chem.* 2014, 30 (4), 1799–1804. <https://doi.org/10.13005/ojc/300440>.
 - (24) Zahir, M. H.; Rahman, M. M.; Irshad, K.; Rahman, M. M. Shape-Stabilized Phase Change Materials for Solar Energy Storage: MgO and Mg(OH)₂ Mixed with Polyethylene Glycol. *Nanomaterials* 2019, 9 (12), 1–21. <https://doi.org/10.3390/nano9121773>.
 - (25) Zarrantaj, P.; Saeb, M. R.; Jafari, S. H.; Mozafari, M. *Application of Compatibilized Polymer Blends in Biomedical Fields*; Elsevier Inc., 2019. <https://doi.org/10.1016/B978-0-12-816006-0.00018-9>.
 - (26) Dabbaghi, A.; Ramazani, A.; Farshchi, N.; Rezaei, A.; Bodaghi, A.; Rezayati, S. Synthesis, Physical and Mechanical Properties of Amphiphilic Hydrogels Based on Polycaprolactone and Polyethylene Glycol for Bioapplications: A Review. *J. Ind. Eng. Chem.* 2021, 101, 307–323. <https://doi.org/10.1016/j.jiec.2021.05.051>.
 - (27) Fajri, R. I.; Tarkono, .; Sugiyanto, J. Studi Sifat Mekanik Komposit Serat Sansevieria Cylindrica Dengan Variasi Fraksi Volume Bermatrik Polyester. *J. Ilm. Tek. Mesin* 2013, 1 (2), 704947.
 - (28) Kribaa, O. keltoum; Latif, S.; Saifi, F.; Chahbaoui, N. Elaboration and Chemical Characterization of a Composite Material Based on Hydroxyapatite/Polyethylene. *Mater. Today Proc.* 2020, 49, 1017–1022. <https://doi.org/10.1016/j.matpr.2021.08.120>.
 - (29) Hutabarat, G. S.; Qodir, D. T.; Setiawan, H.; Akbar, N.; Noviyanti, A. R. Sintesis Komposit Hidroksiapatit-Lantanum Oksida (HA-La₂O₃) Dengan Metode Hidrotermal Secara In-Situ Dan Ex-Situ. *ALCHEMY J. Penelit. Kim.* 2019, 15 (2), 287. <https://doi.org/10.20961/alchemy.15.2.32062.287-301>.
 - (30) Rayfandy, G.; Pinem, J. A.; HS, I. Pengaruh Penambahan Komposisi Hidroksiapatit Terhadap Pengurangan Massa Membran Jaringan Terpadu Untuk Aplikasi. *Jom FTEKNIK* 2020, 7 (1), 5–24.
 - (31) Solechan, S. R. Karakteristik Filamen Biodegradasi Print 3D Untuk Implan Plate Dan Sekrup Tulang Femur Dengan Metode Extrusion Dari Material PCL, PLA Pati Ketela Dan Hydroxyapatite Bovine. *Pros. SNATIF* 2016, 3 (55), 99–106.

- (32) Warastuti, Y.; Suryani, N. Karakteristik Degradasi Dari Biomaterial Poli- (Kaprolakton-Kitosan-Hidroksiapatit) Iradiasi Dalam Larutan Simulated Body Fluid. *J. Ilm. Apl. Isot. dan Radiasi* 2013, 9 (1), 11–22.
- (33) Wang, H. Hydroxyapatite Degradation and Biocompatibility. *Ohio State Univ.* 2004, 1–190.
- (34) Sulistyani, M.; Huda, N. Perbandingan Metode Transmisi Dan Reflektansi Pada Pengukuran Polistirena Menggunakan Instrumentasi Spektroskopi Fourier Transform Infra Red. *Indones. J. Chem. Sci.* 2018, 7 (2), 195–198.
- (35) Zheng, F.; Wang, C.; Huang, K.; Li, J. Surface Adsorption in PEG/Hydroxyapatite and PEG/Dickite Composite Phase Change Materials. *Energy and Fuels* 2021, 35 (13), 10850–10859. <https://doi.org/10.1021/acs.energyfuels.1c00885>.
- (36) Sari, N. W.; Fajri, M. Y. Analisis Fitokimia Dan Gugus Fungsi Dari Ekstrak Etanol Pisang Goroho Merah (*Musa Acuminata* (L)). *Indones. J. Biotechnol. Biodivers.* 2018, 2 (1), 30–34.
- (37) Setiabudi, A.; Hardian, R.; Muzakir, A. *Karakterisasi Material: Prinsip Dan Aplikasinya Dalam Penelitian Kimia*; 2012; Vol. 1.
- (38) Septiano, A. F.; Susilo; Setyaningsih, N. E. Analisis Citra Hasil Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal Dengan Metode Contrast to Noise Ratio (CNR). *Indones. J. Math. Nat. Sci.* 2021, 44 (2), 81–85.
- (39) Julinawati, J.; Marlina, M.; Nasution, R.; Sheilatina, S. Applying Sem-Edx Techniques to Identifying the Types of Mineral of Jades (Giok) Takengon, Aceh. *J. Nat. Unsyiah* 2015, 15 (2), 116128.
- (40) Dipta Rakhmasari, K.; Perdana, I.; Prasetya, A.; Pidhatika, D. B. Nanosilika Dari Prekursor Silika Geotermal: Pengaruh Konsentrasi Surfaktan Dan Dekomposisi Termal Pasca Sintesis. *Pros. Semin. Nas. Tek. Kim. "Kejuangan. Pengemb. Teknol. Kim. untuk Pengolah. Sumber Daya Alam Indones.* 2019, No. April, 1–7.
- (41) Trianasari.; Manurung, P.; Karo-karo, P. Analisis Dan Karakterisasi Kandungan Silika (SiO₂) Sebagai Hasil Ekstraksi Batu Apung (Pumice). *J. Teor. dan Apl. Fis.* 2017, 05 (1), 9–14.
- (42) Mitić, Ž.; Stolić, A.; Stojanović, S.; Najman, S.; Ignjatović, N.; Nikolić, G.; Trajanović, M. Instrumental Methods and Techniques for Structural and Physicochemical Characterization of Biomaterials and Bone Tissue: A Review. *Mater. Sci. Eng. C* 2017, 79, 930–949. <https://doi.org/10.1016/j.msec.2017.05.127>.
- (43) Chaturvedi, S.; Shah, K. Validated UV Spectrophotometric Method For In-Vitro Dissolution Studies In Phosphate Buffer PH 7 . 4. 2021, 12 (April). [https://doi.org/10.13040/IJPSR.0975-8232.12\(4\).2417-21](https://doi.org/10.13040/IJPSR.0975-8232.12(4).2417-21).
- (44) Purwasasmita, B. S.; Gultom, R. S. Sintesis Dan Karakterisasi Serbuk Hidroksiapatit Skala Sub-Mikron Menggunakan Metode Presipitasi. *J. Bionatura* 2008, 10 (2), 155–167.
- (45) Suyitno. Perumusan Laju Reaksi Dan Sifat-Sifat Pirolisis Lambat Sekam Padi Menggunakan Metode Analisis Termogravimetri. *J. Tek. Mesin* 2009, 11 (1), 12–18.
- (46) Lee, I. H.; Lee, J. A.; Lee, J. H.; Heo, Y. W.; Kim, J. J. Effects of PH and Reaction Temperature on Hydroxyapatite Powders Synthesized by Precipitation. *J. Korean Ceram. Soc.* 2020, 57 (1), 56–64. <https://doi.org/10.1007/s43207-019-00004-0>.
- (47) Laonapakul, T.; Sutthi, R.; Chaikool, P.; Mutoh, Y.; Chindaprasirt, P. Optimum Conditions for Preparation of Bio-Calcium from Blood Cockle and Golden

- Apple Snail Shells and Characterization. *ScienceAsia* 2019, 45 (1), 10–20. <https://doi.org/10.2306/scienceasia1513-1874.2019.45.010>.
- (48) Azis, Y.; Jamarun, N.; Arief, S.; Nur, H. Synthesis of Hydroxyapatite by Hydrothermal Method from Cockle Shell (*Anadara Granosa*). *J. Chem. Pharm. Res.* 2015, 7 (5), 798–804.
- (49) Akbar, F.; Kusumaningrum, R.; Jamil, M. S.; Noviyanto, A.; Widayatno, W. B.; Wismogroho, A. S.; Rochman, N. T. Sintesis $\text{Ca}_2\text{P}_2\text{O}_7$ Dari Limbah Kerang Sebagai Bahan Baku Limbah Cangkang Kerang Dengan Metode Solvothermal. *J. Fis. dan Apl.* 2019, 15 (3), 110. <https://doi.org/10.12962/j24604682.v15i3.4707>.
- (50) Kribaa, O. keltoum; Latif, S.; Saifi, F.; Chahbaoui, N. Elaboration and Chemical Characterization of a Composite Material Based on Hydroxyapatite/Polyethylene. *Mater. Today Proc.* 2020, 49 (xxxx), 1017–1022. <https://doi.org/10.1016/j.matpr.2021.08.120>.
- (51) Barron, M. K.; Young, T. J.; Johnston, K. P.; Williams, R. O. Investigation of Processing Parameters of Spray Freezing into Liquid to Prepare Polyethylene Glycol Polymeric Particles for Drug Delivery. *AAPS PharmSciTech* 2003, 4 (2). <https://doi.org/10.1208/pt040212>.
- (52) Deno, F.; Azis, Y.; Yusnimar. Pengaruh Suhu Dan PH Terhadap Bentuk Partikel Hidroksiapatit Dari Precipitated Calcium Carbonate (PCC) Kulit Telur Itik Melalui Metode Presipitasi. *Jom Fteknik* 2019, 6, 1–8.
- (53) C. P. Dhanalakshmi. Synthesis and Preliminary Characterization of Polyethylene Glycol (PEG)/Hydroxyapatite (HAp) Nanocomposite for Biomedical Applications. *Int. J. Phys. Sci.* 2012, 7 (13), 2093–2101. <https://doi.org/10.5897/ijps11.1495>.
- (54) Yudoyono, G. Thermal Characteristics and Electrical Properties of Nanomaterial TiO_2 . *ResearchGate* 2016, No. November. <https://doi.org/10.13140/RG.2.2.21921.40809>.
- (55) Rogers, J. D.; Thurman, E. M.; Ferrer, I.; Rosenblum, J. S.; Evans, M. V.; Mouser, P. J.; Ryan, J. N. Degradation of Polyethylene Glycols and Polypropylene Glycols in Microcosms Simulating a Spill of Produced Water in Shallow Groundwater. *Environ. Sci. Process. Impacts* 2019, 21 (2), 256–268. <https://doi.org/10.1039/c8em00291f>.

