

DAFTAR PUSTAKA

1. Yenti SR, Fadli A, Drastinawati D, Zultiniar Z, Nisa AF. Model Kesetimbangan Pada Adsorpsi Ion Kadmium Menggunakan Hidroksiapatit Dari Kulit Kerang Darah. *Jurnal Sains dan Teknologi*. 2019;17(1):9. doi:10.31258/jst.v17.n1.p9-15
2. Prasetyo K, Aziz Y, Komalasari. Adsorpsi Logam Cd, Cu Dan Pb Dengan Menggunakan Hidroksiapatit (HA) Sebagai Adsorban. *Jurnal Online Mahasiswa*. 2018;5:2-5.
3. Lukman, Setyobudiandi I, Muchsin I, Hariyadi S. Distribusi Kelimpahan Pensi (*Corbicula moltkiana*, Prime 1878) Di Danau Maninjau. *limnotek*. 2015;22(1):12-21.
4. Desalegn YM, Andoshe DM, Desissa TD. Composite of bentonite/CoFe₂O₄/hydroxyapatite for adsorption of Pb (II). *Mater Res Express*. 2020;7(11). doi:10.1088/2053-1591/abc71f
5. K Sathiyamurthy, Sivagurunathan P. Structural , magnetic and electrochemical properties of Co_xZn_{1-x}Fe₂O₄ nanoparticles synthesized by co-precipitation method. *International Journal of Advanced Science and Research*. 2017;(6):33-41.
6. Yakob M, Saputra H, Mustika D, Wahyuningsih P, Putra RA. Nanoparticle Fabrication of Co_xNi_{1-x}Fe₂O₄ Using Co- Precipitation Methode at Low Temperature. *Jurnal Neutrino:Jurnal Fisika dan Aplikasinya*. 2014;11(2):1-17.
7. Das KC, Dhar SS. Removal of cadmium(II) from aqueous solution by hydroxyapatite-encapsulated zinc ferrite (HAP/ZnFe₂O₄) nanocomposite: kinetics and isotherm study. *Environmental Science and Pollution Research*. 2020;27(30):37977-37988. doi:10.1007/s11356-020-09832-8
8. Krishna, Siddhartha. Remarkable catalytic degradation of malachite green by zinc supported on hydroxyapatite encapsulated magnesium ferrite (Zn/HAP/MgFe₂O₄) magnetic novel nanocomposite. *J Mater Sci*. 2020;55(11):4592-4606. doi:10.1007/s10853-019-04294-x
9. Hardian A, Putri RH, Budiman S, Syarif DG. Sintesis Keramik Komposit ZrO₂-ZnFe₂O₄ sebagai Fotokatalis Magnetik untuk Degradasi Metilen Biru. *alchemy Jurnal Penelitian Kimia*. 2021;17(1):43. doi:10.20961/alchemy.17.1.39240.43-53

10. Khalil M, Yu J, Liu N, Lee RL. Hydrothermal synthesis, characterization, and growth mechanism of hematite nanoparticles. *Journal of Nanoparticle Research*. 2014;16(4). doi:10.1007/s11051-014-2362-x
11. Khalil. Pengaruh Penggilingan dan Pembakaran terhadap Kandungan Mineral dan Sifat Fisik Kulit Pensi (*Corbiculla Sp*) untuk Pakan. *Media Peternakan Fakultas Peternakan Institut Pertanian Bogor*. 2006;29(2):70-75.
12. Armein Lusi Zeswita ES. Karakter Morfometrik Pensi (*Corbicula moltkiana Prime*) Pada Dua Ekosistem Yang Berbeda. *Bioconchetta*. 2015;1(2):49-58.
13. Wahyuni S, Darvina Y, Ramli. Optimalisasi Temperatur Kalsinasi Untuk Mendapatkan Kalsit- CaCO_3 Dalam Cangkang Pensi (*Corbicula moltkiana*) Yang Terdapat Di Danau Maninjau. *Pillar of Physics*. 2015;6:81-88.
14. Purwasmita BS, Gultom RS. Sintesis Dan Karakterisasi Serbuk Hidroksiapatit Skala Sub-Mikron Menggunakan Metode Presipitasi. *Jurnal Bionatura*. 2008;10(2):155-167.
15. Harahap AW, Helwani Z, Zultiniar Y. Sintesis Hidroksiapatit melalui Precipitated Calcium Carbonate (PCC) Cangkang Kerang Darah dengan Metode Hidrotermal pada Variasi pH dan Waktu Reaksi. *jom fteknik*. 2015;2(2):1-8.
16. Yazdani J, Ahmadian E, Sharifi S, Shahi S, Maleki Dizaj S. A short view on nanohydroxyapatite as coating of dental implants. *Biomedicine and Pharmacotherapy*. 2018;105(April):553-557. doi:10.1016/j.biopha.2018.06.013
17. Ibrahim M, Labaki M, Giraudon JM, Lamonier JF. Hydroxyapatite, a multifunctional material for air, water and soil pollution control: A review. *J Hazard Mater*. 2020;383(September 2019):121139. doi:10.1016/j.jhazmat.2019.121139
18. Das KC, Dhar SS, Thakurata DG, Das J. Sn(II) inserted on hydroxyapatite encapsulated nickel ferrite ($\text{NiFe}_2\text{O}_4@ \text{HAp-Sn}^{2+}$): A novel nanocomposite for the effective photo-degradation of rhodamine B dye. *J Clean Prod*. 2021;290:125172. doi:10.1016/j.jclepro.2020.125172
19. Sebei H, Pham Minh D, Lyczko N, Sharrock P, Nzihou A. Hydroxyapatite-based sorbents: elaboration, characterization and application for the removal of catechol from the aqueous phase. *Environmental Technology (United Kingdom)*. 2017;38(20):2611-2620. doi:10.1080/09593330.2016.1271829
20. Rahmayeni, Febrialita R, Stiadi Y, Putri YE, Sofyan N, Zulhadjri. Simbang Darah (*Iresine herbstii*) extract mediated hydrothermal method in the synthesis

- of zinc ferrite spinel nanoparticles used for photocatalysis and antibacterial applications. *J Environ Chem Eng.* 2021;9(2).
21. Issa B, Obaidat IM, Albiss BA, Haik Y. Magnetic nanoparticles: Surface effects and properties related to biomedicine applications. *Int J Mol Sci.* 2013;14(11):21266-21305. doi:10.3390/ijms141121266
 22. Lazarević ZŽ, Jovalekić Č, Milutinović A, et al. Nanodimensional spinel NiFe₂O₄ and ZnFe₂O₄ ferrites prepared by soft mechanochemical synthesis. *J Appl Phys.* 2013;113(18):0-11. doi:10.1063/1.4801962
 23. Kmita A, Pribulova A, Holtzer M, Futas P, Rocznik A. Use of Specific Properties of Zinc Ferrite in Innovative Technologies. *Archives of Metallurgy and Materials.* 2016;61(4):2141-2146. doi:10.1515/amm-2016-0289
 24. Rahmayeni, Ramadani A, Stiadi Y, Jamarun N, Emriadi, Arief S. Photocatalytic performance of ZnO-ZnFe₂O₄ magnetic nanocomposites on degradation of Congo red dye under solar light irradiation. *Journal of Materials and Environmental Science.* 2017;8(5):1634-1643.
 25. Sun L, Shao R, Tang L, Chen Z. Synthesis of ZnFe₂O₄/ZnO nanocomposites immobilized on graphene with enhanced photocatalytic activity under solar light irradiation. *J Alloys Compd.* 2013;564(February 2018):55-62. doi:10.1016/j.jallcom.2013.02.147
 26. Bohra M, Alman V, Arras R. Nanostructured znfe₂o₄: An exotic energy material. *Nanomaterials.* 2021;11(5). doi:10.3390/nano11051286
 27. Mohamed WS, Alzaid M, Abdelbaky MSM, Amghouz Z, García-Granda S, Abu-Dief AM. Impact of CO₂ substitution on microstructure and magnetic properties of Co_xZn_{1-x}Fe₂O₄ nanoparticles. *Nanomaterials.* 2019;9(11):1-17. doi:10.3390/nano9111602
 28. Asogekar PA, Verenkar VMS. Structural and magnetic properties of nanosized Co_xZn_(1-x)Fe₂O₄ (x= 0.0, 0.5, 1.0) synthesized via autocatalytic thermal decomposition of hydrazinated cobalt zinc ferrous succinate. *Ceram Int.* 2019;45(17):21793-21803. doi:10.1016/j.ceramint.2019.07.182
 29. Suyono Y. Studi Awal Pembuatan Nanokomposit dengan Filler Organoclay Untuk Kemasan. *Biopropal Industri.* 2012;3(2):63-69.
 30. Zarei Z, Akhlaghinia B. Zn(II) anchored onto the magnetic natural hydroxyapatite (ZnII/HAP/Fe₃O₄): as a novel, green and recyclable catalyst for A₃-coupling reaction towards propargylamine synthesis under solvent-free conditions. *RSC Adv.* 2016;6(108):106473-106484. doi:10.1039/c6ra20501a

31. Zarei Z, Akhlaghinia B. Zn(ii) anchored onto the magnetic natural hydroxyapatite (ZnII/HAP/Fe₃O₄): as a novel, green and recyclable catalyst for A3-coupling reaction towards propargylamine synthesis under solvent-free conditions. *RSC Adv.* 2016;6(108):106473-106484. doi:10.1039/c6ra20501a
32. Sery AA, El-Boraey HA, Abo-Elenein SA, ElKorashey RM. CuFe₂O₄@ hydroxyapatite composite for the environmental remediation of some heavy metal ions: Synthesis and characterization. *Water Science.* 2021;35(1):154-164. doi:10.1080/23570008.2021.1994242
33. Yunarto N, Sulistyaningrum N, Kurniatri AA, Elya B. Gambir (*Uncaria gambir* Roxb.) as A Potential Alternative Treatment for Hyperlipidemia. *Media Penelitian dan Pengembangan Kesehatan.* 2021;31(3):183-192. doi:10.22435/mpk.v31i3.4472
34. Fahimirad S, Ajalloueiian F, Ghorbanpour M. Synthesis and therapeutic potential of silver nanomaterials derived from plant extracts. *Ecotoxicol Environ Saf.* 2019;168(October 2018):260-278. doi:10.1016/j.ecoenv.2018.10.017
35. Yunita Y, Nurlina N, Syahbanu I. Sintesis Nanopartikel Zink Oksida (ZnO) dengan Penambahan Ekstrak Klorofil sebagai Capping Agent. *Positron.* 2020;10(2):44. doi:10.26418/positron.v10i2.42136
36. Amos A. Gambir Sebagai Antibakteri Dalam Formulasi Obat Kumur. *Jurnal Sains dan Teknologi Indonesia.* 2013;11(3):188-192. doi:10.29122/jsti.v11i3.830
37. Khalil M, Yu J, Liu N, Lee RL. Hydrothermal synthesis, characterization, and growth mechanism of hematite nanoparticles. *Journal of Nanoparticle Research.* 2014;16(4). doi:10.1007/s11051-014-2362-x
38. Almeida T. Hydrothermal Synthesis and Characterisation of α -Fe₂O₃ Nanorods By. *journal material science.* Published online 2010.
39. Byrappa K, Adschiri T. Hydrothermal technology for nanotechnology. *Progress in Crystal Growth and Characterization of Materials.* 2007;53(2):117-166. doi:10.1016/j.pcrysgrow.2007.04.001
40. Salako S, Adekoyeni O, Adegbite A, Hammed T. Determination of Metals Content of Alcohol and Non-alcoholic Canned Drinks Consumed at Idiroko Border Town Ogun State Nigeria. *Br J Appl Sci Technol.* 2016;12(6):1-8. doi:10.9734/bjast/2016/19163

41. Lei T, Li SJ, Jiang F, et al. Adsorption of Cadmium Ions from an Aqueous Solution on a Highly Stable Dopamine-Modified Magnetic Nano-Adsorbent. *Nanoscale Res Lett.* 2019;14(1). doi:10.1186/s11671-019-3154-0
42. Das KC, Das B, Dhar SS. Effective Catalytic Degradation of Organic Dyes by Nickel Supported on Hydroxyapatite-Encapsulated Cobalt Ferrite (Ni/HAP/CoFe₂O₄) Magnetic Novel Nanocomposite. *Water Air Soil Pollut.* 2020;231(2):1-13. doi:10.1007/s11270-020-4409-1
43. Istarani F, Pandebesie ES. Studi Dampak Arsen (As) dan Kadmium (Cd). *Jurnal Teknik POMITS.* 2014;3(1):1-6.
44. Pinheiro HM, Touraud E, Thomas O. Aromatic amines from azo dye reduction: Status review with emphasis on direct UV spectrophotometric detection in textile industry wastewaters. *Dyes and Pigments.* 2004;61(2):121-139. doi:10.1016/j.dyepig.2003.10.009
45. Camargo B de CV, Morales MAM. Azo Dyes : Characterization and Toxicity – A Review. *Textiles and Light Industrial Science and Technology,* 2(2). 2013;2(2):85-103.
46. Zodi S, Merzouk B, Potier O, Lopicque F, Leclerc JP. Direct red 81 dye removal by a continuous flow electrocoagulation/flotation reactor. *Sep Purif Technol.* 2013;108:215-222. doi:10.1016/j.seppur.2013.01.052
47. Lalnunhlimi S, Veenagayathri K. Decolorization of azo dyes (Direct Blue 151 and Direct Red 31) by moderately alkaliphilic bacterial consortium. *Brazilian Journal of Microbiology.* 2016;47(1):39-46. doi:10.1016/j.bjm.2015.11.013
48. Seyyedi K, Jahromi MAF. Decolorization of Azo Dye C.I. Direct Black 38 by Photocatalytic Method Using TiO₂ and Optimizing of Process. *Procedia.* 2014;10:115-119. doi:10.1016/j.apcbee.2014.10.027
49. Ernawati L, Wahyono RA, Maharis IK, et al. Menggunakan Adsorben Berbasis Material Komposit Photodegradation of Textile Dye (Rhodamine B) Using. 2017;(April 2020):32-39. doi:10.33005/jurnal
50. Banerjee S, Pillai SC, Falaras P, O'shea KE, Byrne JA, Dionysiou DD. New insights into the mechanism of visible light photocatalysis. *Journal of Physical Chemistry Letters.* 2014;5(15):2543-2554. doi:10.1021/jz501030x
51. Widayatno T, Yuliawati T, Susilo AA, et al. Adsorpsi Logam Berat (Pb) dari Limbah Cair dengan Adsorben Arang Bambu Aktif. *Jurnal Teknologi Bahan Alam.* 2017;1(1):17-23.

52. Bahadur V, Gadi R, Kalra S. Clay based nanocomposites for removal of heavy metals from water : A review. *J Environ Manage*. 2019;232(July 2018):803-817. doi:10.1016/j.jenvman.2018.11.120
53. Sarkar A, Paul B. Chemosphere The global menace of arsenic and its conventional remediation - A critical review. *Chemosphere*. 2016;158:37-49. doi:10.1016/j.chemosphere.2016.05.043
54. Rahmadani IP. *Sintesis Fotokatalis Magnetik ZnO-CoFe₂O₄ Dalam Media Bebas Pelarut Organik Dan Aplikasinya Terhadap Limbah Zat Warna Congo Red.*; 2016.
55. Saritaş S, Turgut E, Kundakci M, Gürbulak B, Yildirim M. Alteration Of The Electrical And Magnetic Properties Of Iron Oxide By Zn, Co And Zn, Ni Codoped. *Int J Eng Technol Sci Innov*. 2017;(06):725-742.
56. Saritaş S, Turgut E, Kundakci M, Gürbulak B, Yildirim M. Alteration Of The Electrical And Magnetic Properties Of Iron Oxide By Zn, Co And Zn, Ni Codoped. *Int J Eng Technol Sci Innov*. 2017;(06):725-742.
57. Asmin LO, Mutmainnah M, Suharyadi E. Sintesis Nanopartikel Zinc Ferrite (ZnFe₂O₄) Dengan Metode Metode Kopresipitasi Dan Karakterisasi Sifat Kemagnetannya. 2020;(January 2015).
58. Malik H, Mahmood A, Mahmood K, et al. Influence of cobalt substitution on the magnetic properties of zinc nanocrystals synthesized via micro-emulsion route. *Ceram Int*. 2014;40(7 PART A):9439-9444. doi:10.1016/j.ceramint.2014.02.015
59. Mohamed WS, Alzaid M, Abdelbaky MSM, Amghouz Z, García-Granda S, Abu-Dief AM. Impact of CO₂+ substitution on microstructure and magnetic properties of CO_xZn_{1-x}Fe₂O₄ nanoparticles. *Nanomaterials*. 2019;9(11):1-17. doi:10.3390/nano9111602
60. Azis Y, Jamarun N, Arief S, Nur H. Facile Synthesis of Hydroxyapatite Particles from Cockle Shells (*Anadaragranosa*) by Hydrothermal Method. Published online 2015.
61. Sasana B, Rahmayeni, Zulhadjri. *Nanokomposit Nife₂o₄/Hidroksiapatit Yang Disintesis Menggunakan Cangkang Kerang Pensi (Corbicula Molkiana) Sebagai Bahan Dasar Hidroksiapatit Dan Aplikasinya Sebagai Drug Delivery.*; 2021.
62. Suharta WG. Sintesis dan analisis struktur kristal senyawa n-123 dan ny-123. Published online 2016.

63. Asmin LO, Mutmainnah, Suharyadi E. Metode Kopresipitasi Dan Karakterisasi Sifat Kemagnetannya. *Jurnal Fisika dan Aplikasinya*. 2015;16(3):62-66.
64. Anggresani L, Perawati S, Diana F, Sutrisno D. Pengaruh Variasi Perbandingan Mol Ca / P Pada Hidroksiapatit Berpori Tulang Ikan Tenggiri (*Scomberomorus guttatus*). *Jurnal farmasi*. 2020;12(1):55-64.
65. Pankaew P, Klumdoung P. Structural and magnetic characterizations of nano sized grain zinc ferrite/hydroxyapatite ceramic prepared by solid state reaction route. *J Nanosci Nanotechnol*. 2015;15(11):9281-9286. doi:10.1166/jnn.2015.11420
66. K Sathiyamurthy, Sivagurunathan P. Structural , magnetic and electrochemical properties of $\text{Co}_x\text{Zn}_{1-x}\text{Fe}_2\text{O}_4$ nanoparticles synthesized by co-precipitation method. *International Journal of Advanced Science and Research*. 2017;(6):33-41.
67. Mahendra I, Azhar M. Ekstraksi dan Karakterisasi Katekin Dari Gambir. 2022;11(1):5-7.
68. Szterner P, Biernat M. The Synthesis of Hydroxyapatite by Hydrothermal Process with Calcium Lactate Pentahydrate: The Effect of Reagent Concentrations, pH, Temperature, and Pressure. *Bioinorg Chem Appl*. 2022;2022. doi:10.1155/2022/3481677
69. Sery AA, El-Boraey HA, Abo-Elenein SA, ElKorashey RM. CuFe_2O_4 @hydroxyapatite composite for the environmental remediation of some heavy metal ions: Synthesis and characterization. *Water Science*. 2021;35(1):154-164. doi:10.1080/23570008.2021.1994242
70. Hu J, Liu X, Kan X, et al. Synthesis, analysis and characterization of Co substituted NiZnTi spinel ferrite. *J Alloys Compd*. 2020;828:154181. doi:10.1016/j.jallcom.2020.154181
71. Rahmayeni, Ramadani A, Stiadi Y, Jamarun N, Emriadi, Arief S. Photocatalytic performance of $\text{ZnO-ZnFe}_2\text{O}_4$ magnetic nanocomposites on degradation of Congo red dye under solar light irradiation. *Journal of Materials and Environmental Science*. 2017;8(5):1634-1643.
72. Foroughi F, Hassanzadeh-Tabrizi SA, Bigham A. In situ microemulsion synthesis of hydroxyapatite- MgFe_2O_4 nanocomposite as a magnetic drug delivery system. *Materials Science and Engineering C*. 2016;68:774-779. doi:10.1016/j.msec.2016.07.028

73. Holinsworth BS, Mazumdar D, Sims H, et al. Chemical tuning of the optical band gap in spinel ferrites: CoFe_2O_4 vs NiFe_2O_4 . *Appl Phys Lett*. 2013;103(8):2-6. doi:10.1063/1.4818315
74. Das KC, Dhar SS, Thakurata DG, Das J. Sn(II) inserted on hydroxyapatite encapsulated nickel ferrite ($\text{NiFe}_2\text{O}_4@ \text{HAp-Sn}^{2+}$): A novel nanocomposite for the effective photo-degradation of rhodamine B dye. *J Clean Prod*. 2021;290:125172. doi:10.1016/j.jclepro.2020.125172
75. Beh CY, Cheng EM, Mohd Nasir NF, et al. Morphological and optical properties of porous hydroxyapatite/cornstarch (HAp/Cs) composites. *Journal of Materials Research and Technology*. 2020;9(6):14267-14282. doi:10.1016/j.jmrt.2020.10.012
76. Das KC, Dhar SS. Removal of cadmium(II) from aqueous solution by hydroxyapatite-encapsulated zinc ferrite ($\text{HAP/ZnFe}_2\text{O}_4$) nanocomposite: kinetics and isotherm study. *Environmental Science and Pollution Research*. 2020;27(30):37977-37988. doi:10.1007/s11356-020-09832-8
77. D K, S K, Gangadharan A, Sardar D. Fabrication of core-shell $\text{CoFe}_2\text{O}_4@ \text{HAp}$ nanoparticles: A novel magnetic platform for biomedical applications *Journal: New Journal of Chemistry Manuscript*. 2019;49(4):405-410. doi:10.7868/s0424857013040105
78. Tang IM, Krishnamra N, Charoenphandhu N, Hoonsawat R, Pon-On W. Biomagnetic of apatite-coated cobalt ferrite: A core-shell particle for protein adsorption and pH-controlled release. *Nanoscale Res Lett*. 2012;7:1-10.
79. Deng Y, Cai Y, Sun Z, et al. Multifunctional mesoporous composite microspheres with well-designed nanostructure: A highly integrated catalyst system. *J Am Chem Soc*. 2010;132(24):8466-8473. doi:10.1021/ja1025744
80. Hartanto D, Purbaningtiyas TE, Fansuri H, Prasetyoko D. Karakterisasi Struktur Pori dan Morfologi ZSM-2 Mesopori yang Disintesis dengan Variasi Waktu Aging Pore Structure and Morphology Characterizations of Mesoporous ZSM-5 Synthesized at Various Aging Time. *Jurnal Ilmu Dasar*. 2008;12:80-90.
81. Sathiyavimal S, Vasantharaj S, Shanmugavel M, et al. Facile synthesis and characterization of hydroxyapatite from fish bones: Photocatalytic degradation of industrial dyes (crystal violet and Congo red). *Prog Org Coat*. 2020;148(July):105890. doi:10.1016/j.porgcoat.2020.105890

82. Ernawati L, Wahyono RA, Maharis IK, et al. Menggunakan Adsorben Berbasis Material Komposit Photodegradation of Textile Dye (Rhodamine B) Using. 2017;(April 2020):32-39. doi:10.33005/jurnal
83. Das KC, Dhar SS. Remarkable catalytic degradation of malachite green by zinc supported on hydroxyapatite encapsulated magnesium ferrite (Zn/HAP/MgFe₂O₄) magnetic novel nanocomposite. *J Mater Sci.* 2020;55(11):4592-4606. doi:10.1007/s10853-019-04294-x
84. Chang Y, Li Q, An F, et al. Water Photolysis and Its Contributions to the Hydroxyl Dayglow Emissions in the Atmospheres of Earth and Mars. *Journal of Physical Chemistry Letters.* 2020;2(1):9086-9092. doi:10.1021/acs.jpcllett.0c02803
85. Riskiani E, Suprihatin IE, Sibarani J. Fotokatalis Bentonit-Fe₂O₃ untuk Degradation Zat Warna Remazol Brilliant Blue. *Cakra Kimia.* 2018;7(1):46-54.
86. Moussa SIM. Synthesis and Characterization of Novel Magnetic Nano-Materials and Studying Their Potential Application in Recovery of Metal Ions. *International nuclear information system .* 2013;46(49).

