

DAFTAR PUSTAKA

1. Samsurizal D, Zubairi D. Buku ajar ilmu penyakit dalam, edisi VI: HIV /AIDS di Indonesia. Jakarta: Interna Publishing. 2014.
2. World Health Organization. Global health sector strategy on HIV 2016-2021: towards ending AIDS. Towards ending AIDS. WHO document production services. Geneva, Switzerland. 2016; 1: 1–2.
3. Kementerian kesehatan republik Indonesia. Laporan situasi dan perkembangan HIV-AIDS dan PIMS di Indonesia Juli-September 2016. DKI Jakarta. 2016; 1:1
4. Kementerian kesehatan republik Indonesia. Kajian nasional respon HIV dibidang kesehatan republik Indonesia. Jakarta: Kementerian kesehatan republik Indonesia. 2017
5. Ditjen P2P (sistem informasi HIV/AIDS dan IMS). Jumlah kasus HIV AIDS di Indonesia: Laporan Tahun 2019. Jakarta: Kementerian kesehatan. 2019.
6. Badan pusat statistik. Kasus HIV menurun, namun AIDS meningkat. Jakarta. 2021.
7. Fried L, Tangen CM, Walston J, Hirsch C , Gottdiener J, Seeman T, et al. Frailty in older adults: evidence for a phenotype. *Journal of gerontology: Medical Sciences J Gerontol Med Sci.* 2001; 56(3):146–56.
8. Desquilbet L, Jacobson L, Fried L, Phair J, Jamieson B, Holloway M, et al. HIV-1 infection is associated with an earlier occurrence of a phenotype related to frailty. *J Gerontol.* 2007; 2: 1279–86.
9. Desquilbet L, Margolick J, Fried L, Phair J, Jamieson B, Lisa P, et al. Relationship between a frailty-related phenotype and progressive deterioration of the immune system in HIV-infected men. *J acquir immune defic syndr.* 2009; 50(3): 299–306.
10. Jose R, Inmaculada B, Enrique R, Mari´a I, Valvanera I. Gender differences for frailty in HIV-infected patients on stable antiretroviral therapy and with an undetectable viral load. *Institut hospital del mar d’investigacions mediques.* Spain. 2019;1:1–10.
11. Katherine W, Kooija, Ferdinand W, Wita B, Judith S, Mieke H, et al. HIV infection is independently associated with frailty in middle-aged HIV type 1-infected individuals compared with similar but uninfected controls. *Amsterdam institute for global health and development.* Netherland. 2015; 30(2): 241–50.

12. Greene M, Covinsky KE, Valcour V, Miao Y, Madamba J, Lampiris H, et al. Geriatric syndromes in older HIV-infected adults. *J Acquir Immune Defic Syndr*. 2015; 69(2):161–7.
13. Piggott D, Muzaale A, Mehta S, Brown T, Patel K, Leng S, et al. Frailty, HIV infection, and mortality in an aging cohort of injection drug users. *PLoS ONE*. 2013; 8(1):e54910.
14. Cherniack E, Florez H, Troen B. Emerging therapies to treat frailty syndrome in the elderly. *Altern Med Rev*. 2007; 12(3):246–58.
15. Appay V, Sauce D. Immune activation and inflammation in HIV-1 infection: causes and consequences. *J Pathol*. 2008; 214(2): 231–41.
16. Setiati S, Rizka A: Kerapuhan dan sindrom gagal pulih. dalam Buku ajar ilmu penyakit dalam, ed.VI. Jakarta. Interna Publishing 2014; 6: 3725–26.
17. Kevin P, Mark B, David B, Cohen, Judith C, Steven G, et al. HIV and aging: state of knowledge and areas of critical need for research. A report to the NIH office of AIDS research by the HIV and aging working group. *Journal of Acquir Immune Defic Syndr* .2012; 60:1–18.
18. Marc B. Frailty in people living with HIV. Holdsworth house medical practice, darlinghurst, Level 3, 26 college St, sydney. Australia, 2018; 15–9.
19. Nur F, Abayomi A, Enbal S, Stamm K, Alev R, Onen A, et al. Frailty among HIV-infected persons in an urban outpatient care setting. Department of infectious diseases, Washington university school of medicine, 660 S. Euclid ave, box 8051, st. Louis. USA. 2009; 59(5): 346–52.
20. Wulunggono W, Evy Y, Hamzah S, Edy R, Ophinni Y. Frailty among HIV-1 infected adults under antiretroviral therapy in Indonesia. Department of internal medicine, faculty of medicine, university of Indonesia. Jakarta. 2019;17(3): 204–13.
21. Onen F, Patel P, Baker J, Conley L, Brooks J, Henry K, et al. Frailty and pre-frailty in a contemporary cohort of HIV-infected adults. Division of infectious diseases, department of medicine, Washington university school of medicine. USA. 2014; 3(3):158–65.
22. De Martinis M, Franceschi C, Monti D, Ginaldi L. Inflammation markers predicting frailty and mortality in the elderly. *Exp Mol Pathol*. 2006; 80(3): 219–27.
23. Collerton J, Ruiz M, Davies K, Hilken M, Isaacs J, Kolenda C, et al. Frailty and the role of inflammation, immunosenescence and cellular ageing in the very old: cross-sectional findings from the Newcastle study. *Newcastle*. 2012; 33(6):456–66.

24. Regidor D, Detels R, Breen EC, Widney DP, Jacobson L, Palella F, et al. Effect of highly active antiretroviral therapy on biomarkers of B-lymphocyte activation and inflammation. *AIDS*. 2011; 25(3): 303–14.
25. Geginat J, Paroni M, Kastirr, Larghi P, Pagani M, Abrignani S. Reverse plasticity: TGF- α and IL-6 induce Th1-to- Th17-cell transdifferentiation in the gut. *European journal of immunology*. European. 2016; 46(10): 2306–10.
26. Susan L, Swain, Kai M, Tara M. Expanding roles for CD4+ T cells in immunity to viruses. Department of pathology, university of massachusetts medical school. Massachusetts. 2012; 20;12(2):136–48.
27. Kumar A, Coquard L, Herbein G. Targeting TNF-alpha in HIV-1 infection. Department of virology, pathogens & inflammation laboratory, university of franche-comté and comue bourgogne franche-comté university. France. 2016; 17(1):15–22.
28. Kooij, Katherine W, Ferdinand W, Schouten, Judith, Valk VD, et al. HIV infection is independently associated with frailty in middle-aged HIV type 1-infected individuals compared with similar but uninfected controls. 2016; 30(2): 241–50.
29. Narayanan P, Sonika P. Tumor necrosis factor- α signaling in macrophages. Department of physiology and division of pathology, michigan state university, east lansing. Michigan, USA. 2010; 20(2): 87–103.
30. Joseph B, Margolick, Jay H, Otoniel M, Joe L, Li X, et al. Frailty and circulating markers of inflammation in HIV+ and HIV- men in the multicenter AIDS cohort study. Johns hopkins bloomberg school of public health, USA. 2017; 74(4):407–17.
31. Linda P, Alan A, Cohen, Qian-Li X, Jeremy W, Karen B, et al. The physical frailty syndrome as a transition from homeostatic symphony to cacophony. Columbia university mailman school of public health, New York. USA. 2021; 36–46.
32. Williams M, Ravkov E, Bevan, M. Rapid culling of the CD4+ T cell repertoire in the transition from effector to memory. 2008. 28(4): 533-45.
33. Pusat data dan informasi kementerian kesehatan republic Indonesia. Data HIV AIDS didunia, 2019. Kementerian kesehatan. 2019.
34. Ida S, Tachikawa N, Nakajima A, Daikoku M, Yano M, Kikuchi Y, et al. Influence of human immunodeficiency virus type 1 infection on acute hepatitis a virus infection. *Clin infect disease*. 2002; 34(3): 379–85.

35. Idele P, Gillespie A, Porth T, Suzuki C, Mahy M, Kasedde S, et al. Epidemiologi HIV and AIDS among adolescent: Current status, inequities, and data gaps. *J acquir immune defic syndr.* 2014; 66(2). 1–10.
36. Kenneth C, William, Burdo TH. HIV and SIV infection - the role of cellular restriction and immune responses in viral replication and pathogenesis. Department of Biology, Boston College, Chestnut Hill, MA, USA. 2009; 117(5-6): 400–12.
37. Craigie R, Bushman FD. HIV DNA Integration. University of Pennsylvania School of Medicine, Philadelphia, Pennsylvania. 2012;2: a006890.
38. Brothers T, Kirkland S, Guaraldi G, Falutz J, Theou O, Johnston BL, et al. Frailty in people aging with human immunodeficiency virus (HIV) infection. *J Infect Dis.* Canada. 2014; 210(8): 1170–9.
39. Brothers TD, Kirkland S, Guaraldi G, Falutz J, Olga Theou, Johnston, et al. An adapted frailty-related phenotype and the VACS index as predictors of hospitalization and mortality in HIV-infected and uninfected individuals. *J acquir immune defic syndr.* Italy. 2014; 67(4): 397–404.
40. Seto E, Setiati S, Laskmi P, Tamin T. Diagnostic test of a scoring system for frailty syndrom in the elderly according to cardiovascular health study, study of osteoporotic fracture and comprehensive geriatric assessment based bracture and comprehensive geriatric assessment based FI 40. *Act med Indones - Indones J Intern Med.* 2015; 47(3):183–7.
41. Rees HC, Ianas V, McCracken P, Smith S, Georgescu A, Zangeneh T, et al. Measuring frailty in HIV-infected individuals. Identification of frail patients is the first step to amelioration and reversal of frailty. Division of Geriatric Medicine, Dalhousie University. Canada. 2014; 210: 1170–8.
42. Vankan GA, Rolland Y, Houles M, Guyonnet SG, Soto M, Vellas B. The assessment of frailty in older adults. *Clin geriatr med.* 2010; 26(2): 275–86.
43. Ferrucci L and Zampino M. A mitochondrial root to accelerated ageing and frailty. National institute on aging, national institute of health, baltimore. USA. 2020; 6(3):133–34.
44. Skapenko A, Leipe J, Lipsky PE, Koops HC. The role of the T cell in autoimmune inflammation. Department of internal medicine III and institute for clinical immunology, university of erlangen-nuremberg, erlangen. Germany. 2005; 7 (2): 4–14.
45. Lund J, Hsing L, Pham, Rudensky A. Coordination of early protective immunity to viral infection by regulatory t cells. USA. 2008; 320: 1220–4.

46. Althoff K, Jacobson L, Cranston R. Age, comorbidities and AIDS predict the frailty phenotype in men who have sex with men. *J Gerontol A Biol Sci Med Sci*. USA. 2014; 69(2):189–98
47. Minato N, Hattori M, Hamazaki Y. Physiology and pathology of t-cell aging. Center for ip research and application. Kyoto university. Japan. 2019; 32(4):223–31.
48. Ferrucci L, Fabbri E. Inflammageing. chronic inflammation in ageing, cardiovascular disease, and frailty. *Nat Rev Cardiol*. 2018; 15(9): 505–22.
49. Yi JS, Cox MA, and Zajac A. T-cell exhaustion: characteristics, causes and conversion. Department of microbiology, university of Alabama at Birmingham, USA. 2010; 129: 474–81.
50. Kumar A, Herbein G. The macrophage: a therapeutic target in HIV-1 infection. *Mol cell ther*. Department of virology, pathogens & inflammation laboratory, university of franche-comté. France. 2014; 2:10.
51. Amit K, Laurie C, Georges Herbein. Targeting TNF-alpha in HIV-1 infection department of virology, pathogens & inflammation laboratory, university of franche-comté and comue bourgogne franche-comté university. France. 2016. 17(1):15–22.
52. Pablo B, Ruiz M, Rosado I.. TNF-alpha levels in HIV-infected patients after long-term suppressive cART persist as high as in elderly, HIV-uninfected subjects. *J antimicrob chemother*. 2014; 69 (11): 3041–6.
53. Luzia M, Lecoecur, Ledru, Eric, Rapp, Christophe, et al. Lack of control of t cell apoptosis under HAART. Influence of therapy regimen in vivo and in vitro. Department of SIDA et retrovirus. 2001;16 : 329–39.
54. Cournil A, Duvernay S, Diouf A. Bone aging and frailty syndrome after 10 years of ARV treatment in Senegal. *Bull Soc Pathol Exot* 1990 2014: 107: 238–240.
55. Pathai S, Bajillan H, Landay AL, High KP. Is HIV a model of accelerated or accentuated aging?.*J Gerontol A Biol Sci Med Sci*. 2014; 69: 833–42.
56. Thurn M, Gustafson R. Faces of Frailty in Aging with HIV Infection. State University of New York Downstate Medical Center. USA. 2017; 14(1): 31–37.
57. Verheij E, Kirk GD, Wit FW, Zoest R, Verboeket S, Lemkes B, et al. Frailty Is Associated With Mortality and Incident Comorbidity Among Middle-Aged Human Immunodeficiency Virus (HIV)–Positive and HIV-Negative Participants. Amsterdam University Medical Centers, University of Amsterdam. Amsterdam. 2020; 222: 919–28.

58. Blanco JR, Barrio I, Gómara ER, Beltran , Ibarra V, Luis Metola , et al. Gender differences for frailty in HIV-infected patients on stable antiretroviral therapy and with an undetectable viral load. Institut Hospital del Mar d'Investigacions Mediques, Spanyol. 2019; 14(5):e0215764.
59. Felker G, Enel P, Petit N, Frederique R; Darque, Ravaux A, Isabelle. Frailty phenotype is associated with antiretroviral exposure among older persons living with HIV. Current Opinion in HIV and AIDS. France. 2021; 16 (5): 271–7.
60. Brothers TD , Kirkland S, Theou O, Zona S, Malagoli A, Wallace L, et al. Predictors of transitions in frailty severity and mortality among people aging with HIV. Dalhousie University Internal Medicine Research Foundation. Canada. 2017; PLoS ONE 12(10): e0185352.
61. Ianas V, Berg E, Mohler J, Wendel C, Klotz S. Antiretroviral Therapy Protects against Frailty in HIV-1 Infection. Department of Medicine, University of Arizona, Tucson, AZ, USA. 2012; 12(1): 62–6.
62. Klotz SA, Bradley N, Smith S, Ahmad N. HIV infection-associated frailty: the solution now is antiretroviral drugs: a perspective. Division of infectious disease, department of medicine university of Arizona, Tucson. USA. 2019; 18:1–3.
63. Smit E, Wanke C, Dong K, Grotheer A, Hansen S, Skinner S, et al. Frailty, food insecurity, and nutritional status in people living with hiv. J Frailty Aging. USA. 2015; 4(4):19 –7.
64. Hawkins KL, Zhang L, Derek K, Althoff K, Palella F, Kingsley L, et al. Abdominal obesity, sarcopenia, and osteoporosis are associated with frailty in men living with and without HIV. University of Colorado, Aurora. 2018; 32(10): 1257 –66.
65. Bernard C, Dabis F, Rekeneire N. Physical function, grip strength and frailty in people living with HIV in sub-Saharan Africa: systematic review. Trop Med Int Health. 2017; 22(5):516–25.
66. Mbada CE, Onayemi O, Ogunmoyole Y, Johnson OE, Ako-sile CO. Health-related quality of life and physical function-ing in people living with HIV/AIDS: a case-control design. Health qual life outcomes. Nigeria. 2013;11: 106.
67. Nguyen A, Nguyen H, Nguyen T, Pham T, Vu T. Walking speed assessed by 4-meter walk test in the community-dwelling oldest old population in Vietnam. Int. J. Environ. Res. Public Health, Vietnam. 2022; 19: 9788.
68. Yeoh H, Chen A, Palmer C, Crower S, Hoy J. Frailty in men living with HIV: a cross-sectional comparison of three frailty instruments. 2018; 23(2):117–27.

69. Guaraldi IG, Zona S, Silva AR, Menozzi M, Dolci G, Milic J, et al. The dynamic association between frailty, CD4 and CD4/CD8 ratio in people aging with HIV. *Infectious diseases clinic, university of modena and reggio emilia, Modena. Italy. PLoS ONE* 14(2): e0212283.
70. Melo GC, Carvalho A, Mendes M, Nascimento R, Machado K, Tanajura, et al. Association between frailty phenotype, quantification of plasma HIV-1 RNA, CD4 cell count and HAART in HIV-positive subjects: a systematic review and meta-analysis of observational studies. *State university of health sciences of Alagoas, Maceió. Brazil. 2021; 34(9): 1159–68.*
71. Alvares S, Branas F, Conde M, Moreno S, Bernaldo J, Fernandes A. Frailty, markers of immune activation and oxidative stress in HIV infected elderly. *PLoS One. 2020; 15(3): e0230339.*
72. Wallet M, Buford T, Joseph A, Sankuratri M, Leeuwenburgh, Pahor M, et al. Increased inflammation but similar physical composition and function in older-aged, HIV-1 infected subjects. *Department of pathology, immunology and laboratory medicine, University of Florida. USA. (2015) 16:43.*
73. Stevenson M. Role of myeloid cells in HIV-1-host interplay. *J Neurovirol. 2015; 21:242–48.*
74. Blanco JR, Barrio I, Gomara, Beltran M, Ibarra V, Metola L, et al. Gender differences for frailty in HIV-infected patients on stable antiretroviral therapy and with an undetectable viral load. *Institut Hospital del Mar d'Investigacions Mediques. SPAIN. 2019; 14(5): e0215764.*
75. Bristow C, George C, Hillsmith G, Rainey E, Urasa S, Koipapi S, et al. Low levels of frailty in HIV-positive older adults on antiretroviral therapy in northern Tanzania. *J Neurovirol. 2021; 27(1): 58–69.*
76. Makina JI and Chipepa F. Frailty and Comorbidities in Adult People Living with HIV a Case Study in Uzumba Maramba Pfungwe District, Mashonaland East Province, Zimbabwe. *Botswana International university of Science and Technology, Botswana. 2022. 4(1); 1–8.*
77. Nascimento C, Zazzetta M, Gomez G, Orlandi F, Say K, Vasilceac, et al. Higher levels of tumor necrosis factor β are associated with frailty in socially vulnerable community-dwelling older adults. *2018; 18(1): 268.*
78. Erlandson KM, Wu K, Koletar S, Kalayjian R, Ellis R, Taiwo B, et al. Association Between Frailty and Components of the Frailty Phenotype With Modifiable Risk Factors and Antiretroviral Therapy. *The Journal of Infectious Diseases. 2017; 215(6), 933–7.*

79. Leng S, Dandorf S, Li H, Carlson J, Hui J, Mehta S, et al. Associations of Circulating Soluble Tumor Necrosis Factor- α Receptors 1 and 2 with Interleukin-6 Levels in an Aging Cohort of Injection Drug Users with or at High Risk for HIV Infection. Division of Geriatric Medicine and Gerontology, Department of Medicine, Johns Hopkins University Schools of Medicine, Baltimore. Maryland. 2015; 31: 1–9.

