

DAFTAR PUSTAKA

- [1] H. M. C. d. Azeredo, "Nanocomposites for food packaging applications," *Food Res. Int.*, vol. 42, no. 9, pp. 1240–1253, 2009, doi: 10.1016/j.foodres.2009.03.019.
- [2] H. Abral *et al.*, "Transparent and antimicrobial cellulose film from ginger nanofiber," *Food Hydrocoll.*, vol. 98, no. August 2019, p. 105266, 2020, doi: 10.1016/j.foodhyd.2019.105266.
- [3] R. A. Reddy, K. Yoganandam, and V. Mohanavel, "Effect of chemical treatment on natural fiber for use in fiber reinforced composites - Review," *Mater. Today Proc.*, vol. 33, no. xxxx, pp. 2996–2999, 2020, doi: 10.1016/j.matpr.2020.02.982.
- [4] H. Abral *et al.*, "Highly transparent and antimicrobial PVA based bionanocomposites reinforced by ginger nanofiber," *Polym. Test.*, vol. 81, no. July 2019, p. 106186, 2020, doi: 10.1016/j.polymertesting.2019.106186.
- [5] H. Abral *et al.*, "Anti-UV, antibacterial, strong, and high thermal resistant polyvinyl alcohol/Uncaria gambir extract biocomposite film," *J. Mater. Res. Technol.*, vol. 17, pp. 2193–2202, Mar. 2022, doi: 10.1016/j.jmrt.2022.01.120.
- [6] G. B. Basim, "Properties of Materials EMA 6001 Section: 34H3," pp. 1–7, 2018, [Online]. Available: <http://elearning.ufl.edu/>.
- [7] N. Patra, M. Salerno, and M. Cernik, *Electrospun polyvinyl alcohol/pectin composite nanofibers*. Elsevier Ltd., 2017.
- [8] C. M. Hassan and N. A. Peppas, "Structure and morphology of freeze/thawed PVA hydrogels," *Macromolecules*, vol. 33, no. 7, pp. 2472–2479, 2000, doi: 10.1021/ma9907587.
- [9] G. Siqueira, S. Tapin-Lingua, J. Bras, D. da Silva Perez, and A. Dufresne, "Mechanical properties of natural rubber nanocomposites reinforced with cellulosic nanoparticles obtained from combined mechanical shearing, and enzymatic and acid hydrolysis of sisal fibers," *Cellulose*, vol. 18, no. 1, pp.

57–65, 2011, doi: 10.1007/s10570-010-9463-1.

- [10] Hartono, M. Rifai, and H. Subawi, *Pengenalan Teknik Komposit*. Deepublish, 2016.
- [11] T. A. F. C. A. Ticoalu, “A review of current development in natural fiber composites for structural and infrastructure application,” *Ed. Publ*, vol. 130, p. 113, 1997.
- [12] V. R. Raman Bharath, B. Vijaya Ramnath, and N. Manoharan, “Kenaf fibre reinforced composites: A review,” *ARPJ. Eng. Appl. Sci.*, vol. 10, no. 13, pp. 5483–5485, 2015.
- [13] A. Karimah *et al.*, “A review on natural fibers for development of eco-friendly bio-composite: characteristics, and utilizations,” *J. Mater. Res. Technol.*, vol. 13, pp. 2442–2458, 2021, doi: 10.1016/j.jmrt.2021.06.014.
- [14] Wardani Trias Rinda, “Pengaruh Ekstrak Jahe (*Zingiber officinale* Rosc.) var. Gajah Terhadap Kualitas Spermatozoa Mencit (*Mus musculus*) yang Terpapar 2-Methoxyethanol,” *ADLN Perpust. Univ. Airlangga*, pp. 9–25, 2012.
- [15] J. Jacob, J. T. Haponiuk, S. Thomas, G. Peter, and S. Gopi, “Use of ginger nanofibers for the preparation of cellulose nanocomposites and their antimicrobial activities,” *Fibers*, vol. 6, no. 4, 2018, doi: 10.3390/fib6040079.
- [16] Sabarni, “Teknik Pembuatan Gambir (*Uncaria gambir* Roxb) Secara Tradisional,” *J. Islam. Sci. Technol.*, vol. 1, no. 1, pp. 105–112, 2015.
- [17] F. Firdausni, W. Hermianti, and Y. H. Diza, “Aplikasi gambir (*Uncaria gambir* Roxb) melalui proses pencucian berulang sebagai antioksidan pada pangan berminyak,” vol. 2014, pp. 73–81, 2014.
- [18] A. K. Farha *et al.*, “Tannins as an alternative to antibiotics,” *Food Biosci.*, vol. 38, no. September, p. 100751, 2020, doi: 10.1016/j.fbio.2020.100751.
- [19] W. Chen, H. Yu, Y. Liu, P. Chen, M. Zhang, and Y. Hai, “Individualization of cellulose nanofibers from wood using high-intensity ultrasonication

combined with chemical pretreatments,” *Carbohydr. Polym.*, vol. 83, no. 4, pp. 1804–1811, 2011, doi: 10.1016/j.carbpol.2010.10.040.

- [20] P. A. Tipler, *FISIKA untuk Sains dan Teknik*. Erlangga.
- [21] B. Hapsari, *Sintesis nanoosfer berbasis ferrofluid dan poly Lactic acid (PLA) dengan metode sonicasi*. Skripsi, 2009.
- [22] C. Huang *et al.*, “TEMPO-oxidized bacterial cellulose nanofiber membranes as high-performance separators for lithium-ion batteries,” *Carbohydr. Polym.*, vol. 230, Feb. 2020, doi: 10.1016/j.carbpol.2019.115570.
- [23] H. Abral, A. Kurniawan, D. Rahmadiawan, D. Handayani, E. Sugiarti, and A. N. Muslimin, “Highly antimicrobial and strong cellulose-based biocomposite film prepared with bacterial cellulose powders, *Uncaria gambir*, and ultrasonication treatment,” *Int. J. Biol. Macromol.*, vol. 208, no. February, pp. 88–96, 2022, doi: 10.1016/j.ijbiomac.2022.02.154.
- [24] A. Kurniawan, “Kekuatan Tarik Film Bakteri Nata De Coco Hasil Perlakuan Ultrasonik dan Penambahan Gambir,” p. 43, 2021.
- [25] B. Santoso, O. H. Tampubolon, A. Wijaya, and R. Pambayun, “Interaksi pH dan Ekstrak Gambir pada Pembuatan Edible Film Anti Bakteri,” *Agritech*, vol. 34, no. 01, pp. 8–13, 2014.

