

DAFTAR PUSTAKA

- Afda Z. A. 2021. Pengaruh Pemberian Ekstrak Etanol Daun Sungkai (*Peronema Canescens Jack.*) Terhadap Penurunan Kadar Kolesterol Total Dan HDL Tikus Putih Jantan Hiperkolesterolemia. [Skripsi]. Padang. Fakultas Farmasi. Universitas Andalas.
- Alaydrus S, Pagal FRP., T D, dan Ervianingsih. 2020. Uji Efektivitas Ekstrak Etanol Biji Alpukat (*Persea americana Mill.*) Terhadap Penurunan Kadar Kolesteroltotal Tikus Putih Jantan (*Rattus norvegicus*) Model Hiperkolesterolemia Diabetes. *J Sains dan Kesehatan*. 2(4): 405–412.
- Aman, A., Soewondo, P., Soelistijo, S., Arsana, P. M., dan Wismandari, Z. 2021. Panduan Pengelolaan Dislipidemia di Indonesia 2021. Jakarta: Pb Perkeni.
- Artha C, Mustika A, dan Sulistyawati SW. 2017. Pengaruh Ekstrak Daun Singawalang Terhadap Kadar LDL Tikus Putih Jantan Hiperkolesterolemia. *eJournal Kedokt Indonesia*. 5(2): 105–109.
- Athukuri BL and Neerati P. 2017. Enhanced Oral Bioavailability of Domperidone With Piperine in Male Wistar Rats: Involvement of CYP3A1 and P-Gp Inhibition. *J Pharm Pharm Sci*. 20(1): 28–37.
- Aungst BJ, Nguyen NH, Taylor NJ, and Bindra DS. 2002. Formulation and Food Effects on The Oral Absorption of A Poorly Water Soluble, Highly Permeable Antiretroviral Agent. *J Pharm Sci*. 91(6): 1390–1395.
- Auria, I. M. A. 2021. Pembentukan Dan Karakterisasi Multikomponen Kristal Piperin Dan Nikotinamid Dengan Metode Solvent Drop Grinding. [Skripsi]. Padang. Fakultas Farmasi. Universitas Andalas.
- Barikah, K. Z. 2018. Traditional and Novel Methods for Cocrystal Formation: A Mini Review. *Systematic Reviews in Pharmacy*. 9(1): 79–82.
- Baishya, H., Gouda, R., and Qing, Z. 2017. Application of Mathematical Models in Drug Release Kinetics of Carbidopa and Levodopa ER Tablets. *J. Dev. Drugs*. 6(02): 1-8.
- Berry, D. J., and Steed, J. W. 2017. Pharmaceutical Cocrystals, Salts and Multicomponent Systems; Intermolecular Interactions and Property Based Design. *Advanced Drug Delivery Reviews*. 117: 3-24.
- Bhole PG and Patil VR. 2009. Enhancement of Water Solubility of Felodipine By Preparing Solid Dispersion Using Poly-Ethylene Glycol 6000 and Poly-Vinyl Alcohol. *Asian J Pharm*. 3(3): 240–244.

- BOC Sciences. <https://www.bocsci.com/product/piperine-cas-94-62-2-291161.html> di akses 29 Juni 2022
- Bintang M, Rahmawati F, Safira UM, dan Andrianto D. 2020. Biokimia Fisik. Bogor: PT Penerbit IPB Press.
- Burke, R. W. 1974. Mechanisms of The Liebermann Burchard and Zak Color Reactions for Cholesterol. *Clinical Chemistry*. 20(7): 794–801.
- Chiou WL, and Riegelman S. 1971. Pharmaceutical Applications of Solid Dispersion Systems. *J Pharm Sci*. 60(9):1281–302.
- Christopher V, D. 2016. Techniques to Enhance Solubility of Hydrophobic Drugs: An Overview. *Asian Journal of Pharmaceutics (AJP)*. 10(2): 67-75.
- Craig, D. Q. M. 2002. The Mechanisms of Drug Release From Solid Dispersions in Water - Soluble Polymers. *International Journal of Pharmaceutics*. 231(2): 131-144.
- De Mohac, L. M., Caruana, R., Pavia, F. C., Cavallaro, G., Giammona, G., and Licciardi, M. 2019. Multicomponent Solid Dispersion as a Formulation Strategy to Improve Drug Permeation: A Case Study on The Anti-Colorectal Cancer Irinotecan. *Journal of Drug Delivery Science and Technology*. 52: 346–354.
- De Mohac, L. M., Raimi-Abraham, B., Caruana, R., Gaetano, G., and Licciardi, M. 2020. Multicomponent Solid Dispersion a New Generation of Solid Dispersion Produced by Spray-Drying. *Journal of Drug Delivery Science and Technology*. 57 : 1-27.
- Departemen Kesehatan Republik Indonesia. 2014. Farmakope Indonesia. Edisi V. Jakarta: Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan.
- Desiraju, G. R. 1991. Hydration in Organic Crystals: Prediction From Molecular Structure. *Journal of the Chemical Society, Chemical Communications*. (6): 426–428.
- Dewi CC, dan Saptarini NM. 2016. Hidroksi Propil Metil Selulosa dan Karbomer Serta Sifat Fisikokimianya Sebagai Gelling Agent. *Farmaka*. 14(3): 1–13.
- Dwichandra P, O., Yonemochi, E., and Uekusa, H. 2016. Isostructural Multicomponent Gliclazide Crystals with Improved Solubility. *Crystal Growth & Design*. 16(11): 6568-6573.
- Febriyanti AP, Iswarin SJ, dan Susanti S. 2018. Penetapan Kadar Piperin dalam Ekstrak Buah Lada Hitam (*Piper nigrum Linn.*) Menggunakan Liquid Chromatography Tandem Mass Spectrometry (LC–MS/MS). *J Ilm Farm Farmasyifa*.1(2): 69–79.

- Fitriani L, Haqi A, dan Zaini E. 2018. Preparation and Characterization of Solid Dispersion Freeze-Dried Efavirenz - Polyvinylpyrrolidone K-30. *J Adv Pharm Technol Res.*7(3): 105–109.
- Fitriani, L., Afriyanti, I., Afriyani, Ismed, F., and Zaini, E. 2018. Solid Dispersion of Usnic Acid–HPMC 2910 Prepared by Spray Drying and Freeze Drying Techniques. *Oriental Journal of Chemistry.* 34(4): 2083–2088.
- Ganong, W. F. 2012. Buku ajar: Fisiologi Kedokteran. Jakarta: EGC.
- Gardner, C. R., Almarsson, O., Chen, H., Morissette, S., Peterson, M., Zhang, Z., and Cima, M. 2004. Application of High Throughput Technologies to Drug Substance and Drug Product Development. *Computers & Chemical Engineering.* 28(6-7): 943-953.
- Gorgani L, Mohammadi M, Najafpour GD, and Nikzad M. 2017. Piperine - The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Compr Rev Food Sci Food Saf.* 16(1): 124–140.
- Guillory, J. K. 2003. Handbook of Pharmaceutical Salts: Properties, Selection, and Use. Edited by P. Heinrich Stahl and Camile G. Wermuth. *Journal of Medicinal Chemistry* 46(7): 1277- 1278.
- Hairunnisa, H., Sopyan, I., dan Gozali, D. 2019. Ko-Kristal: Nikotinamid sebagai Koformer. *Jurnal Ilmiah Farmako Bahari.* 10(2): 113-122.
- Hall, J. E. and Guyton, A. C. 2016. *Guyton and Hall Physiology Review.* Ed.13rd. Korea: Bupmoon Education
- Harmita. 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah ilmu kefarmasian,* 1(3): 117–135.
- He, G., Chow, P. S. and Tan, R. B. H, 2009. Predicting Multicomponent Crystal Formation: The Interplay Between Homomeric and Heteromeric Interactions. *Crystal Growth & Design,* 9(10): 4529–4532.
- Hegeto LA, Caleffi-Ferracioli KR, Nakamura-Vasconcelos SS, Almeida AL de, Baldin VP, and Nakamura CV. 2018. In Vitro Combinatory Activity of Piperine and Anti-Tuberculosis Drugs in *Mycobacterium tuberculosis*. *Tuberculosis.* 11: 35-40.
- Jain, K. S., Kathiravan, M. K., Somani, R. S., and Shishoo, C. J. 2007. The Biology and Chemistry of Hyperlipidemia. *Bioorganic & Medicinal Chemistry,* 15(14): 4674–4699.

- Khankari, R. K., Law, D. and Grant, D. J. W. 1992. Determination of Water Content in Pharmaceutical Hydrates by Differential Scanning Calorimetry. *International Journal of Pharmaceutics*, 82(1-2): 117-127.
- Levita J, Simanjuntak N, dan Subarnas A. 2019. Review: Biopiperin Terinklusi dan Aktivitas Antiinflamasi Piperin. *J Sains dan Tekno Farm Indonesia*. VIII(1): 1-12.
- Maiese, K., Chong, Z. Z., Hou, J., and Shang, C. 2009. The Vitamin Nicotinamide: Translating Nutrition Into Clinical Care. *Molecules*, 14(9): 3446-3485.
- Malviya, R. Bansal, V., Pal, O. P., and Sharma, P. K. 2010. High Performance Liquid Chromatography: A Short Review. *Journal of Global Pharma Technology*, 2(5): 22-26.
- Maneesai P, Scholfield C. N, and Chootip K. 2012. Piperine is Anti-hyperlipidemic and Improves Endothelium-Dependent Vasorelaxation in Rats on a High Cholesterol Diet. *J Physiol Biomed Sci*. 25(1): 27-30.
- Martin, A., Swarbick, J., dan Cammarata, A. 1993. *Farmasi Fisik*. Edisi 3. Jilid II. Jakarta: Universitas Indonesia Press.
- Martolia J, H. Soni, and Tandel. F. 2021. In Vitro Anti Tubercular Activity and Physicochemical Standardization of Selected Medicinal Plant Extracts. *Indian Journal of Pharmaceutical Sciences*, 83(2): 230-237.
- Meghwal, M., and Goswami, T. K. 2013. *Piper Nigrum* and Piperine: An Update. *Phytotherapy Research*, 27(8): 1121-1130.
- Mesensy N. 2020. Penggunaan Nicotinamide Sebagai Terapi Akne Vulgaris. *Jurnal Medika Utama*. 2(1): 48-59.
- Mujumdar, A. M., Dhuley, J. N., Deshmukh, V. K., Raman, P. H., and Naik, S. R. 1990. Anti-Inflammatory Activity of Piperine. *Japanese Journal of Medical Science And Biology*, 43(3): 95-100.
- Nisha P, Singhal RS, and Pandit AB. 2009. The Degradation Kinetics of Flavor in Black Pepper (*Piper nigrum L.*). *J Food Eng*. 92(1): 44-49.
- Oladimeji FA, Adegbola AJ, and Onyeji CO. 2018. Appraisal of Bioenhancers in Improving Oral Bioavailability: Applications to Herbal Medicinal Products. *Journal of Pharmaceutical Research International*. 24(4): 1-23.

- Paudel A, Worku ZA, Meeus J, Guns S, and Van den Mooter G. 2012. Manufacturing of Solid Dispersions of Poorly Water Soluble Drugs by Spray Drying: Formulation and Process Considerations. *International Journal of Pharmaceutics*. 453(1): 253-284.
- Patel BB, Patel JK, Chakraborty S, and Shukla D. 2015. Revealing Facts Behind Spray Dried Solid Dispersion Technology Used for Solubility Enhancement. *Saudi Pharm J*. 23(4): 352–365.
- Patole, T. and Deshpande, A. 2014. Co-Crystallization-a Technique for Solubility Enhancement. *International Journal of Pharmaceutical Sciences and Research*, 5(9): 3566- 3567.
- Pradana, M. S. dan Suryanto, I. 2017. Terapi Hiperkolesterol pada Mencit (*Mus musculus*) strain Balb/C Betina Umur 2 Bulan Menggunakan Sari Bawang Putih, *Biota*, 3(2): 71-72.
- Pubchem. <https://pubchem.ncbi.nlm.nih.gov/compound/Piperine>. html di akses 22 Januari 2022
- Rachmaniar. R, Tristiyanti. D, dan Sari. D. Y. 2020. Pengaruh Koformer Nikotinamid Dan Metode Pembentukan Kokristal Terhadap Kelarutan Zat Aktif Tidak Larut Air. *Jurnal Sains dan Teknologi Farmasi Indonesia*. 9(1): 27-40.
- Rahmat D, dan Wiradimadja R. 2011. Pendugaan Kadar Kolesterol Daging dan Telur Berdasarkan Kadar Kolesterol Darah pada Puyuh Jepang (Estimated Cholesterol Levels Meat and Egg Based on Blood Cholesterol on The Japanese Quail. *Jurnal Ilmu Ternak Universitas Padjajaran*. 11(1): 35–38.
- Ravisankar, P. 2015. A Review on Step-by-Step Analytical Method Validation. *IOSR Journal of Pharmacy*. 5(10): 7–19.
- Rodrigues, M. 2018. Pharmaceutical Cocrystallization Techniques. *Advances and Challenges*. *International Journal of Pharmaceutics*. 547(1–2): 404–420.
- Rosaini H, Sari YEN, Makmur I, Halim A, dan Sidoretno WM. 2020. Karakterisasi Sifat Fisikokimia Sistem Dispersi Padat Nimodipin dengan Poloxamer 188 Menggunakan Metode Penggilingan Bersama. *JOPS Journal Pharm Sci*. 4(2): 18–26.
- Rowe, R.C., Sheskey, P. and Quinn, M. 2009. *Handbook of pharmaceutical excipients*. Ed.6. USA: Pharmaceutical Press.
- Sari, Y. N., Zaini, E., dan Ismed, F. 2019. Peningkatan Laju Disolusi Piperine dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *Jurnal Sains Farmasi & Klinis*, 6(2): 180-181.

- Schade DS, Shey L, and Eaton RP. 2020. Cholesterol Review: A Metabolically Important Molecule. *Endocrine Practice*; 26(12): 1514–1523.
- Setyawan D, Fadhil AA, Juwita D, Yusuf H, and Sari R. 2017. Enhancement of Solubility and Dissolution Rate of Quercetin With Solid Dispersion System Formation Using Hydroxypropyl Methyl Cellulose Matrix. *Thai J Pharm Sci.* 41(3): 112-116.
- Shao, B., Cui, C., Ji, H., Tang, J., Wang, Z., Liu, H., Qin, M., Li, X., and Wu, L. 2015. Enhanced Oral Bioavailability of Piperine by Self-Emulsifying Drug Delivery Systems: In Vitro, In Vivo and In Situ Intestinal Permeability Studies. *Drug Delivery*, 22(6): 740–747.
- Shargel, L., Wu-Pong, S. and Yu, A. B. C. 2004. *Applied Biopharmaceutics and Pharmacokinetics*. Vol. 264. Stamford: Appleton & Lange.
- Siepmann J, and Peppas NA. 2012. Modeling of Drug Release from Delivery Systems Based on Hydroxypropyl Methylcellulose (HPMC). *Advanced Drug Delivery Reviews*. 64: 163–74.
- Singh P, Saxena R, Srinivas G, Pande G, and Chattopadhyay A. 2013. Cholesterol Biosynthesis and Homeostasis in Regulation of the Cell Cycle. *PLoS One*. 8(3): 1-13.
- Singh S, and Kumar P. 2017. Neuroprotective Potential of Curcumin in Combination with Piperine Against 6-Hydroxy Dopamine Induced Motor Deficit and Neurochemical Alterations in Rats. *Inflammopharmacology*. 25(1): 69–79.
- Sinko, P. J., and Singh, Y. 2011. *Martin's Physical Pharmacy and Pharmaceutical Sciences: Physical Chemical and Biopharmaceutical Principles in The Pharmaceutical Sciences*. Ed.6. Philadelphia: Wolters Kluwer.
- Sosnik A, and Seremeta KP. 2015. Advantages and Challenges of The Spray-Drying Technology for The Production of Pure Drug Particles and Drug-Loaded Polymeric Carriers. *Advances in Colloid and Interface Science*. 223: 40–54.
- Stewart, J., McCallin, T., Martinez, J., Chacko, S., and Yusuf, S. 2020. Hyperlipidemia. *Pediatrics in Review*, 41(8): 393–402.
- Sumbono A. 2016. *Biokimia Pangan Dasar*. Vol. 10. Yogyakarta: Deepublish.
- Sunila, E. and Kuttan, G. 2004. Immunomodulatory and Antitumor Activity of *Piper longum* Linn. and Piperine. *Journal of Ethnopharmacology*, 90(2-3): 339–346.
- Susanti, M. dan Dachriyanus. 2017. *Kromatografi Cair Tinggi*. Universitas Andalas. Padang, Sumatera Barat, Indonesia.

- Sutriyo S, Dewi R, dan Filosane FH. 2005. Pengaruh Polivinil Prolidon Terhadap Laju Disolusi Furosemid Dalam Sistem Dispersi Padat. *Maj Ilmu Kefarmasian*. 2(1): 30–42.
- Swarbrick, J. 2013. *Encyclopedia of Pharmaceutical Technology: Volume 6*. USA: CRC press.
- Thakur, T. S., and Thakuria, R. 2020. Crystalline Multicomponent Solids: an Alternative for Addressing The Hygroscopicity Issue in Pharmaceutical Materials. *Crystal Growth & Design*, 20(9): 6245-6265.
- Thiengsusuk, A., Muhamad, P., Chaijaroenkul, W., and Na-Bangchang, K. 2018. Antimalarial Activity of Piperine. *Journal of Tropical Medicine*. Vol. 2018: 1–7.
- Trianggini DF, dan Sulistiyaningsih. 2018. Artikel Tinjauan: Dispersi Padat. *Farmaka*. 16(1): 93–102.
- Tunsophon S, and Chootip K. 2016. Comparative Effects of Piperine and Simvastatin in Fat Accumulation and Antioxidative Status in High Fat-Induced Hyperlipidemic Rats. *Can J Physiol Pharmacol*. 94(12): 1344–1348.
- Umar, S., Usman, H, Salsabila, H, and Zaini, E. 2022. Solid Dispersion of Tenoxicam – HPMC by Freeze-Drying: Solid State Properties, Dissolution Study, and Analgesic Activity in Mice. *Open Access Macedonian Journal of Medical Sciences*, 10(A): 800–806.
- Umar, S., Bandaro, N. P., Anggraini, D., and Zaini, E. 2021. Crystal of Fenofibric Acid-Saccharin: Characterization and Antihyperlipidemic Effectiveness. In *2nd International Conference on Contemporary Science and Clinical Pharmacy 2021 (ICCSCP 2021)*. 40:104-109.
- United States Pharmacopeia. 2020. *The United States Pharmacopeia 43*. Vol. 4. Rockville: U.S. Pharmacopeial Convention.
- Vasavirama K, and Upender M. 2014. Piperine: A Valuable Alkaloid from Piper Species. *Int J Pharm Pharm Sci*. 6(4): 34–38.
- Veerareddy P, Vobalaboina V, and Nahid A. 2004. Formulation and Evaluation of Oil-In-Water Emulsions of Piperine in Visceral Leishmaniasis. *Die Pharm J Pharmac Sci*. 59(3): 194–197.
- Vimalson, C., Siva Jeganathan, N., Christopher Vimalson, D., Parimalakrishnan, S., Jeganathan, N. S., and Anbazhagan, S. 2016. Techniques to Enhance Solubility of Hydrophobic Drugs: an Overview. *Asian Journal of Pharmaceutics (AJP)*, 10(2): 67-75.

- Vo CLN, Park C, and Lee BJ. 2013. Current Trends and Future Perspectives of Solid Dispersions Containing Poorly Water-Soluble Drugs. *European Journal of Pharmaceutics and Biopharmaceutics*, 85(3): 799–813.
- Vogel, G., Müller, G., Sandow, J., and Schölkens, B. A. 2002. *Drug Discovery and Evaluation Pharmacological Assays*. Vol.2. Berlin: Springer.
- Wang L, Tan B, Zhang H, and Deng Z. 2013. Pharmaceutical Cocrystals of Diflunisal with Nicotinamide or Isonicotinamide. *Organic Process Research & Development*. 17(11): 1413–1418.
- Widada ST, Martsiningsik MA, dan Carolina SC. 2016. Gambaran Perbedaan Kadar Kolesterol Total Metode CHOD-PAP (Cholesterol Oxidase – Peroxidase Aminoantypirin) Sampel Serum dan Sampel Plasma EDTA. *J Teknol Lab*. 5(1): 41–44.
- Wu H, Du S, Lu Y, Li Y, and Wang D. 2014. The Application of Biomedical Polymer Material Hydroxy Propyl Methyl Cellulose (HPMC) in Pharmaceutical Preparations. *J Chem Pharm Res*. 6(5): 155–160.
- Yu, J. Y., Kim, J. A., Joung, H. J., Ko, J. A., and Park, H. J. 2020. Preparation and Characterization of Curcumin Solid Dispersion Using HPMC. *Journal of Food Science*, 85(11): 3866–3873.
- Yuliandra, Y., Zaini, E., Syofyan, S., Pratiwi, W., Putri, L. N., Pratiwi, Y. S., and Arifin, H. 2018. Cocrystal of Ibuprofen–Nicotinamide: Solid-State Characterization and In Vivo Analgesic Activity Evaluation. *Scientia Pharmaceutica*, 86(2): 23-34.
- Zaini, E., Marhammah, R. P., Fitriani, L., Hasanah, U., and Umar, S. 2021. The Preparation and Characterization of the Solid Dispersion of Piperine with Hydroxypropyl Methylcellulose (HPMC) 2910 Using Spray Drying. *Tropical Journal of Natural Product Research (TJNPR)*, 5(12): 2103-2107.
- Zaini, E., Sumirtapura, Y. C. dan Soewandhi, S. N. 2010. Identifikasi Interaksi Fisika Antara Trimetoprim dan Sulfametoksazol dengan Metode Kontak Kofler dan Reaksi Kristalisasi. *Majalah Farmasi Indonesia*. 21(1): 32–39.
- Zaini, E., Sumirtapura, Y. C., Soewandhi, S. N., Halim, A., Uekusa, H., and Fuji, K. 2010. Cocrystalline Phase Transformation of Binary Mixture of Trimethoprim and Sulfamethoxazole by Slurry Technique. *Asian J Pharm Clin Res*, 3(4): 26-29.

- Zaini, E., Fitriani, L., Ismed, F., Horikawa, A., and Uekusa, H. 2020. Improved Solubility and Dissolution Rates in Novel Multicomponent Crystals of Piperine With Succinic Acid. *Scientia Pharmaceutica*, 88(2): 21-29.
- Zafar, F., Jahan, N., Khalil-Ur-Rahman, and Bhatti, H. N. 2019. Increased Oral Bioavailability of Piperine From an Optimized *Piper Nigrum* Suspension. *Planta Medica*, 85(3): 249–257.

