

## DAFTAR PUSTAKA

- Adamson, & W, A. (1997). *Physical chemistry of surfaces by Arthur Adamson, Alice Petry Gast (z-lib.org)*.
- Ahmad, S., Ashraf, I., Mansoor, M. A., Rizwan, S., & Iqbal, M. (2021). An overview of recent advances in the synthesis and applications of the transition metal carbide nanomaterials. *Nanomaterials*, *11*(3), 1–36. <https://doi.org/10.3390/nano11030776>
- Alifaturrahma dan Hendriyanto. (2018). *Pemanfaatan Kulit Pisang Kepok Sebagai Adsorben UNTUK MENYISIHKAN LOGAM Cu*. *8*(2), 105–111.
- Apriliani, A. (2010). Pemanfaatan Arang Ampas Tebu sebagai Adsorben Ion Logam Cd, Cr, Cu dan Pb dalam Air Limbah. *Repositoy UIN*, 1–91.
- Asriani. (2017). *Identifikasi Logam Tembaga (Cu) pada Zonasi Radius 1-5 Km Tempat Pembuangan Akhir (TPA) Antang Makassar terhadap Pengaruh Kualitas Air Sumur Gali*.
- Asrofi, M., Abral, H., Kasim, A., & Pratoto, A. (2017). XRD and FTIR Studies of Nanocrystalline Cellulose from Water Hyacinth (*Eichornia crassipes*) Fiber. *Journal of Metastable and Nanocrystalline Materials*, *29*, 9–16. <https://doi.org/10.4028/www.scientific.net/jmnm.29.9>
- Asrofi, M., Abral, H., Kasim, A., Pratoto, A., Mahardika, M., Park, J. W., & Kim, H. J. (2018). Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers*, *19*(8), 1618–1625. <https://doi.org/10.1007/s12221-018-7953-1>
- Astuti, W. (2018). Adsorpsi Menggunakan Material Berbasis Lignoselulosa. In *Unnes Press*.
- Atkins, P., de Paula, J., & Keeler, J. (2018). *Physical Chemistry 11th Edition*. 9–25.
- Badli Rompegading, A., Fadhillah Muhlis, N., Arfadilla, R., Indah Sari, N.,

Muliana, A., Gani, M., Rinaldy, A., Faqhi, M. S., Gusfira, A., Tantu, Z., Trywulan Syah, U., & Irfandi, R. (n.d.). DETEKSI AWAL KANDUNGAN LOGAM TEMBAGA (Cu) PADA TANAMAN KANGKUNG DARAT (*Ipomoea reptans*). *BIOEDUSAINS: Jurnal Pendidikan Biologi Dan Sains*, 4(2), 2598–7453. <https://doi.org/10.31539/bioedusains.v4i2.2790>

Bansal, R. C., & Goyal, M. (2005). Activated Carbon Adsorption. In *Taylor & Francis* (Vol. 3, Issue 1). <https://doi.org/10.1007/BF02276400>

Beoang, A. K. R. V. (2019). *Penyisihan Logam Berat Tembaga (Cu<sup>2+</sup>) Oleh Bakteri Indigenous*. <https://doi.org/10.31227/osf.io/ed3gj>

Brandani, S. (2020). Kinetics of liquid phase batch adsorption experiments. *Adsorption*. <https://doi.org/10.1007/s10450-020-00258-9>

Bustami, Abdullah, D., & Fadlisyah. (2014). *Statistika; Terapannya pada Bidang Informatika*. 1–186.

Cao, W. T., Chen, F. F., Zhu, Y. J., Zhang, Y. G., Jiang, Y. Y., Ma, M. G., & Chen, F. (2018). Binary Strengthening and Toughening of MXene/Cellulose Nanofiber Composite Paper with Nacre-Inspired Structure and Superior Electromagnetic Interference Shielding Properties. *ACS Nano*, 12(5), 4583–4593. <https://doi.org/10.1021/acsnano.8b00997>

Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, 9, 100120. <https://doi.org/10.1016/j.mtadv.2020.100120>

Cecen, O. A. (n.d.). *Activated Carbon for Water and Wastewater Treatment Integration of Adsorption and Biological Treatment by Ferhan Çeçen, Özgür Aktaş (z-lib.org).pdf*.

Chairiyah, R. R., Guchi, H., & Rauf, A. (2013). Bioremediasi Tanah Tercemar Logam Berat Cd, Cu, dan Pb dengan Menggunakan Endomikoriza. *Jurnal Online Agroekoteknologi*, 41(3), 470–482.

Chen, J. K., & Thyssen, J. P. (n.d.). *Metal Allergy*.

- Dawud, M., Namara, I., Chayati, N., & Taqwa, F. M. L. (2016). Analisis Sistem Pengendalian Pencemaran Air Sungai Cisadane Kota Tangerang Berbasis Masyarakat. *Jurnal.Umj.Ac.Id/Index.Php/Semnastek*, 6(November), 1–8. <https://media.neliti.com/media/publications/173218-ID-analisis-sistem-pengendalian-pencemaran.pdf>
- Ding, L., Wei, Y., Wang, Y., Chen, H., Caro, J., & Wang, H. (2017). A Two-Dimensional Lamellar Membrane: MXene Nanosheet Stacks. *Angewandte Chemie - International Edition*, 56(7), 1825–1829. <https://doi.org/10.1002/anie.201609306>
- Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). Mxene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022. <https://doi.org/10.1039/c9ra05251h>
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- Fard, A. K., Mckay, G., Chamoun, R., Rhadfi, T., Preud'Homme, H., & Atieh, M. A. (2017). Barium removal from synthetic natural and produced water using MXene as two dimensional (2-D) nanosheet adsorbent. *Chemical Engineering Journal*, 317, 331–342. <https://doi.org/10.1016/j.cej.2017.02.090>
- Feron, D. (2007). *Corrosion behaviour and protection*.
- Fitriyanto, E. B., Soeprbowati, T. R., & Hariyati, R. (2017). Kemampuan *Chaetoceros calcitrans* (Paulsen) Takano dalam Menurunkan Kadar Logam Berat Tembaga (Cu) pada Limbah Tekstil. *Bioma : Berkala Ilmiah Biologi*, 18(2), 102. <https://doi.org/10.14710/bioma.18.2.102-106>
- Fuad, M. T., Aunurohim, & NurHidayati, T. (2013). Efektivitas Kombinasi *Salvinia molesta* dengan *Hydrilla verticillata* dalam Remediasi Logam Cu pada Limbah Elektroplating. *Jurnal Sains Dan Seni POMITS*, 2(1), 240–246.

- Gan, D., Huang, Q., Dou, J., Huang, H., Chen, J., & Liu, M. (2019). Applied Surface Science Bioinspired functionalization of MXenes (  $Ti_3C_2Tx$  ) with amino acids for efficient removal of heavy metal ions. *Applied Surface Science*, November, 144603. <https://doi.org/10.1016/j.apsusc.2019.144603>
- Greenberg, A. E., Clesceri, L. S., & Eaton, A. D. (1999). Standard Methods for the Examination of Water and Wastewater Standard Methods for the Examination of Water and Wastewater. *Public Health*, 51(1), 940–940. <https://doi.org/10.2105/AJPH.51.6.940-a>
- Guo, T., Bulin, C., Ma, Z., Li, B., Zhang, Y., Zhang, B., Xing, R., & Ge, X. (2021). Mechanism of Cd(II) and Cu(II) Adsorption onto Few-Layered Magnetic Graphene Oxide as an Efficient Adsorbent. *ACS Omega*, Ii. <https://doi.org/10.1021/acsomega.1c01770>
- Guo, X., Zhang, X., Zhao, S., Huang, Q., & Xue, J. (2016). High Adsorption Capacity of Heavy Metals on Two-dimensional MXenes: An Ab Initio Study with Molecular Dynamics Simulation. *Physical Chemistry Chemical Physics*, 18(1), 228–233. <https://doi.org/10.1039/c5cp06078h>
- Harinaldi. (2005). *Prinsip-Prinsip Statistik Untuk Teknik dan Sains* (Erlangga).
- Hemalatha, D., Narayanan, R. M., & Sanchitha, S. (2020). Removal of Zinc and Chromium from industrial wastewater using water hyacinth (*E. crassipes*) petiole, leaves and root powder: Equilibrium study. *Materials Today: Proceedings*, 43(xxxx), 1834–1838. <https://doi.org/10.1016/j.matpr.2020.10.725>
- Hu, H., & Xu, K. (2019). Physicochemical technologies for HRP and risk control. In *High-Risk Pollutants in Wastewater*. <https://doi.org/10.1016/B978-0-12-816448-8.00008-3>
- Hwang, S. K., Kang, S. M., Rethinasabapathy, M., Roh, C., & Huh, Y. S. (2020). MXene: An emerging two-dimensional layered material for removal of radioactive pollutants. *Chemical Engineering Journal*, 397(April), 125428. <https://doi.org/10.1016/j.cej.2020.125428>

- Ibnu Hajar, E. W., Sitorus, R. S., Mulianingtias, N., & Welan, F. J. (2016). *Efektivitas Adsorpsi Logam Pb 2+ dan Cd 2+ Menggunakan Media Adsorben Cangkang Telur Ayam*. 5(1), 1–7.
- Ibnu Hajar, E. W., Sitorus, R. S., Mulianingtias, N., & Welan, F. J. (2018). Efektivitas Adsorpsi Logam Pb<sup>2+</sup> dan Cd<sup>2+</sup> Menggunakan Media Adsorben Cangkang Telur Ayam. *Konversi*, 5(1), 1. <https://doi.org/10.20527/k.v5i1.4771>
- Irianti, T. T., Kuswadi, Nuranto, S., & Budiyantri, A. (2017). Logam Berat dan Kesehatan. *Grafika Indah ISBN: 979820492-1, January 2017*, 1–131.
- Jain, G. K. (Guarav K., Ahmad, F. J. (Farhan J., & Khar, R. K. (Roop K. (2019). *Theory and practice of physical pharmacy* (1st ed.). Elsevier.
- Jainal, Ghitarima, R. E. (2020). *KANDUNGAN LOGAM BERAT CU, CD DAN PB PADA IKAN HASIL TANGKAP PANCING DI PERAIRAN PESISIR KOTA BONTANG KALIMANTAN TIMUR*. 7(2), 9–19.
- John C. Crittenden, R. Rhodes Trussell, David W. Hand, K. J. H. and G. T. (2017). *MHW's Water Treatment Principles and Design*.
- Jun, B. M., Heo, J., Taheri-Qazvini, N., Park, C. M., & Yoon, Y. (2020). Adsorption of selected dyes on Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene and Al-based metal-organic framework. *Ceramics International*, 46(3), 2960–2968. <https://doi.org/10.1016/j.ceramint.2019.09.293>
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(ii) from synthetic wastewater using Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180. <https://doi.org/10.1039/c9ew00625g>
- Kamath, S., Ramanjaneyalu, V. G. V., & Kamila, S. (2019). Application of ZnO Nano Rods for the Batch Adsorption of Cr(VI): A Study of Kinetics and Isotherms. *American Journal of Applied Sciences*, 16(3), 101–112. <https://doi.org/10.3844/ajassp.2019.101.112>

- Kong, A., Sun, Y., Peng, M., Gu, H., Fu, Y., Zhang, J., & Li, W. (2021). Amino-functionalized MXenes for efficient removal of Cr(VI). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 617(March), 126388. <https://doi.org/10.1016/j.colsurfa.2021.126388>
- Kothandaraman, V. (1969). Industrial Water Pollution Control. In *JAWRA Journal of the American Water Resources Association* (Vol. 5, Issue 2, pp. 73–74). <https://doi.org/10.1111/j.1752-1688.1969.tb04890.x>
- Langmuir, I. (1918). The Adsorption of Gases on Plane Surfaces of Mica. *Journal of the American Chemical Society*, 40(9), 1361–1403.
- Liu, T., Yang, X., Wang, Z. L., & Yan, X. (2013). Enhanced chitosan beads-supported Fe<sub>0</sub>-nanoparticles for removal of heavy metals from electroplating wastewater in permeable reactive barriers. *Water Research*, 47(17), 6691–6700. <https://doi.org/10.1016/j.watres.2013.09.006>
- Liu, Y., Khan, A., Wang, Z., Chen, Y., Zhu, S., Sun, T., Liang, D., & Yu, H. (2020). Upcycling of electroplating sludge to prepare erdite-bearing nanorods for the adsorption of heavy metals from electroplating wastewater effluent. *Water (Switzerland)*, 12(4). <https://doi.org/10.3390/W12041027>
- Maharajan, A., Kitto, M. R., Paruruckumani, P. S., & Ganapiriya, V. (2016). Histopathology biomarker responses in Asian sea bass, *Lates calcarifer* (Bloch) exposed to copper. *The Journal of Basic & Applied Zoology*, 77, 21–30. <https://doi.org/10.1016/j.jobaz.2016.02.001>
- Marhadi, M., Wibowo, H., & Kurniawan, V. A. (2018). Analisis Penurunan Eceng Gondok (*Eichornia Crassipes*) dalam Perbaikan Kualitas Air Ditinjau Dari Parameter Timbal (Pb) dan Besi (Fe). *Jurnal Civronlit Unbari*, 3(2), 82. <https://doi.org/10.33087/civronlit.v3i2.37>
- Massey, A. . (1973). *The Chemistry of Copper, Silver, and Gold*.
- McCabe, W. L., Smith, J. C., & Harriot, P. (2004). *Unit Operations of Chemical Engineering* (7th Editio). McGraw-Hill Education.

- Metboki, M., Ernawati, R., & Pertambangan, J. T. (2019). *Analisis Kandungan Logam Berat Pada Tailing Pencucian Mangan PT . Anugerah Nusantara Sejahtera Di Kabupaten. 2019*(November), 54–58.
- Mustafa, A., Asaf, R., Kamariah, & Radiarta, I. N. (2021). Konsentrasi dan Status Mutu Logam Berat dalam Air dan Sedimen di Kawasan Pesisir Kabupaten Kepulauan Sangihe. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 13(April), 15–38.
- Nguyen, T. A., Nguyen, V. T., Tran, T. T. H., Le, T. Q. N., & Nguyen, N. H. (2021). Batch and column adsorption of reactive dyes by eggshell powder-chitosan gel core-shell material. *Moroccan Journal of Chemistry*, 9(1), 018–027. <https://doi.org/10.48317/IMIST.PRSM/morjchem-v9i1.19674>
- Nuriadi, Napitupulu, M., & Rahman, N. (2013). ANALISIS LOGAM TEMBAGA ( Cu ) PADA BUANGAN LIMBAH TROMOL ( TAILING ) PERTAMBANGAN POBOYA Analysis of Copper ( Cu ) Metal On Drum Waste Disposal ( Tailings ) at Poboya Mining. *J. Akad.Kim.2*, 2(May), 90–96.
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science*, 9(3), 1–17. <https://doi.org/10.1007/s13201-019-0927-7>
- Permata, M. A. D., Purwiyanto, A. I. S., & Diansyah, G. (2018). Kandungan Logam Berat Cu (Tembaga) Dan Pb (Timbal) Pada Air Dan Sedimen Di Kawasan Industri Teluk Lampung, Provinsi Lampung. *Journal of Tropical Marine Science*, 1(1), 7–14. <https://doi.org/10.33019/jour.trop.mar.sci.v1i1.667>
- Pinandari, A. W., Fitriana, D. N., Nugraha, A., & Suhartono, E. (2011). *Uji Efektifitas Dan Efisiensi Filter Biomassa Menggunakan Sabut Kelapa (Cocos nucifera) SEBAGAI BIOREMOVAL UNTUK MENURUNKAN KADAR LOGAM (Cd, Fe, Cu), TOTAL PADATAN TERSUSPENSI (TSS) DAN MENINGKATKAN pH PADA LIMBAH AIR ASAM TAMBANG*

BATUBARA. January.

Prayogo, T. (2016). Kajian Kondisi Air Tanah Dangkal Daerah Wonomarto Kabupaten Lampung Utara. In *Jurnal Teknologi Lingkungan* (Vol. 15, Issue 2, p. 107). <https://doi.org/10.29122/jtl.v15i2.1604>

Pulungan, A. F., & Embun. (2017). PEMANFAATAN PEKTIN DARI KULIT JERUK MANIS SEBAGAI BIOSORBEN DALAM MENURUNKAN KADAR TEMBAGA (Cu) PADA LIMBAH CAIR INDUSTRI ELEKTROPLATING. *Jurnal Ilmiah Farmasi IMELDA*, 1(1), 10–17.

Qordhowi, F. A. (2019). *Studi Regenerasi Adsorben Batu Apung Sungai Pasak Pariaman yang Telah Dimodifikasi dengan Pelapisan Mg untuk Menyisihkan Logam Tembaga (Cu) Total dari Air Tanah.*

Ramirez-Muñoz, A., Pérez, S., Muñoz-Saldaña, J., Flórez, E., & Acelas, N. (2021). Eco-friendly materials obtained through a simple thermal transformation of water hyacinth (*Eichhornia Crassipes*) for the removal and immobilization of Cd<sup>2+</sup> and Cu<sup>2+</sup> from aqueous solutions. *Environmental Nanotechnology, Monitoring and Management*, 16(June). <https://doi.org/10.1016/j.enmm.2021.100574>

Ratnasari, N. D., Moelyaningrum, A. D., & Ellyke. (2017). Penurunan Kadar Tembaga (Cu) pada Limbah Cair Industri Elektroplating Menggunakan Cangkang Telur Ayam Potong Teraktivasi Termal. *Sanitasi: Jurnal Kesehatan Lingkungan*, 9(2), 56–62. <http://journalsanitasi.keslingjogja.net/index.php/sanitasi>

Reynolds, T. D., & Richards, P. A. (1996). Unit operations and processes in environmental engineering 2nd ed. In *PWS series in engineering*. (p. 25,350,749).

Rinaldi, Novalia, & Syazali, M. (2020). *Statistika Inferensial untuk Ilmu Sosial dan Pendidikan.*

Rusydi, A., & Fadhli, M. (2018). *Statistika Pendidikan: Teori dan Praktik Dalam*



Pendidikan. In *Cv. Widya Puspita*.

- Sabani, & Putri, W. K. (2015). Aktivasi Zeolit Alam sebagai Adsorben Logam Berat Mg, Al, dan ZnO Menggunakan Larutan NaOH. *Bioilmi Edisi Agustus*, 3(2), 45–50.
- Sasongko, A., Yulianto, K., & Sarastri, D. (2017). Verifikasi Metode Penentuan Logam Kadmium (Cd) dalam Air Limbah Domestik dengan Metode Spektrofotometri Serapan Atom. *JST (Jurnal Sains Dan Teknologi)*, 6(2), 228. <https://doi.org/10.23887/jst-undiksha.v6i2.10699>
- Saththasivam, J., Wang, K., Yiming, W., Liu, Z., & Mahmoud, K. A. (2019). A flexible Ti<sub>3</sub>C<sub>2</sub>Tx (MXene)/paper membrane for efficient oil/water separation. *RSC Advances*, 9(29), 16296–16304. <https://doi.org/10.1039/c9ra02129a>
- Sekarwati, N., Murachman, B., & Sunarto. (2015). Dampak logam berat Cu (tembaga) dan Ag (perak) pada limbah cair industri perak terhadap kualitas air sumur dan kesehatan masyarakat serta upaya pengendaliannya di Kota Gede Yogyakarta. *Jurnal Ekosains*, VII(1), 13. <http://pasca.uns.ac.id/s2ilmulingkungan/wp-content/uploads/sites/25/2016/09/PUBLIKASI-NOVITA.pdf>
- Setiawan, A., Basyiruddin, F., & Dermawan, D. (2019). Biosorpsi Logam Berat Cu(II) Menggunakan Limbah *Saccharomyces Cerevisiae*. *Jurnal Presipitasi: Media Komunikasi Dan Pengembangan Teknik Lingkungan*, 16(1), 29. <https://doi.org/10.14710/presipitasi.v16i1.29-35>
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti<sub>3</sub>C<sub>2</sub>Tx MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*, 5(12), 11481–11488. <https://doi.org/10.1021/acssuschemeng.7b02695>
- Shikuku, V. O., Donato, F. F., Kowenje, C. O., Zanella, R., & Prestes, O. D. (2015). A comparison of adsorption equilibrium, kinetics and

thermodynamics of aqueous phase clomazone between faujasite X and a natural zeolite from Kenya. *South African Journal of Chemistry*, 68(January), 245–252. <https://doi.org/10.17159/0379-4350/2015/v68a33>

Shuck, C. E., Sarycheva, A., Anayee, M., Levitt, A., Zhu, Y., Uzun, S., Balitskiy, V., Zahorodna, V., Gogotsi, O., & Gogotsi, Y. (2020). Scalable Synthesis of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene. *Advanced Engineering Materials*, 22(3), 1–8. <https://doi.org/10.1002/adem.201901241>

Simonin, J. P. (2016). On the comparison of pseudo-first order and pseudo-second order rate laws in the modeling of adsorption kinetics. *Chemical Engineering Journal*, 300, 254–263. <https://doi.org/10.1016/j.cej.2016.04.079>

Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer Ti<sub>3</sub>C<sub>2</sub>MXene/cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193. <https://doi.org/10.1039/d0nj00672f>

Su, T., Liu, N., Gao, Y., Lei, D., Wang, L., Ren, Z., Zhang, Q., Su, J., & Zhang, Z. (2021). MXene/cellulose Nanofiber-foam Based High Performance Degradable Piezoresistive Sensor with greatly expanded interlayer distances. *Nano Energy*, 87(March). <https://doi.org/10.1016/j.nanoen.2021.106151>

Sukmawati, W. (2020). *Redoks Dan Elektrokimia*. 1–19.

Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5). <https://doi.org/10.1142/S2010135X18500352>

Tanpichai, S., Biswas, S. K., Witayakran, S., & Yano, H. (2019). Water Hyacinth: A Sustainable Lignin-Poor Cellulose Source for the Production of Cellulose Nanofibers. *ACS Sustainable Chemistry and Engineering*, 7(23), 18884–18893. <https://doi.org/10.1021/acssuschemeng.9b04095>

- Tchobanoglous, G. (2003a). *Wastewater Engineering*.
- Tchobanoglous, G. (2003b). *Wastewater Engineering Treatment and Reuse (Metcalf)*. *Journal of Chemical Information and Modeling*.
- Tian, W., VahidMohammadi, A., Reid, M. S., Wang, Z., Ouyang, L., Erlandsson, J., Pettersson, T., Wågberg, L., Beidaghi, M., & Hamedi, M. M. (2019). Multifunctional Nanocomposites with High Strength and Capacitance Using 2D MXene and 1D Nanocellulose. *Advanced Materials*, 31(41). <https://doi.org/10.1002/adma.201902977>
- Tien, C. (2019). Introduction to Adsorption. In *Introduction to Adsorption*. <https://doi.org/10.1016/b978-0-12-816446-4.09991-7>
- Tunesi, M. M., Soomro, R. A., Han, X., Zhu, Q., Wei, Y., & Xu, B. (2021). Application of MXenes in environmental remediation technologies. *Nano Convergence*, 8(1). <https://doi.org/10.1186/s40580-021-00255-w>
- Utama, S., Kristianto, H., & Andreas, A. (2016). Adsorpsi Ion Logam Kromium ( Cr ( Vi )) Menggunakan Karbon Aktif dari Bahan Baku Kulit Salak. *Prosiding Seminar Nasional Teknik Kimia "Kejuangan," Yogyakarta*(17 Maret 2016), 1–6.
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali Treated Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXenes and Their Dye Adsorption Performance. *Materials Chemistry and Physics*, 206, 270–276. <https://doi.org/10.1016/j.matchemphys.2017.12.034>
- Yan, H., Li, W., Li, H., Fan, X., & Zhu, M. (2019). Ti<sub>3</sub>C<sub>2</sub> MXene nanosheets toward high-performance corrosion inhibitor for epoxy coating. *Progress in Organic Coatings*, 135(March), 156–167. <https://doi.org/10.1016/j.porgcoat.2019.06.013>
- Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-dimensional titanium carbide for efficiently reductive removal of highly toxic chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3),

1795–1803. <https://doi.org/10.1021/am5074722>

Zhang, Y., Wang, L., Zhang, N., & Zhou, Z. (2018). Adsorptive environmental applications of MXene nanomaterials: A review. *RSC Advances*, 8(36), 19895–19905. <https://doi.org/10.1039/c8ra03077d>

