

## DAFTAR PUSTAKA

- Ali, W. *et al.* (2018) ‘Morphological Control of 1D and 3D TiO<sub>2</sub> Nanostructures with Ammonium Hydroxide and TiO<sub>2</sub> Compact Layer on FTO Coated Glass in Hydrothermal Synthesis’, *Materials Chemistry and Physics*. Elsevier B.V, 214, pp. 48–55. doi: 10.1016/j.matchemphys.2018.04.081.
- Amiri, S. and Rahimi, A. (2016) ‘Hybrid Nanocomposite Coating by Sol–Gel Method: A Review’, *Iranian Polymer Journal (English Edition)*. Springer Berlin Heidelberg, 25(6), pp. 559–577. doi: 10.1007/s13726-016-0440-x.
- Ando, K. *et al.* (2021) ‘Particle Removal in Ultrasonic Water Flow Cleaning: Role of Cavitation Bubbles as Cleaning Agents’, *Solid State Phenomena*, 314 SSP, pp. 218–221. doi: 10.4028/www.scientific.net/SSP.314.218.
- Arman, A. *et al.* (2015) ‘Micromorphology Characterization of Copper Thin Films by AFM and Fractal Analysis’, *Journal of Materials Science: Materials in Electronics*, 26(12), pp. 9630–9639. doi: 10.1007/s10854-015-3628-5.
- Baig, N. *et al.* (2021) ‘Nanomaterials: A review of Synthesis Methods, Properties, Recent Progress, and Challenges’, *Materials Advances*. Royal Society of Chemistry, 2(6), pp. 1821–1871. doi: 10.1039/d0ma00807a.
- Bhogra, A. *et al.* (2021) ‘Significant Role of substrate Temperature on the Morphology, Electronic Structure and Thermoelectric Properties of SrTiO<sub>3</sub> Films Deposited by Pulsed Laser Deposition’, *Surface and Coatings Technology*. Elsevier B.V., 407(August 2020), p. 126740. doi: 10.1016/j.surfcoat.2020.126740.
- Chaves, F. A. and Jiménez, D. (2018) ‘Thickness Dependence of Structural, Optical and Morphological Properties of Sol-Gel Derived TiO<sub>2</sub> Thin Film’, *Nanotechnology*, 29(27), pp. 1–19.
- Dastan, D., Panahi, S. L. and Chaure, N. B. (2016) ‘Characterization of Titania Thin Films Grown by Dip-Coating Technique’, *Journal of Materials Science: Materials in Electronics*. Springer US, 27(12), pp. 12291–12296. doi: 10.1007/s10854-016-4985-4.
- Diao, C. *et al.* (2019) ‘Structure and Electric Properties of Sandwich-Structured SrTiO<sub>3</sub>/BiFeO<sub>3</sub> Thin Films for Energy Storage Applications’, *Journal of Alloys and Compounds*, 781, pp. 378–384. doi: 10.1016/j.jallcom.2018.11.391.
- Dulian, P. *et al.* (2019) ‘Photocatalytic Methylene Blue Degradation on Multilayer Transparent TiO<sub>2</sub> Coatings’, *Optical Materials*. Elsevier, 90(February), pp. 264–272. doi: 10.1016/j.optmat.2019.02.041.
- Elbasuney, S. and El-Sharkawy, Y. H. (2018) ‘Instant Identification of Explosive Material: Laser induced Photoacoustic Spectroscopy Versus Fourier Transform Infrared’, *TrAC - Trends in Analytical Chemistry*. Elsevier Ltd,

- 108, pp. 269–277. doi: 10.1016/j.trac.2018.09.012.
- Elma, M. (2016) *Proses Sol-Gel: Analisis, Fundamental dan Aplikasi*. Banjarmasin: Lambung Mangkurat University Press.
- Epp, J. (2016) *X-Ray Diffraction (XRD) Techniques for Materials Characterization, Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. doi: 10.1016/B978-0-08-100040-3.00004-3.
- Fornari, C. I. et al. (2018) ‘Monte Carlo Simulation of Epitaxial Growth’, *Epitaxy*. doi: 10.5772/intechopen.70220.
- Gao, H., Yang, H. and Wang, S. (2018) ‘Hydrothermal Synthesis, Growth Mechanism, Optical Properties and Photocatalytic Activity of Cubic SrTiO<sub>3</sub> Particles for The Degradation of Cationic and Anionic Dyes’, *Optik*. Elsevier, 175(July), pp. 237–249. doi: 10.1016/j.jleo.2018.09.027.
- Ge, L. et al. (2019) ‘Current Applications of Gas Sensor Based on 2-D Nanomaterial: A Mini Review’, *Frontiers in Chemistry*, 7(December), pp. 1–7. doi: 10.3389/fchem.2019.00839.
- George, P. and Chowdhury, P. (2019) ‘Complex Dielectric Transformation of UV-Vis diffuse Reflectance Spectra for Estimating Optical Band-Gap Energies and Materials Classification’, *The Analyst*, 144(9), pp. 3005–3012. doi: 10.1039/c8an02257g.
- Guo, C. Y. and Qi, X. (2019) ‘RF Magnetron Sputter Deposition and Electrical Properties of La and Y Doped SrTiO<sub>3</sub> Epitaxial Films’, *Materials and Design*, 179, pp. 1–7. doi: 10.1016/j.matdes.2019.107888.
- Hakki, H. K. et al. (2018) ‘The role of thermal annealing in controlling morphology, crystal structure and adherence of dip coated TiO<sub>2</sub> film on glass and its photocatalytic activity’, *Materials Science in Semiconductor Processing*. Elsevier Ltd, 85(May), pp. 24–32. doi: 10.1016/j.mssp.2018.05.031.
- Holder, C. F. and Schaak, R. E. (2019) ‘Tutorial on Powder X-ray Diffraction for Characterizing Nanoscale Materials’, *ACS Nano*, 13(7), pp. 7359–7365. doi: 10.1021/acsnano.9b05157.
- Hong, J., Heo, S. J. and Singh, P. (2021) ‘Water Mediated Growth of Oriented Single Crystalline SrCO<sub>3</sub> Nanorod Arrays on Strontium Compounds’, *Scientific Reports*. Nature Publishing Group UK, 11(1), pp. 1–11. doi: 10.1038/s41598-021-82651-0.
- Hou, X. et al. (2018) ‘Applications of Fourier Transform Infrared Spectroscopy Technologies on Asphalt Materials’, *Measurement: Journal of the International Measurement Confederation*. Elsevier, 121(October 2017), pp. 304–316. doi: 10.1016/j.measurement.2018.03.001.

- Huerta-Flores, A. M. *et al.* (2017) ‘Laser Assisted Chemical Vapor Deposition of Nanostructured NaTaO<sub>3</sub> and SrTiO<sub>3</sub> Thin Films for Efficient Photocatalytic Hydrogen Evolution’, *Fuel*. Elsevier Ltd, 197, pp. 174–185. doi: 10.1016/j.fuel.2017.02.016.
- Hussain, S. *et al.* (2019) ‘Effect of Growth Temperature on Catalyst Free Hydrothermal Synthesis of Crystalline SnO<sub>2</sub> Micro-Sheets’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(3), pp. 4053–4058. doi: 10.1016/j.ceramint.2018.11.084.
- Karaphun, A., Hunpratub, S. and Swatsitang, E. (2014) ‘Effect of Annealing On Magnetic Properties of Fe-Doped SrTiO<sub>3</sub> Nanopowders Prepared by Hydrothermal Method’, *Microelectronic Engineering*. Elsevier B.V., 126(3), pp. 42–48. doi: 10.1016/j.mee.2014.05.001.
- Khalid, M. A. U. *et al.* (2020) ‘Resistive Switching Device Based On SrTiO<sub>3</sub>/PVA Hybrid Composite Thin Film as Active Layer’, *Polymer*. Elsevier Ltd, 189(October 2019), p. 122183. doi: 10.1016/j.polymer.2020.122183.
- khemakhem, O. *et al.* (2017) ‘Enhanced Photoelectrochemical Photocatalytic Activities in Hydrothermal Synthesized SrTiO<sub>3</sub>/TiO<sub>2</sub> Heterostructure Thin Films’, *Journal of Alloys and Compounds*. Elsevier Ltd, 696, pp. 682–687. doi: 10.1016/j.jallcom.2016.11.282.
- Kolahalam, L. A. *et al.* (2019) ‘Review On Nanomaterials: Synthesis And Applications’, *Materials Today: Proceedings*. Elsevier Ltd, 18, pp. 2182–2190. doi: 10.1016/j.matpr.2019.07.371.
- Kumar, A. *et al.* (2019) ‘Study of Structural and Surface Morphological Properties of Tb Doped ZnO Nanoparticles Using XRD, XPS and Fractal Analysis’, *Materials Research Express*. IOP Publishing, 6(11). doi: 10.1088/2053-1591/ab445f.
- Łęcki, T. *et al.* (2019) ‘Photocatalytic Degradation of 4-Chlorophenol with The Use of FTO/TiO<sub>2</sub>/SrTiO<sub>3</sub> Composite Prepared by Microwave-Assisted Hydrothermal Method’, *Applied Surface Science*. Elsevier, 470(November 2018), pp. 991–1002. doi: 10.1016/j.apsusc.2018.11.200.
- Lee, S. J. *et al.* (2021) ‘Flexible Electrochromic and Thermochromic Hybrid Smart Window Based on a Highly Durable ITO/Graphene Transparent Electrode’, *Chemical Engineering Journal*. Elsevier B.V., 416(February), p. 129028. doi: 10.1016/j.cej.2021.129028.
- Li, L. *et al.* (2019) ‘Recent Progress in Piezoelectric Thin Film Fabrication: Via The Solvothermal Process’, *Journal of Materials Chemistry A*. Royal Society of Chemistry, 7(27), pp. 16046–16067. doi: 10.1039/c9ta04863d.
- Li, Y. *et al.* (2015) ‘Synthesis of TiO<sub>2</sub>-SrTiO<sub>3</sub> Hetero-Structured Nanorod Arrays and Their Photoelectrical Performance in All-Solid-State Dye-Sensitized Solar Cells’, *ECS Journal of Solid State Science and Technology*, 4(3), pp.

Q17–Q20. doi: 10.1149/2.0131503jss.

Liu, Y. et al. (2020) ‘Synthesis of High-Performance Electrochromic Thin Films by a Low-Cost Method’, *Ceramics International*. Elsevier Ltd, 47(6), pp. 7837–7844. doi: 10.1016/j.ceramint.2020.11.130.

Masruroh et al. (2013) ‘Penentuan Ukuran Kristal (Crystallite Size) Lapisan Tipis Pzt Dengan Metode Xrd Melalui Pendekatan Persamaan Debye Scherrer’, *Erudio Journal of Educational Innovation*, 1(2), pp. 24–29. doi: 10.18551/erudio.1-2.4.

Mazari, S. A. et al. (2021) ‘Nanomaterials: Applications, Waste-Handling, Environmental Toxicities, and Future Challenges - A review’, *Journal of Environmental Chemical Engineering*. Elsevier Ltd, 9(2), p. 105028. doi: 10.1016/j.jece.2021.105028.

Molea, A. et al. (2014) ‘Influence of pH on the Formulation of TiO<sub>2</sub> Nano-Crystalline Powders with High Photocatalytic Activity’, *Powder Technology*, 253, pp. 22–28. doi: 10.1016/j.powtec.2013.10.040.

Moongraksathum, B., Shang, J. Y. and Chen, Y. W. (2018) ‘Photocatalytic Antibacterial Effectiveness of Cu-Doped TiO<sub>2</sub> Thin Film Prepared Via the peroxy Sol-Gel Method’, *Catalysts*, 8(9). doi: 10.3390/catal8090352.

Mulyaningsih, N. N., Widiyatun, F. and Wahyuni, S. E. (2020) ‘Rekomendasi Teknik Analisis Citra SEM Dengan Menggunakan Free Software ImageJ’, *Wahana Fisika*, 5(2), pp. 104–112. doi: 10.17509/wafi.v5i2.28021.

Naghibi, S. and Gharagozlou, M. (2017) ‘Solvothermal Synthesis of M-Doped TiO<sub>2</sub> Nanoparticles for Sonocatalysis of Methylene Blue and Methyl Orange (M = Cd, Ag, Fe, Ce, and Cu)’, *Journal of the Chinese Chemical Society*, 64(6), pp. 640–650. doi: 10.1002/jccs.201700013.

Nair, P. B. et al. (2014) ‘Optical Parameters Induced by Phase Transformation in RF Magnetron Sputtered TiO<sub>2</sub> Nanostructured Thin Films’, *Progress in Natural Science: Materials International*. Elsevier, 24(3), pp. 218–225. doi: 10.1016/j.pnsc.2014.05.010.

Nikam, A. V., Prasad, B. L. V. and Kulkarni, A. A. (2018) ‘Wet Chemical Synthesis of Metal Oxide Nanoparticles: A review’, *CrystEngComm*, 20(35), pp. 5091–5107. doi: 10.1039/C8CE00487K.

Okorieimoh, C. C. et al. (2019) ‘Room-Temperature Synthesis and Optical Properties of Nanostructured Ba-Doped ZnO Thin Films’, *Superlattices and Microstructures*. Elsevier Ltd, 130(April), pp. 321–331. doi: 10.1016/j.spmi.2019.05.010.

Padmini, E. and Ramachandran, K. (2019) ‘Investigation on Versatile Behaviour of Cd Doped SrTiO<sub>3</sub> Perovskite Structured Compounds’, *Solid State Communications*. Elsevier Ltd, 302(August), p. 113716. doi: 10.1016/j.ssc.2019.113716.

- Park, D., Ju, H. and Kim, J. (2019) ‘One-Pot Fabrication of Ag–SrTiO<sub>3</sub> Nanocomposite and Its Enhanced Thermoelectric Properties’, *Ceramics International*. Elsevier Ltd and Techna Group S.r.l., 45(14), pp. 16969–16975. doi: 10.1016/j.ceramint.2019.05.245.
- Pearton, S. (2010) ‘Superhydrophilicity-Assisted Preparation of Transparent and Visible Light Activated N-Doped Titania Film’, *Nanoscale*, 2(7), p. 1057. doi: 10.1039/c005273f.
- Petrov, V. V *et al.* (2020) ‘Investigation of Rapid Gas-Sensitive Properties Degradation of ZnO–SnO<sub>2</sub> Thin Films Grown on the Glass Substrate’, *chemosensors*, 8(40), pp. 1–13.
- Pratiwi, N., Zulhadjri, Arief, S. and Wellia, D. V. (2020) ‘A Facile Preparation of Transparent Ultrahydrophobic Glass via TiO<sub>2</sub>/Octadecyltrichlorosilane (ODTS) Coatings for Self-Cleaning Material’, *ChemistrySelect*, 5(4), pp. 1450–1454. doi: 10.1002/slct.201904153.
- Pratiwi, N., Zulhadjri, Arief, S., Admi, *et al.* (2020) ‘Self-Cleaning Material Based On Superhydrophobic Coatings Through an Environmentally Friendly Sol–Gel Method’, *Journal of Sol-Gel Science and Technology*. Springer US, 96(3), pp. 669–678. doi: 10.1007/s10971-020-05389-7.
- Putri, Y. E., Saputri, M., Anwar, R., Andriani, N., Najeela, R., *et al.* (2019) ‘Peran Capping Agent terhadap Morfologi SrTiO<sub>3</sub> Bulat Berongga yang Terbentuk dari Susunan Nanokubus melalui Metode Solvothermal’, *Jurnal Kimia Valensi*, 5(1), pp. 124–132. doi: 10.15408/jkv.v5i1.9972.
- Putri, Y. E., Saputri, M., Anwar, R., Andriani, N., Ilmi, T., *et al.* (2019) ‘Peran Capping Agent terhadap Morfologi SrTiO<sub>3</sub> Bulat Berongga yang Terbentuk dari Susunan Nanokubus melalui Metode Solvothermal’, *Jurnal Kimia*, 5(1), pp. 124–132. doi: 10.15408/jkv.v5i1.9972.
- Putri, Y. E. *et al.* (2021) ‘SrTiO<sub>3</sub> Nanokubus : Sintesis , Kontrol Morfologi dan Sifat Termoelektrik ( Tinjauan )’, *Akta Kimia Indonesia*, 6(1), pp. 83–126.
- Sharma, S. *et al.* (2010) ‘A Review Chemical Vapor Deposition : Process and Application’, *ACS Nano*, 4(4), pp. 1921–1926.
- Shi, X. L. *et al.* (2020) ‘SrTiO<sub>3</sub>-Based Thermoelectrics: Progress and Challenges’, *Nano Energy*, 78(May), pp. 1–30. doi: 10.1016/j.nanoen.2020.105195.
- Somdee, A. and Osotchan, T. (2019) ‘Effect of Precipitating Agent NaOH On the Synthesis of SrTiO<sub>3</sub>/TiO<sub>2</sub> Heterostructure for Dye-Sensitized Solar Cells’, *Materials Chemistry and Physics*, 229(May 2018), pp. 210–214. doi: 10.1016/j.matchemphys.2019.03.018.
- Sujatno, A. *et al.* (2017) ‘Studi Scanning Electron Microscopy (SEM) untuk Karakterisasi Proses Oxidasi Paduan Zirkonium’, *Jurnal Forum Nuklir*, 9(1), p. 44. doi: 10.17146/jfn.2015.9.1.3563.

- Sulastri, S. and Kristianingrum, S. (2010) ‘Berbagai Macam Senyawa Silika : Sintesis, Karakterisasi dan Pemanfaatan’, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, pp. 211–216.
- Sun, Q. *et al.* (2018) ‘The Application of Heterostructured SrTiO<sub>3</sub>-TiO<sub>2</sub> Nanotube Arrays in Dye-Sensitized Solar Cells’, *Journal of The Electrochemical Society*, 165(4), pp. H3069–H3075. doi: 10.1149/2.0101804jes.
- Talari, A. C. S. *et al.* (2017) ‘Advances in Fourier Transform Infrared (FTIR) Spectroscopy of Biological Tissues’, *Applied Spectroscopy Reviews*. Taylor & Francis, 52(5), pp. 456–506. doi: 10.1080/05704928.2016.1230863.
- Tang, R. and Yin, L. (2015) ‘Enhanced Photovoltaic Performance of Dye-Sensitized Solar Cells Based on Sr-Doped TiO<sub>2</sub>/SrTiO<sub>3</sub> Nanorod Array Heterostructures’, *Journal of Materials Chemistry A*, (207890), p. 121.
- Thoif, M., Prasetyo, A. and Aini, N. (2020) ‘Sintesis Material Fotokatalis Strontium titanat (SrTiO<sub>3</sub>) dengan Metode Hidrotermal pada Variasi Suhu’, *Jurnal Kimia dan Terapannya*, 4(1), pp. 8–13. doi: 10.17977/um0260v4i12020p008.
- Wategaonkar, S. B. *et al.* (2020) ‘Synthesis of Rutile TiO<sub>2</sub> Nanostructures by Single Step Hydrothermal Route and its Characterization’, *Materials Today: Proceedings*. Elsevier Ltd., 23, pp. 444–451. doi: 10.1016/j.matpr.2020.02.065.
- Wellia, D. V. *et al.* (2016) ‘Sintesis Lapisan Tipis TiO<sub>2</sub> Berpori yang Dimodifikasi oleh Nitrogen dengan Metode Perokso Sol-Gel, Karakterisasi dan Aplikasinya sebagai Material Pembersih Diri’, *Jurnal Riset Kimia*, 9(2), pp. 1–9.
- Whiteside, P. J. D., Chininis, J. A. and Hunt, H. K. (2016) ‘Techniques and Challenges for Characterizing Metal Thin Films with Applications in Photonics’, *Coatings*, 6(3), pp. 1–26. doi: 10.3390/coatings6030035.
- Wiyono, E., Mahatmanti, F. W. and Priatmoko, S. (2018) ‘Pengaruh Jenis Prekursor dan Suhu Kalsinasi terhadap Karakteristik Komposit TiO<sub>2</sub>-SiO<sub>2</sub> dan Aplikasinya dalam Degradasi Rhodamin B’, *Jurnal MIPA UNNES*, 41(1), pp. 1–5. Available at: <https://journal.unnes.ac.id/nju/index.php/JM/article/view/15813>.
- Yamashita, T., Yamauchi, R. and Ando, K. (2018) ‘Progress in Ultrasonic Cleaning Research’, *Japanese J. Multiphase Flow*, 32(2), pp. 210–217.
- Yang, G. and Park, S. J. (2019) ‘Conventional and Microwave Hydrothermal Synthesis and Application of Functional Materials: A Review’, *Materials*, 12(7), pp. 1–18. doi: 10.3390/ma12071177.
- Yang, Y. *et al.* (2020) ‘Perovskite-Type SrTiO<sub>3</sub> Thin Film Preparation and Field Emission Properties’, *Vacuum*. Elsevier Ltd, 178(May), p. 109466. doi: 10.1016/j.vacuum.2020.109466.

Zhafirah, A. (2019) *Studi Struktur Kristal, Morfologi, Dan Sifat Optik Film Tipis ZnO Doping Mg Yang Dideposikan Dengan Metode Sol-Gel Spin Coating*, *Journal Fisika*. Universitas Negeri Semarang.

