

DAFTAR PUSTAKA

- (1) Rahmawati, Irdoni, HS. Bahrudin. Aktivasi Green Coke Menjadi Karbon Aktif Menggunakan KOH Sebagai Activating Reagent. *Jom FTEKNIK* Volume 4 No.2. **2017**.
- (2) Priyadharshini, Ravichandran. Saravanathamizhan, Ramanujam. Preparation Of Activated Petroleum Coke for Supercapacitor Aplication. *Energy Storage WILEY*. **2020** ; 2e151.
- (3) Srinivasakannan.C, El-Mootaseem, Mohammad, k. Synthesis And Characterization of Porous Cabon From Petroleum Pitch Using KOH. *Journal of Material Science and Chemical Engineering*, **2018**, 6, 53-69.
- (4) Tetra O.N, Emriadi., Alif A, Aziz H, Hanif, W. Performance of TiO₂-Carbon on Ceramic Template with Sodium Hydroxide Activation as Supercapacitor Electrode Materials, *Der Pharma Chemica*.**2016**, 8(17):26-30.
- (5) Aziz H, Tetra O.N, Alif. A. Syukri, dan Ramadhan W. Electrical Properties of Supercapacitor Electrode - Based on Activated Carbon from Waste Palm Kernel Shells *Der Pharma Chemica*.**2016**, 8.(15). 227-232.
- (6) Akmal, C. *Pemanfaatan Karbon Aktif Dari Ampas Kopi Sebagai Bahan Elektroda Superkapasitor Dengan Aktivator Zncl₂*; Skripsi. DEPARTEMEN Kimia. Universitas Andalas. Padang: Padang, **2020**.
- (7) Yueming Li, van Zijll M, Chiang S, Pan N. KOH Modified Graphene Nanosheets for Supercapacitor Electrodes. *Journal of Power Sources* **2011** ; 196 : 6003-6006.
- (8) Liu Zhi,Zhu zhi, Dai Jiangdong, and Yan Yongsheng. Waste Biomass Based-Activated Carbons Derived from Soybean Pods as Electrode Materials for High-Performance Supercapacitors. *Journal Chem Pub Soc Europe* **2018** : School of Chemistry and Chemical Engineering, Jiangsu University.
- (9) Tetra O.N, Aziz H, Emriadi, Ibrahim S, dan Alif A. Superkapasitor Berbahan Dasar Karbon Aktif dan Larutan Ionik Sebagai Elektrolit.**2018**, *Jurnal Zarah*, Vol. 6 No 1: 39-46.
- (10) Khu Le Van., Thu Thuy Luong Thi .Activated carbon derived from rice husk by NaOH activation and its application in supercapacitor. **2014**, (24):191-198.
- (11) Kotz R, and Charlen M. Principles and Aplications of Electrochemical apacitors. *Electrochim*. **2000**, (45): 2483-98.
- (12) Kumar, A., Singh, K., Brattacharya, P. Ultracapacitor Alternatif Energi Storage System. *Internasional Journal of Scientific Enginerring and Technology*. **2013**, 12 (2):1208-1210.
- (13) Tetra O.N, Emriadi, dan Gesti, U. Pemanfaatan Limbah Tempurung Biji Karet Sebagai Bahan Elektroda Ultrakapasitor, *Laporan penelitian Dosen Muda DIPA*. **2015** Unand.
- (14) Pujiyanto. Pembuatan karbon aktif super dari batu bara dan tempurung kelapa. Skripsi. **2010**, Depok. Departemen Teknik Kiimia FTUI.
- (15) Liou, Tzong-Horng. Development of mesoporous structure and high adsorption capacity of biomass-based activated carbon by Phosphoric acid and Zinc Chlorida activation. *Chemical Engineering Journal* 158. **2010**. 129-142.

- (16) Saifuddin, M., Melani, SM. Perancangan sensor kelembaban beras berbasis kapasitor. *Jurnal sains dan seni pomits* **2013**. 1(1): 1-6.
- (17) Aliza, R., Tetra, O., Alif, A . Pengaruh Suhu Pembakaran Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor. Skripsi **2015**. FMIPA Universitas Andalas.
- (18) Alif A, Aziz H, Olly Norita, dan Yantika, R. Pengaruh Elektrolit H₂SO₄ Terhadap Sifat Listrik Elektroda Campuran Zeolit Dari Bottom Ash dan Resin Damar Sebagai Superkapasitor. *Jurnal Kimia Unand* **2014**. Volume 3 (4).
- (19) Yueming Li, van Zijll M, Chiang S, Pan N. KOH Modified Graphene Nanosheets for Supercapacitor Electrodes. *Journal of Power Sources*, **2011** ; 196 : 6003-6006.
- (20) Won-Seok Choi, Wang-Geun Shim, Dong-Wan Ryu, Min-Jin Hwang and Hee-Moon, Effect Of Ball Milling On Electrochemical Characteristic Of Walnut Shell-Based Carbon Electrodes For EDLC, Microporous and Mesoporous Materials, , **2012**, 155, 274 – 280
- (21) M.Rossi, M.P. Ekaputra, F. Iskandar, M. Abdullah, Khairurrijal. Superkapasitor Menggunakan Polimer Hidrogel Elektrolit dan Elektroda Nanopori Karbon. Prosiding Seminar nasional Material **2012** : Fisika-Institut Teknologi Bandung, 1-4.
- (22) Soon Hyung Kwon, EUnji Lee, Bum-Soo Kim, Sang-Gil Kim, Byung-Jun Lee, Myung-Soo kim, and Ji Chul Jung. Activated carbon aerogel as electrode material for coin-type EDLC cell in organic electrolyte, *Current applied Physics*, . **2014**, 14 : 603 -607.
- (23) Perdana, Yola Azli., Aziz, H., Emriadi. Effect of KOH Activator on the Performance of Activated Carbon from Oil Palm Kernel Shell as Supercapacitor Electrode Material. **2019**. *J. Aceh Phys.Soc.*
- (24) Philipp, Konnerth., Dennis, Jung., Jan, W. Straten., Klaus, Raffelt., Andrea, Kruse. Metal oxide-doped activated carbons from bakery waste and coffeegrunds for application in supercapacitors. *Materials Science for Energy Technologies*. **2021**. 4 : 69-80.
- (25) R. L. Tseng, S. K. Tseng, F. C. Wu C. C. Hu, C. C. Wang, J. Chin. Institute. Chem. *Engineers*, 39 .**2008**, 37–47.
- (26) Ra E J., Raymundo-Piñero E., Lee Y H and Béguin F. *Carbon*. **2009**, 47 : 2984.
- (27) Rajasekaran, Sofia Jeniffer., Raghavan, Vimala. Facile synthesis of activated carbon derived from Eucalyptus globulus seed as efficient electrode material for supercapacitors. *Diamond & Related Materials*. **2020**, 109 : 108038.
- (28) Riyanto, Agus. Superkapasitor sebagai Piranti Penyimpan Energi Listrik Masa Depan. *Jurnal Ilmiah Pendidikan Fisika Al-Birun*. **2014**, 3(2) : 153-159.
- (29) S, Chen., J, Zhu., X, Wu., Q, Han., X, Wang. Graphene oxide–MnO₂ nanocomposites for supercapacitors. *ACS Nano*. **2010**, 4 : 2822–2830.
- (30) S, Li., K, Han., P, Si., J, Li., C, Lu. High–performance activated carbons prepared by KOH activation of gulfweed for supercapacitors. *Int. J. Electrochem. Sci*. **2018**, 13 : 1728–1743.
- (31) S, Sankar., A, Talha., A, Ahmed., A.I. Inamdar., H, Im., Y, Bin., Y, Lee., D, Young., S, Lee. Biomass-derived ultrathin mesoporous graphitic carbon nano flakes as stable electrode material for high-performance supercapacitors. *Mater. Des*. **2019**, 169 : 107688.

- (32) Sangeeta, Rawal, Bhawana, Joshi., Yogesh, Khumar. Synthesis and characterization of activated carbon from the biomass of Saccharum bengalense for electrochemical supercapacitors. *Journal of Energy Storage*. **2018**, 20418-426.
- (33) Satish R, Aravin V, Ling W C, Woei N K and Madhavi S. *Electrochim. Acta*. **2015**, 182 474.
- (34) Siti, Z., Aris, W., Nur, H., Apriza, M., Yoga, A. P., Lutfi, N., Novita, D. Analisis Luas Permukaan Zeolit Alam Termodifikasi Dengan Metode BET Menggunakan Surface Area Analyzer (SAA). Dalam Pelatihan Instrumen DEPARTEMEN Kimia FMIPA Universitas Negeri Semarang, Semarang, 2015.
- (35) Stoller MD., Ruoff RS. Best practice methods for determining an electrode material's performance for ultracapacitors. *Energy Environ Sci*. **2010**, 3 : 1294 – 1301.
- (36) Su X., Li S., Jiang S., Peng Z., Guan X., Zheng X. Superior capacitive behavior of porous activated carbon tubes derived from biomass waste-cotonier strobili fibers. *Adv Powder Technol*. 2018, 29 : 2097 – 2107.
- (37) Taer, E., Deraman, M., Talib, I.A., Awitdrus, A., Hashmi, S.A., Umar, A.A. Preparation of a Highly Porous Binderless Activated Carbon Monolith from Rubber Wood Sawdust by a Multi-Step Activation Process for Application in Supercapacitors. *Int. J. Electrochem. Sci*. **2011**, 6 : 3301-3315.
- (38) Taer, E., Taslim, R., Sugianto., Paiszal, M., Mukhlis., Mustika, W.S., Agustino. 2018. Meso- and Microporous Carbon Electrode and Its Effect on the Capacitive, Energy and Power Properties of Supercapacitor. *International Journal of Power Electronics and Drive System (IJPEDS)*. vol. 9, pp.1263-1271.
- (39) Taer, E., et al. 2018. The relationship of surface area to cell capacitance for monolith carbon electrode from biomass materials for supercapacitor application. *International Conference on Science and Technology*. Series 1116.
- (40) Taer, E., A. Afrianda, R. Taslim, Krisman, Minarni, A. Agustino, U. Malik, A. Apriwandi. **2018**. *J. Phys. Conf. Ser.* 1120 : 012007.
- (41) Taer, E., Apriwandi, R. Handayani, R. Taslim, Awitdrus, A. Amri, Agustino, I. Iwantono. **2019**. The Synthesis of Bridging Carbon Particles with Carbon Nanotubes from Areca catechu Husk Waste as Supercapacitor Electrodes. *Int. J. Electrochem. Sci*. 14 : 9436–9448.
- (42) Taer, E., Agrandi, Purnama., Apriwandi., Agustino., Rika, Taslim., Widya, Sinta Mustika. **2019**. An Optimization Method to Determine Optimum Carbonization Temperature of Banana Stems Based Activated Carbon for Supercapacitors. *Materials Science and Engineering*. 599 : 012030.
- (43) Taer, E., A, Apriwandi., Y, S. Ningsih., R, Taslim., Agustino. Preparation of Activated Carbon Electrode from Pineapple Crown Waste for Supercapacitor Application. *International Journal of Electrochemical Science*. **2019**. 2462 – 2475.
- (44) Taer, E., Taslim R., Mustika W S., Kurniasih B., Agustino., Afrianda A and Apriwandi. *Int. J. Electrochem. Sci*. **2018**, 138428
- (45) Taer, E., Rika, Taslim., Apriwandi., Agustino. Carbon nanofiber electrode synthesis from biomass materials for supercapacitor applications. *2nd International Conference and Exhibition on Powder Technology*, **2020**. 2219, 020001-1–020001-7.

- (46) Taer, E., R, Taslim., W, S Mustika., S, Nurjannah., R I Yani., Y. P Sari. **2019**. Preparation of Mission Grass Flower-Based Activated Carbon Monolith Electrode for Supercapacitor Application. *Int. J. Electrochem. Sci.*, 14 : 7317-7331.
- (47) Taer, E., Kristin Natalia., Apriwandi., Rika Taslim., Agustino., Rakhmawati Farma. **2020**. The synthesis of activated carbon nanofiber electrode made from acacia leaves (*Acacia mangium wild*) as supercapacitors. *Vietnam Academy of Science and Technology*. 11 : 025007.
- (48) Thambidurai A, Lourdusamy J K, John J V and Ganesan S. **2014**. *Korean J. Chem. Eng.* 31 : 268
- (49) T, E. Rufford., D, Hulicova-Jurcakova., Z, Zhu., G, Q. Lu. **2008**. Nanoporous carbon electrode from waste coffee beans for high performance supercapacitors. *Electrochem. Commun.* 10 : 1594–1597.
- (50) T, E. Rufford., D, Hulicova-Jurcakova., Z, Zhu., G, Q. Lu. **2009**. Empirical analysis of the contributions of mesopores and micropores to the double-layer capacitance of carbons. *J. Phys. Chem. C* 113 : 19335–19343.
- (51) U, Patil., S, Kulkarni., V, Jamadade., C, Lokhande. **2011**. Chemically synthesized hydrous RuO₂ thin films for supercapacitor application. *J. Alloys Compd.* 509 : 1677–1682.
- (52) W, Gu., G, Yushin. Review of nanostructured carbon materials for electrochemical capacitor applications: advantages and limitations of activated carbon, carbide- derived carbon, zeolite-templated carbon, carbon aerogels, carbon nanotubes, onion-like carbon, and grapheme. *WIRE Energy Environ.* **2013**; 3 : 424–473.
- (53) W. S. K. Sing, H. D. Everett, W. A. R. Haul, L. Moscou, A. R. Pierotti, J. Rouquerol, T. Siemieniowska. **1985**. *Pure & App. Chem.* 57 : 603.
- (54) Wang, L., Huang, M., Chen, S., Kang, L., He, X., Lei, Z., et al. δ -MnO₂ nanofiber/single-walled carbon nanotube hybrid film for all-solid-state flexible supercapacitors with high performance. *Journal of Materials Chemistry A*. **2017**;5 : 19107-15.
- (55) Wang Y., Qu Q., Gao S., Tang G., Liu K., He S., Huang C. Biomass derived carbon as binder-free electrode materials for supercapacitors. *Carbon*. **2019**;155 : 706–726.
- (56) Wei H., Wang H., Li A., Li H., Cui D., Dong M. Advanced porous hierarchical activated carbon derived from agricultural wastes toward high performance supercapacitors. *J Alloys Compd.* **2020**;820 : 153111.
- (57) X, Gao., W, Xing., J, Zhou., G, Wang., S, Zhuo., Z, Liu., Q, Xue., Z, Yan. Superior capacitive performance of active carbons derived from *Enteromorpha prolifera*. *Electrochimica Acta.* **2014**;133 : 459–466.
- (58) X, Zhao., L, Wei., J, Julson., Z, Gu., Y, Cao. Catalytic cracking of inedible camelina oils to hydrocarbon fuels over bifunctional Zn/ZSM-5 catalysts. *Korean Journal of Chemical Engineering.* **2015**;32 : 1528–1541.
- (59) X, Zhao., L, Wei., S, Cheng., Y, Cao., J, Julson., Z, Gu. **2015**. Catalytic cracking of carinata oil for hydrocarbon biofuel over fresh and regenerated Zn/Na-ZSM-5. *Applied Catalysis A: General.* 507 : 44–55.
- (60) X. Wei, J. Wei, Y. Li, H. Zou, Robust hierarchically interconnected porous carbons derived from discarded *Rhus typhina* fruits for ultrahigh capacitive performance supercapacitors, *J. Power Sources.* 414 (**2019**) 13–23.

- (61) X. Wu, X. Hong, Z. Luo, K.S. Hui, H. Chen, J. Wu, K.N. Hui, L. Li, J. Nan, Q. Zhang. **2013**. *Electrochim. Acta*. 89 : 400.
- (62) Xi, Lin Wu and An, Wu Xu. **2014**. Carbonaceous hydrogels and aerogels for supercapacitors. *Journal of Materials Chemistry A*. 2 : 4852–4864.
- (63) Yadav, N., Ritu, Promila, Hashmi, S.A. **2020**. Hierarchical porous carbon derived from eucalyptus bark as sustainable electrodes for highperformance solid-state supercapacitor. *Sustainable Energy Fuels*. 1 : 1-35.
- (64) Yahya, MA., Al-qodah Z., Ngah CWZ. **2015**. Agricultural biowaste materials as potential sustainable precursors used for activated carbon production. *A review. Renew Sustain Energy Rev*. 46 : 218–235.
- (65) Yin, Lihong., Chen, Yong. **2016**. 3-Dimensional hierarchical porous activated carbon derived from coconut fibers with high-rate performance for symmetric supercapacitors. *Material and Design*. 111 : 44-50
- (66) Yuhe, Cao., Keliang, Wang., et al. **2016**. Hierarchical porous activated carbon for supercapacitor derived from corn stalk core by potassium hydroxide activation. *Electrochimica Acta*. 212 : 839-847.
- (67) Zhao C., Huang Y., Shao X., Zhu Z. Rose-derived 3D carbon nanosheets for high cyclability and extended voltage supercapacitors. *Electrochim Acta*. **2018**;291 : 287 – 296.
- (68) Zhao N., Zhang P., Luo D., Xiao W., Deng L. Direct production of porous carbon nanosheets/particle composites from wasted litchi shell for supercapacitors. *J Alloys Compd*. **2019**, 788 : 677– 684.

