

## DAFTAR PUSTAKA

1. Vaughan D, Asbury T. Vaughan & Asbury's General Ophthalmology. McGraw-Hill Medical; 2007 Oct 18.
2. Mohapatra DP, *et al.* Proposal of a new classification scheme for periocular injuries. Indian journal of plastic surgery. 2017 Jan;50(01):021-8.
3. Kalaskar DK, Butler PE, Ghali S, editors. Textbook of Plastic and Reconstructive Surgery. Ucl Press; 2016 Aug 2.
4. Nevrianty K, Hendriati H. Skin Flaps and Graft in Eyelid Reconstruction. Jurnal Kesehatan Andalas. 2019 Sep 15;8(3):755-61.
5. Rani Himayani R, Yusran M. Penatalaksanaan Kasus Ruptur Palpebra dan Margo Inferior Pada Usia Remaja. Jurnal Majority. 2019;8(1):30-1.
6. Hendriati H. Laserasi Kanalis Lakrimalis pada Luka Robek Palpebra di RS. Dr. M. Djamil Padang. Majalah Kedokteran Andalas. 2015 May 2;34(2):112-20.
7. Tabatabaei A, Kasaei A, Nikdel M, Shoar S, Esmaeili S, Mafi M, Moradi M, Mansouri M, Eshraghi B, Tabatabaei Z. Clinical characteristics and causality of eye lid laceration in Iran. Oman Medical Journal. 2013 Mar;28(2):97.
8. Korehia D, Braccini F, Paris J, Thomassin JM. Transconjunctival approach in lower eyelid blepharoplasty. Canadian Journal of Plastic Surgery. 2003 Aug;11(3):166-70.
9. Netscher DT, Patrinely JR, Peltier M, Polsen C, Thornby J. Transconjunctival versus transcutaneous lower eyelid blepharoplasty: a prospective study. Plastic and reconstructive surgery. 1995 Oct 1;96(5):1053-60.
10. Griffin G, Azizzadeh B, Massry GG. New insights into physical findings associated with postblepharoplasty lower eyelid retraction. Aesthetic surgery journal. 2014 Sep 1;34(7):995-1004.
11. Park E, Lewis K, Alghoul MS. Comparison of efficacy and complications among various spacer grafts in the treatment of lower eyelid retraction: a systematic review. Aesthetic Surgery Journal. 2017 Jul 1;37(7):743-54.
12. Bartley GB, Fatourechhi V, Kadrmas EF, JACOBSEN SJ, Ilstrup DM, Garrity JA, Gorman CA. Clinical features of Graves' ophthalmopathy in an incidence cohort. American journal of ophthalmology. 1996 Mar 1;121(3):284-90.
13. Malhotra R, Sheikh I, Dheansa B. The management of eyelid burns. Survey of ophthalmology. 2009 May 1;54(3):356-71

14. Kim KH, Baek JS, Lee S, Lee JH, Choi HS, Kim SJ, Jang JW. Causes and surgical outcomes of lower eyelid retraction. *Korean Journal of Ophthalmology*. 2017 Aug 1;31(4):290-8.
15. Flowers RS. Unexpected Postoperative Problems in Skin Grafting. *Surgical Clinics of North America*. 1970 Apr 1;50(2):439-56.
16. Thorne CH. Aesthetic Surgery of the Facial Mosaic. *Plastic and Reconstructive Surgery*. 2007 Jul 1;120(1):346-7.
17. Suzuki S, Matsuda K, Nishimura Y. Proposal for A New Comprehensive Classification of VY Plasty and Its Analogues: The Pros and Cons of Inverted versus Ordinary Burow's Triangle Excision. *Plastic and Reconstructive Surgery*. 1996 Nov 1;98(6):1016-22.
18. Mellette JR, Ho DQ. Interpolation Flaps. *Dermatologic clinics*. 2005 Jan 1;23(1):87-112.
19. Khouri RK, Upton J, Shaw WW. Principles of Flap Prefabrication. *Clinics in plastic surgery*. 1992 Oct 1;19(4):763-71.
20. Perdanakusuma, DS. (2009). Surgical management of contracture in head and neck. Annual Meeting of Indonesian Symposium on Pediatric Anesthesia & Critical care, JW Marriot Hotel Surabaya.
21. Adu EJ. Management of contractures: a five-year experience at komfo anokye teaching hospital in kumasi. *Ghana Medical Journal*. 2011;45(2).
22. Dar F, Sharma R, Naqvi RH. Management of Post Burn Contracture of Upper Limb. *International Journal of Scientific Research*. 2019 Oct 3;8(9).
23. Britannica E. The New Encyclopaedia Britannica Vol: 2328. *Encyclopaedia Britannica*; 2007.
24. Lang GK. *Ophthalmology: A Pocket Textbook Atlas*; revised and enlarged- With 510 illustrations & 50 tables. Thieme; 2007.
25. Codner MA, McCord Jr CD, editors. *Eyelid and periorbital surgery*. CRC Press; 2016 Jun 22.
26. Gamber WS, Euhardy R. Contractures. In *Geriatric Rehabilitation Manual* 2007 Jan 1 (pp. 115-118). Churchill Livingstone.
27. Pandyan AD, Hermens HJ, Conway BA, editors. *Neurological Rehabilitation: Spasticity and Contractures in Clinical Practice and Research*. CRC Press; 2018 Apr 19.

28. Hoffman AJ, Jensen MP, Abresch RT, Carter GT. Chronic pain in persons with neuromuscular disease. *Physical Medicine and Rehabilitation Clinics*. 2005 Nov 1;16(4):1099-112
29. Neumann DA. Arthrokinesiologic considerations in the aged adult. Guccione AA. *Geriatric physical therapy*. 2nd ed. Alexandria: Mosby. 2000:56-77.
30. Putterman AM. Margin reflex distance (MRD) 1, 2, and 3. *Ophthalmic Plastic & Reconstructive Surgery*. 2012 Jul 1;28(4):308-11.
31. Mackinnon SE, Fielding JC, Dellon AL, Fisher DM. The incidence and degree of scleral show in the normal population. *Plastic and reconstructive surgery*. 1987 Jul 1;80(1):15-20.
32. Flowers RS, Flowers SS. Diagnosing photographic distortion. Decoding true postoperative contour after eyelid surgery. *Clinics in plastic surgery*. 1993 Apr 1;20(2):387-92.
33. Starck WJ, Griffin Jr JE, Epker BN. Objective evaluation of the eyelids and eyebrows after blepharoplasty. *Journal of oral and maxillofacial surgery*. 1996 Mar 1;54(3):297-302.
34. Oestreicher J, Mehta S. Complications of blepharoplasty: prevention and management. *Plastic surgery international*. 2012;2012.
35. Loeb R. Scleral show. *Aesthetic Surgery of the Eyelids* 1989 (pp. 13-26). Springer, New York, NY.
36. Bobby S. Korn, Cat N. Burkat, Keith D. Carter, Julian D. Perry, et al. *Oculofacial Plastic and Orbital Surgery BCSC 2019-2020*. American Academy of Ophthalmology; 2019.
37. Alghoul M. Blepharoplasty: anatomy, planning, techniques, and safety. *Aesthetic surgery journal*. 2019 Jan 1;39(1):10-28.
38. Cantor LB, Rapuano C, Cioffi GA. *Orbit, Eyelids, and Lacrimal System*. Singapore: American Academy of Ophthalmology. 2015.
39. Morales M, Ghaiy R, Itani K. Eyelid reconstruction. *Selected Readings in Plastic Surgery*. 2010;11(R2):18-41.
40. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.
41. Education and Research Archive University of Alberta [Internet] [diakses pada tanggal 18 September 2021]. Tersedia dari: <https://era.library.ualberta.ca/items/48b9b989-c221-4df6-9e35->

af782082280e/view/a1cffdde-243e-41c3-be98-885f6d4dcb29/standard\_quality\_assessment\_criteria\_for\_evaluating\_primary\_research\_papers\_from\_a\_variety\_of\_fields.pdf

42. Hayashi A, Mochizuki M, Kamimori T, Horiguchi M, Tanaka R, Mizuno H. Application of Kuhnt–Szymanowski procedure to lower eyelid margin defect after tumor resection. *Plastic and Reconstructive Surgery Global Open*. 2017 Feb;5(2).
43. Yordanov YP, Shef A. Lower Eyelid Reconstruction After Ablation of Skin Malignancies: How Far Can We Get in a Single-Stage Procedure?. *Journal of Craniofacial Surgery*. 2017 Jul 1;28(5):e477-9.
44. Gibreel W, Harvey JA, Garrity J, Bite U. Lower Eyelid Reconstruction Using a Nasolabial, Perforator-based VY Advancement Flap: Expanding the Utility of Facial Perforator Flaps. *Annals of Plastic Surgery*. 2019 Jan 1;82(1):46-52.
45. Aggarwal S, Shah CT, Kirzhner M. Modified second stage Hughes tarsoconjunctival reconstruction for lower eyelid defects. *Orbit*. 2018 Sep 3;37(5):335-40.
46. Orgun D, Hayashi A, Yoshizawa H, Shimizu A, Horiguchi M, Mochizuki M, Kamimori T, Aiba-Kojima E, Mizuno H. Oncoplastic lower eyelid reconstruction analysis. *Journal of Craniofacial Surgery*. 2019 Nov 1;30(8):2396-400.
47. Lemaître S, Lévy-Gabriel C, Desjardins L, González-Candial M, Gardrat S, Dendale R, Cassoux N, Couturaud B. Outcomes after surgical resection of lower eyelid tumors and reconstruction using a nasal chondromucosal graft and an upper eyelid myocutaneous flap. *Journal Français d'Ophtalmologie*. 2018 May 1;41(5):412-20.
48. Pham CM, Heinze KD, Mendes-Rufino-Uehara M, Setabutr P. Single-stage repair of large full thickness lower eyelid defects using free tarsoconjunctival graft and transposition flap: experience and outcomes. *Orbit*. 2020 Nov 30:1-6.
49. Mathijssen IM, van der Meulen JC. Guidelines for reconstruction of the eyelids and canthal regions. *J Plast Reconstr Aesthet Surg*. 2010;63: 1420–1433.
50. Raschke GF, Rieger UM, Bader RD, et al. Objective anthropometric analysis of eyelid reconstruction procedures. *J Craniomaxillofac Surg*. 2013;41: 52–58
51. Ogawa Y, Takemoto T, Suzuki K, et al. Application of the lateral orbital flap to reconstruction of the upper and lower eyelids and the eye socket after enucleation. *Ann Plast Surg*. 2011;66: 360–363.

52. Marchac D, de Lange A, Bine-bine H. A horizontal V-Y advancement lower eyelid flap. *Plast Reconstr Surg.* 2009;124: 1133–1141.
53. Fox SA. A modified Kuhnt-Szymanowski procedure for ectropion and lateral canthoplasty. *Am J Ophthalmol.* 1966;62:533–536.
54. Tucker S.M., Santos P.M. Survey: management of paralytic lagophthalmos and paralytic ectropion. *Otolaryngol. Head Neck Surg.* 1999;120:944–945.
55. Saint-Cyr M, Wong C, Schaverien M, et al. The perforasome theory: vascular anatomy and clinical implications. *Plast Reconstr Surg.* 2009;124:1529–1544.
56. Kovacevic P, Hrgovic I, Kovacevic T, et al. Single stage turn in perforator infraorbital artery island flap for nasal ala reconstruction. *Med Arch.* 2013;67: 450–453.
57. He B, Song J, Fan X. Clinical application of nasolabial subcutaneous pedicle skin flap with infraorbital artery. *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi.* 1994;10:423–425.
58. Luu ST, Cannon PS, Selva D. Hypertrophic changes of the lower eyelid margin after hughes procedure for eyelid reconstruction: the management and outcomes. *Ophthal Plast Reconstr Surg.* 2010;26(5):344–347.
59. Dua HS, Gomes JA, King AJ, Maharajan VS. The amniotic membrane in ophthalmology. *Surv Ophthalmol.* 2004;49(1):51–77.
60. Quatrano NA, Stevenson ML, Sclafani AP, et al. V-Y advancement flap for defects of the lid-cheek junction. *Facial Plast Surg.* 2017;33:329–333
61. Marchac D, de Lange A, Bine-bine H. A horizontal V-Y advancement lower eyelid flap. *Plast Reconstr Surg.* 2009;124:1133–1141
62. Baker SR. *Local Flaps in Facial Reconstruction.* 3rd. Philadelphia, PA: Elsevier; 2014
63. Hawes MJ, Grove AS, Hink EM. Comparison of free tarsoconjunctival grafts and Hughes tarsoconjunctival grafts for lower eyelid reconstruction. *Ophthal Plast Reconstr Surg.* 2011 Jun;27(3):219–223.
64. Zinkernagel MS, Catalano E, Ammann-Rauch D. Free tarsal graft combined with skin transposition flap for full-thickness lower eyelid reconstruction. *Ophthal Plast Reconstr Surg.* 2007 Jun;23(3):228–231.
65. Thornton JF, Gosman AA. Skin grafts and skin substitutes. Selected readings in plastic surgery. 2004;10(1):1-24.

66. Tenzel RR, Stewart WB. Eyelid reconstruction by the semicircle flap technique. *Ophthalmology*. 1978 Nov;85(11):1164–1169.
67. Emesz M, Krall EM, Rasp M, Bauer FM, Grabner G, Arlt EM. Transplants from the hard palate: method for mucosal graft reconstruction of the upper eyelid. *Ophthalmologie*. 2014;111:853–61.
68. Ito O, Suzuki S, Park S, Kawazoe T, Sato M, Saso Y, et al. Eyelid reconstruction using a hard palate mucoperiosteal graft combined with a V-Y subcutaneously pedicled flap. *Br J Plast Surg*. 2001;54:106–11.
69. Pérez-Guisado J, de Haro-Padilla JM, Rioja LF. Chondromucosal nasal flap with the transposition flap of von langenbeck as a good election for the total lower eyelid defect reconstruction in an old patient with an elevated vision loss in the contralateral eye. *Eplasty* 2011;11:e30.
70. Suga H, Ozaki M, Narita K, Kurita M, Shiraishi T, Ohura N, et al. Comparison of nasal septum and ear cartilage as a graft for lower eyelid reconstruction. *J Craniofac Surg*. 2016;27: 305–7.
71. Harris GJ, Perez N. Anchored flaps in post-Mohs reconstruction of the lower eyelid, cheek, and lateral canthus: avoiding eyelid distortion. *Ophthalmic Plastic & Reconstructive Surgery*. 2003 Jan 1;19(1):5-13.
72. Ophthalmology AA of, Weisenthal RW, Staff AA of O, Ophthalmology EB of. 2018–2019 Basic and Clinical Science Course (BCSC). American Academy of Ophthalmology; 2018.
73. Hughes WL. A new method for rebuilding a lower lid: report of a case. *Arch Ophthalmol*. 1937 Jun 1;17 (6):1008–1017.
74. McNab AA. Early division of the conjunctival pedicle in modified Hughes repair of the lower eyelid. *Ophthalmic Surg Lasers*. 1996 Jun;27(6):422–424.
75. de Ruyter L, Mourits MP. Re: “Comparison of free tarsoconjunctival grafts and Hughes tarsoconjunctival grafts for lower eyelid reconstruction”. *Ophthalm Plast Reconstr Surg*. 2011 Dec;27(6):468; 469.
76. Skippen B, Hamilton A, Evans S, Bengner R. One-stage alternatives to the hughes procedure for reconstruction of large lower eyelid defects: surgical techniques and outcomes. *Ophthalm Plast Reconstr Surg*. 2016 Apr;32 (2):145–149.
77. Tenzel RR, Stewart WB. Eyelid reconstruction by the semicircle flap technique. *Ophthalmology*. 1978 Nov 1;85(11):1164-9.
78. Cha JA, Lee KA. Reconstruction of periorbital defects using a modified Tenzel flap. *Archives of Craniofacial Surgery*. 2020 Feb;21(1):35.

79. Agrawal S, Gupta S, Sujeeth M, Das D, Gupta P, Gupta N, Akkara JD, Murchison A, Yen MT, Rubinstein T. Eyelid Reconstruction.
80. Bashour M. Lower Eyelid Reconstruction Treatment and Management. MedScape. 2020 Aug;11.
81. Chen CM, Mehrara BJ. Principle of surgical flaps. Dalam: Kryger ZB, Sisco M, editor (penyunting). Practical Plastic Surgery. Landes Bioscience. 2007 Aug 13:49-55.
82. Kale B, Buyukcavus MH, Esenlik EL. Comparison of the change in inferior sclera exposure after maxillary protraction with or without skeletal anchorage. Nigerian Journal of Clinical Practice. 2018 Jul 16;21(7):854-8.
83. Baker S. Local Flaps in Facial Reconstruction (ed 2). St Louis, MO, Mosby, Elsevier. 2007.

