

DAFTAR PUSTAKA

- [1] M. Chairul Basrun Umanailo, *Ilmu sosial budaya dasar*. 2016.
- [2] F. Ismandari, “Situasi Disabilitas,” *Pus. Data dan Inf. Kementerian Kesehat. RI*, pp. 1–10, 2019.
- [3] O. Kharchenko, “UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 19 TAHUN 2011 TENTANG PENGESAHAN CONVENTION ON THE RIGHTS OF PERSONS WITH DISABILITIES (KONVENSI MENGENAI HAK-HAK PENYANDANG DISABILITAS),” *Phys. Rev. E*, 2011, [Online]. Available: <http://www.ainfo.inia.uy/digital/bitstream/item/7130/1/LUZARDO-BUIATRIA-2017.pdf>.
- [4] N. Wahida, “Eksplorasi Orang Cacat sebagai Pengemis di Kawasan Jl. Veteran, Kota Makassar (Studi Kasus tentang Pengemis Tunadaksa),” 2017, [Online]. Available: https://digilibadmin.unismuh.ac.id/upload/6581-Full_Text.pdf.
- [5] Y. Zamrodah, “Akuntabilitas Pelaksanaan Program Keluarga Harapan(PKH),” vol. 15, no. 2, pp. 1–23, 2016.
- [6] S. Mahmud *et al.*, “A multi-modal human machine interface for controlling a smart wheelchair,” *Proceeding - 2019 IEEE 7th Conf. Syst. Process Control. ICSPC 2019*, no. December, pp. 10–13, 2019, doi: 10.1109/ICSPC47137.2019.9068027.
- [7] A. Hartman and V. K. Nandikolla, “Human-Machine Interface for a Smart Wheelchair,” *J. Robot.*, vol. 2019, 2019, doi: 10.1155/2019/4837058.
- [8] M. Ajay, P. Srinivas, and L. Netam, “Smart Wheelchair,” *AI IoT-Based Intell. Autom. Robot.*, pp. 271–284, 2021, doi: 10.1002/9781119711230.ch16.
- [9] S. D. Suryawanshi, J. S. Chitode, and S. S. Pethakar, “Voice Operated Wheelchair,” *Int. J.*, vol. 2, no. 9, pp. 62–70, 2012, [Online]. Available: http://www.ijarcse.com/docs/papers/July2012/Volume_2_issue_7/V2I700161.pdf%5Cnhttp://ijarcse.com/docs/papers/9_September2012/Volume_2_issue_9/V2I900140.pdf.
- [10] A. S and R. G Nair, “Voice Controlled Wheelchair using Arduino,” *Int. Adv. Res. J. Sci. Eng. Technol.*, vol. 2, no. 2, pp. 197–205, 2015, doi: 10.17148/IARJSET.
- [11] A. A., “Design of Voice Controlled Smart Wheelchair,” *Int. J. Comput. Appl.*, vol. 131, no. 1, pp. 32–38, 2015, doi: 10.5120/ijca2015907235.
- [12] P. N. S, S. S, A. A, and U. nila, “Gesture Controlled Wheelchair,” *Innov. Inf. Commun. Technol. Ser.*, vol. 4, no. 8, pp. 323–324, 2020, doi: 10.46532/978-81-950008-1-4_070.
- [13] E. Nurmiyanto, M. H. Fatoni, and A. Arifin, “Desain Ergonomi Kursi Roda Listrik Dengan Lumbar Support Dan Penggerak Joystick Sebagai Teknologi Asistif,” *JPKMBD (Jurnal Pengabdian. Kpd. Masy. Bina Darma)*, vol. 1, no. 2, pp. 149–163, 2021, [Online]. Available: <https://doi.org/10.33557/pengabdian.v1i1>.

- [14] I. Muchlis, R. Maulana, and H. Fitriyah, "Implementasi Pengenalan Pergerakan Bola Mata Menggunakan Elektroda Dengan Exponential Filter," *Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 2, no. 9, pp. 3093–3102, 2018.
- [15] R. Barea, L. Boquete, M. Mazo, and E. López, "Wheelchair guidance strategies using EOG," *J. Intell. Robot. Syst. Theory Appl.*, vol. 34, no. 3, pp. 279–299, 2002, doi: 10.1023/A:1016359503796.
- [16] Q. Huang *et al.*, "An EOG-based human-machine interface for wheelchair control," *IEEE Trans. Biomed. Eng.*, vol. 65, no. 9, pp. 2023–2032, 2018, doi: 10.1109/TBME.2017.2732479.
- [17] E. Iáñez, A. Úbeda, J. M. Azorín, and C. Perez-Vidal, "Assistive robot application based on an RFID control architecture and a wireless EOG interface," *Rob. Auton. Syst.*, vol. 60, no. 8, pp. 1069–1077, 2012, doi: 10.1016/j.robot.2012.05.006.
- [18] A. Al-Haddad, R. Sudirman, C. Omar, K. Y. Hui, and M. R. Jimin, "Wheelchair motion control guide using eye gaze and blinks based on PointBug algorithm," *Proc. - 3rd Int. Conf. Intell. Syst. Model. Simulation, ISMS 2012*, pp. 37–42, 2012, doi: 10.1109/ISMS.2012.23.
- [19] D. Cojocar, L. F. Manta, I. C. Vladu, A. Dragomir, and A. M. Mariniuc, "Using an eye gaze new combined approach to control a wheelchair movement," *2019 23rd Int. Conf. Syst. Theory, Control Comput. ICSTCC 2019 - Proc.*, pp. 626–631, 2019, doi: 10.1109/ICSTCC.2019.8886158.
- [20] L. D. Lledó, A. Úbeda, E. Iáñez, and J. M. Azorín, "Internet browsing application based on electrooculography for disabled people," *Expert Syst. Appl.*, vol. 40, no. 7, pp. 2640–2648, 2013, doi: 10.1016/j.eswa.2012.11.012.
- [21] A. N. Rajesh, S. Chandralingam, T. Anjaneyulu, and K. Satyanarayana, "EOG Controlled Motorized Wheelchair for Disabled," *Int. Sch. Sci. Res. Innov.*, vol. 8, no. 5, pp. 302–305, 2014.
- [22] F. Fityah, "PERANCANGAN SISTEM ON/OFF PADA KURSI RODA EOG UNTUK MENGHINDARI KESALAHAN NAVIGASI AKIBAT MATA LELAH MENGGUNAKAN METODE JARINGAN SARAF TIRUAN," no. 1996, p. 6, 2021.
- [23] Z. A. Haq and Z. Hasan, "Eye-blink rate detection for fatigue determination," *India Int. Conf. Inf. Process. IICIP 2016 - Proc.*, no. August 2016, 2017, doi: 10.1109/IICIP.2016.7975348.
- [24] D. Purwanto, R. Mardiyanto, and K. Arai, "Electric wheelchair control with gaze direction and eye blinking," *Artif. Life Robot.*, vol. 14, no. 3, pp. 397–400, 2009, doi: 10.1007/s10015-009-0694-x.
- [25] R. Candra, "SISTEM PENGOPERASIAN KURSI RODA MENGGUNAKAN SENSOR ELECTROOCULOGRAPHY DENGAN METODE KLASIFIKASI K-NEAREST NEIGHBOR," pp. 9–25, 2019.
- [26] R. Bangun and K. Roda, "Rancang bangun kursi roda," no. 2, pp. 174–186, 2015.
- [27] P. Farastya, "7 Ragam Kursi Roda, Unik dan Bermanfaat Untuk Segala Kondisi," *Online*. <https://www.medicalogy.com/blog/7-ragam-kursi-roda-unik-dan-bermanfaat-untuk-segala-kondisi/> (accessed Aug. 08, 2022).
- [28] Krisnan, "Kursi Roda Elektrik dan Manual: Berikut Ini Kelebihan dan Kekurangannya," *Online*, 2019. .
- [29] A. Rizal, H. F. Perdana, and F. Y. Suratman, "Pengembangan Sistem

- Pengendali Kursor Menggunakan Sinyal Elektrokulogram (EOG),” *JTIM J. Teknol. Inf. dan Multimed.*, vol. 1, no. 2, pp. 143–149, 2019, doi: 10.35746/jtim.v1i2.19.
- [30] J. M. Zain, W. M. Wan Mohd., and H. Cherifi, “Robust Eye Movement Recognition Using EOG Signal for Human-Computer Interface,” *Commun. Comput. Inf. Sci.*, vol. 180 CCIS, no. PART 2, 2011, doi: 10.1007/978-3-642-22191-0.
- [31] M. I. Rusydi, M. Sasaki, and S. Ito, “Affine transform to reform pixel coordinates of EOG signals for controlling robot manipulators using gaze motions,” *Sensors (Switzerland)*, vol. 14, no. 6, pp. 10107–10123, 2014, doi: 10.3390/s140610107.
- [32] L. R. Sullivan, “Technical tips: Eye movement monitoring,” *Am. J. EEG Technol.*, vol. 33, no. 2, pp. 135–147, 1993, doi: 10.1080/00029238.1993.11080442.
- [33] M. Merino, O. Rivera, I. Gómez, A. Molina, and E. Dorrnoro, “A method of EOG signal processing to detect the direction of eye movements,” *Proc. - 1st Int. Conf. Sens. Device Technol. Appl. SENSORDEVICES 2010*, pp. 100–105, 2010, doi: 10.1109/SENSORDEVICES.2010.25.
- [34] J. Webster, “Medical instrumentation: application and design, Fourth edition,” *John Wiley Sons, Inc. USA*, pp. 590–606, 2010.
- [35] Ambu, “Ambu ® Cardiology Sensors Ambu ® electrodes Ambu ® BlueSensor electrodes,” 2022.
- [36] H. N. Hakim, R. Maulana, and D. Syauqy, “Implementasi Alat Bantu Komunikasi Menggunakan Pergerakan Bola Mata berbasis Electrooculography dengan Metode Derivative Function,” vol. 4, no. 3, pp. 867–873, 2020.
- [37] L. E. Nuryanto, “Penerapan Dari Op-Amp (Operational Amplifier),” *Orbith*, vol. 13, no. 1, pp. 43–50, 2017, [Online]. Available: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ad=rja&uact=8&ved=2ahUKEwj_7-Da0JLsAhXRF3IKHadsBEUQFjAAegQIBxAC&url=https%3A%2F%2Fjurnal.polines.ac.id%2Findex.php%2Fforbith%2Farticle%2Fview%2F950%2F773&usq=AOvVaw3t8w3AgTQ20ITD988w88bE.
- [38] F. Fadliandi and A. Asriyadi, “Eksperimen dan Simulasi Rangkaian Band Pass Filter (BPF) dengan Resistor dan Kapasitor,” *Resist. (elektRONika kEndali Telekomun. tenaga List. kOMputeR)*, vol. 1, no. 2, p. 69, 2018, doi: 10.24853/resistor.1.2.69-78.
- [39] F. Farida and E. Setijadi, “Perancangan Filter Bandpass dengan Teknik Penggabungan Filter Lowpass dan Highpass,” *J. Sustain. J. Has. Penelit. dan Ind. Terap.*, vol. 7, no. 1, pp. 32–38, 2018, doi: 10.31629/sustainable.v7i1.436.
- [40] M. Sasaki, M. S. A. Bin Suhaimi, K. Matsushita, S. Ito, and M. I. Rusydi, “Robot Control System Based on Electrooculography and Electromyogram,” *J. Comput. Commun.*, vol. 03, no. 11, pp. 113–120, 2015, doi: 10.4236/jcc.2015.311018.
- [41] M. SASAKI, S. ITO, K. TAKEDA, T. OKAMOTO, and M. I. RUSYDI, “Developing a two-link robot arm controller using voluntary blink,” *J. Japan Soc. Appl. Electromagn. Mech.*, vol. 22, no. 4, pp. 475–481, 2014, doi:

- 10.14243/jsaem.22.475.
- [42] M. Duguleana and G. Mogan, "Using eye blinking for EOG-based robot control," *IFIP Adv. Inf. Commun. Technol.*, vol. 314, no. 29, pp. 343–350, 2010, doi: 10.1007/978-3-642-11628-5_37.
- [43] M. I. Rusydi, M. Bahri, R. S. Ryaldi, F. Akbar, K. Matsuhita, and M. Sasaki, "Recognition of horizontal gaze motion based on electrooculography using tsugeno fuzzy logic," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 602, no. 1, 2019, doi: 10.1088/1757-899X/602/1/012029.
- [44] C. Yue, "EOG Signals in Drowsiness Research," 2011, [Online]. Available: <http://liu.diva-portal.org/smash/record.jsf?pid=diva2:555912>.
- [45] Q. Start and E. Schritte, "Ni usb-6008/6009," pp. 1–26, 2012.
- [46] N. I. C. A. R. RESERVED, "NI USB 6008 Multifunction I/O Device," *Online*, 2022. <https://www.ni.com/en-id/support/model.usb-6008.html> (accessed Aug. 07, 2022).
- [47] M. K. Eko Prasetiawan, Aris Sugiharto, S.Si., M.Kom., Sukmawati Nur Endah, S.Si., "ANALISIS POLA GARIS DASAR TULISAN TANGAN UNTUK MENGIDENTIFIKASI KEPRIBADIAN SESEORANG MENGGUNAKAN," *J. Informatics Technol.*, vol. 2, no. 3, pp. 125–133, 2013.
- [48] Y. X. Chu, X. G. Liu, and C. H. Gao, "Multiscale models on time series of silicon content in blast furnace hot metal based on Hilbert-Huang transform," *Proc. 2011 Chinese Control Decis. Conf. CCDC 2011*, pp. 842–847, 2011, doi: 10.1109/CCDC.2011.5968300.
- [49] D. Kerami and H. Murfi, "Kajian Kemampuan Generalisasi Support Vector Machine Dalam Pengenalan Jenis Splice Sites Pada Barisan Dna," *MAKARA Sci. Ser.*, vol. 8, no. 3, pp. 89–95, 2010, doi: 10.7454/mss.v8i3.451.
- [50] Satriyo, M. I. Hadikusuma, and S. A. Salim, "Rancang Bangun Modul Praktikum Pemrograman Labview," vol. 1, no. 1, pp. 35–44, 2020.
- [51] Y. Zamrodah, "Pengenalan LabVIEW," vol. 15, no. 2, pp. 1–23, 2016.
- [52] B. Cahyono, "Penggunaan Software Matrix Laboratory (Matlab) Dalam Pembelajaran Aljabar Linier," *Phenom. J. Pendidik. MIPA*, vol. 3, no. 1, pp. 45–62, 2016, doi: 10.21580/phen.2013.3.1.174.
- [53] Suparto, "Analisis Korelasi Variabel -Variabel Yang Mempengaruhisiswa Dalam Memilih Perguruan Tinggi," *J. IPTEK*, vol. 18, no. 02, pp. 1–9, 2017, [Online]. Available: <https://ejurnal.itats.ac.id/iptek>.