

DAFTAR PUSTAKA

1. Cheng JC, Castelein RM, Chu WC, et al. Adolescent idiopathic scoliosis. *Nat Rev Dis Prim.* 2015;1.
2. Yaman O, Dalbayrak S. Idiopathic scoliosis. *Turk Neurosurg.* 2014;24(5):646–57.
3. Luk KDK, Lee CF, Cheung KMC, et al. Clinical Effectiveness of School Screening for Adolescent Idiopathic Scoliosis. *Spine.* 2010;35(17):1607–14.
4. Choudhry MN, Ahmad Z, Verma R. The Open Orthopaedics Journal Adolescent Idiopathic Scoliosis. *Open Orthop J.* 2016;10(16):143–54.
5. Suh SW, Modi HN, Yang JH, et al. Idiopathic scoliosis in Korean schoolchildren: A prospective screening study of over 1 million children. *Eur Spine J.* 2011;20(7):1087–94.
6. Komang-Agung IS, Dwi-Purnomo SB, Susilowati A. Prevalence rate of adolescent idiopathic scoliosis: Results of school-based screening in surabaya, Indonesia. *Malaysian Orthop J.* 2017;11(3):17–22.
7. Syifaurrehman. Karakteristik Pasien Adolescent Idiopathic Scoliosis di Poliklinik Orthopedi RSUP DR. M. DJAMIL Padang Tahun 2013-2019. *J Kesehat Andalas.* 2020;
8. Serena S, Clifford B, Bobby K, et al. Disorders, Diseases & Injuries of the Spine. California: *The McGraw-Hill Companies*; 2007.
9. Huh S, Eun LY, Kim NK, et al. Cardiopulmonary function and scoliosis severity in idiopathic scoliosis children. *Korean J Pediatr.* 2015;58(6):218.
10. Hamblen D, Simpson A. Adam's Outline of Orthopaedics. 14th ed. England: *Churchill Livingstone Elsevier*; 2010.
11. Caubet JF, Emans JB, Smith JT, et al. Increased hemoglobin levels in patients with early onset scoliosis: Prevalence and effect of a treatment with vertical expandable prosthetic titanium Rib (VEPTR). *Spine.* 2009;34(23):2534–6.
12. Glotzbecker M, Miller P, Vitale M, et al. Hemoglobin Levels Pre- and Posttreatment as a Surrogate for Disease Severity in Early-Onset Scoliosis. *Spine Deform.* 2019;7(4):641–6.
13. Barrett KK, Lee C, Myung K, et al. The Effect of Growing Rod Treatment on Hemoglobin and Hematocrit Levels in Early-onset Scoliosis. *J Pediatr Orthop.* 2016;36(6):618–20.
14. Shakil H, Iqbal ZA, Al-Ghadir AH. Scoliosis: Review of types of curves, etiological theories and conservative treatment. *J Back Musculoskelet Rehabil.* 2014;27(2):111–5.
15. Konieczny MR, Senyurt H, Krauspe R. Epidemiology of adolescent idiopathic scoliosis. *J Child Orthop.* 2013;7(1):3–9.

16. Trobisch P, Suess O, Schwab F. Die idiopathische skoliose. *Dtsch Arztebl.* 2010;107(49):875–84.
17. Ruggiero CS, Severini A, Pasqualini DD, et al. Consenso de escoliosis idiopática del adolescente. 2016;114(6):585–94.
18. Ovadia D. Classification of adolescent idiopathic scoliosis (AIS). *J Child Orthop.* 2013;7(1):25–8.
19. King HA. the Selection of Fusion Levels in Thoracic Idiopathic Scoliosis. *J Pediatr Orthop.* 1984;4(3):391.
20. Hoashi JS, Cahill PJ, Bennett JT, et al. Adolescent Scoliosis Classification and Treatment. *Neurosurg Clin N Am.* 2013;24(2):173–83.
21. Vrtovec T, Pernuš F, Likar B. A review of methods for quantitative evaluation of axial vertebral rotation. *Eur Spine J.* 2009;18(8):1079–90.
22. Greiner KA. Adolescent idiopathic scoliosis: radiologic decision-making. *Am Fam Physician.* 2002;65(9):1817–22.
23. Kikanloo SR, Tarpada SP, Cho W. Etiology of adolescent idiopathic scoliosis: A literature review. *Asian Spine J.* 2019;13(3):519–26.
24. Wang WJ, Yeung HY, Chu WCW, et al. Top theories for the etiopathogenesis of adolescent idiopathic scoliosis. *J Pediatr Orthop.* 2011;31(1 SUPPL.):14–27.
25. Ramírez M, Martínez-Llorens J, Sanchez JF, Bagó J, Molina A, Gea J, et al. Body composition in adolescent idiopathic scoliosis. *Eur Spine J.* 2013;22(2):324–9.
26. Cheng JCY, Guo X, Sher AHL. Persistent osteopenia in adolescent idiopathic scoliosis: A longitudinal follow-up study. Vol. 24, *Spine.* 1999. p. 1218–22.
27. Jiang H, Meng Y, Jin X, et al. Volumetric and fatty infiltration imbalance of deep paravertebral muscles in adolescent idiopathic scoliosis. *Med Sci Monit.* 2017;23:2089–95.
28. Bao H, Yan P, Lonner B, et al. Validation of the simplified Chinese version of the body image disturbance questionnaire-scoliosis. *Spine.* 2015;40(21):E1155–60.
29. Burton MS. Diagnosis and treatment of adolescent idiopathic scoliosis. *Pediatr Ann.* 2013;42(11):224–8.
30. Diab M. Physical Examination in Adolescent Idiopathic Scoliosis. *Neurosurg Clin N Am.* 2007;18(2):229–36.
31. Horne JP, Flannery R, Usman S. Adolescent idiopathic scoliosis: Diagnosis and management. *Am Fam Physician.* 2014;89(3):193–8.
32. Yawn BP, Yawn RA, Hodge D, et al. A population-based study of school scoliosis screening. *J Am Med Assoc.* 1999;282(15):1427–32.
33. Reamy B V., Slakey JB. Adolescent idiopathic scoliosis: Review and current concepts. *Am Fam Physician.* 2001;64(1):111–6.

34. Bunnell WP. Selective screening for scoliosis. *Clin Orthop Relat Res.* 2005;(434):40–5.
35. Janicki JA, Frcsc BA. joseph A janicki. Scoliosis Review of diagnosis and treatment. *Paediatric Child Heal.* 2007;12(9):771–6.
36. Altaf F, Gibson A, Dannawi Z, Noordeen H. Adolescent idiopathic scoliosis. *BMJ.* 2013;346(7906):1–7.
37. Schiller JR, Thakur NA, Ebersson CP. Brace management in adolescent idiopathic scoliosis. *Clin Orthop Relat Res.* 2010;468(3):670–8.
38. Maruyama T, Takeshita K. Surgical treatment of scoliosis: A review of techniques currently applied. *Scoliosis.* 2008;3(1):1–6.
39. Jada A, Mackel CE, Hwang SW, et al. Evaluation and management of adolescent idiopathic scoliosis: A review. *Neurosurg Focus.* 2017;43(4):1–9.
40. Weiss HR, Karavidas N, Moramarco M, et al. Long-term effects of untreated adolescent idiopathic scoliosis: A review of the literature. *Asian Spine J.* 2016;10(6):1163–9.
41. Kempen DHR, Heemskerk JL, Kaçmaz G, et al. Pulmonary function in children and adolescents with untreated idiopathic scoliosis: a systematic review with meta-regression analysis. *Spine J.* 2022 Jul;22(7):1178–90.
42. Campbell RM. The Characteristics of Thoracic Insufficiency Syndrome Congenital Scoliosis. *J Bone Jt Surg.* 2003;85-A(3):399–408.
43. Kamtsiuris P, Atzpodien K, Ellert U, et al. Prävalenz von somatischen Erkrankungen bei Kindern und Jugendlichen in Deutschland: Ergebnisse des Kinder- und Jugendgesundheitsurveys (KiGGS). *Bundesgesundheitsblatt - Gesundheitsforsch - Gesundheitsschutz.* 2007;50(5–6):686–700.
44. Herrera-Soto JA, Vander Have KL, Barry-Lane P, et al. Retrospective study on the development of spinal deformities following sternotomy for congenital heart disease. *Spine.* 2007;32(18):1998–2004.
45. Daruwalla JS, Balasubramaniam P, Chay SO, et al. Idiopathic scoliosis. Prevalence and ethnic distribution in Singapore schoolchildren. *J Bone Jt Surg - Ser B.* 1985;67(2):182–4.
46. Ji LD, Xu J, Wu DD, et al. Association of disease-predisposition polymorphisms of the melatonin receptors and sunshine duration in the global human populations. *J Pineal Res.* 2010;48(2):133–41.
47. Esposito T, Uccello R, Caliendo R, Di Martino GF, Gironi Carnevale UA, Cuomo S, et al. Estrogen receptor polymorphism, estrogen content and idiopathic scoliosis in human: A possible genetic linkage. *J Steroid Biochem Mol Biol.* 2009;116(1–2):56–60.
48. Marrero-Ortiz P, Fernández C, Restrepo RL C, et al. Síndrome de insuficiencia torácica. *Acta Ortopédica Mex.* 2020;34(4):254–60.
49. Cakrawati D, Mustika NH. Bahan Pangan, Gizi, dan Kesehatan. Bandung: Alfabeta; 2012.

50. Guyton, A.C., Hall. Fisiologi Kedokteran. Jakarta: Penerbit Buku Kedokteran EGC; 2007.
51. Seprianto SM, Sainab S. Studi Kadar CO Udara & Kadar COHB Darah Karyawan Mekanik Otomotif Bengkel Perawatan & Perbaikan. *J Bionature*. 2015;16(1):49–53.
52. Barrett KE, Barman SM, Boitano S, Brooks HL. Ganong Buku Ajar Fisiologi Kedokteran. Vol. 90, *Memórias do Instituto Oswaldo Cruz*. 1995. 215–216 p.
53. Bakta I. Hematologi Klinik Ringkas. Penerbit Buku Kedokteran EGC; 2003. 98–109 p.
54. Smorgick Y, Settecerri JJ, Baker KC, et al. Spinal cord position in adolescent idiopathic scoliosis. *J Pediatr Orthop*. 2012;32(5):500–3.
55. Switzer T, Naraine N, Chamlati R, et al. Association between preoperative hemoglobin levels after iron supplementation and perioperative blood transfusion requirements in children undergoing scoliosis surgery. *Paediatr Anaesth*. 2020;30(10):1077–82.

