

**GAMBARAN ANTENATAL CARE PADA PASIEN  
PREEKLAWSIA DAN EKLAMSIA DI  
RSUP DR. M. DJAMIL PADANG  
PERIODE 2021**



**Dosen Pembimbing:**

**Dr. dr. Ariadi, Sp.OG  
Dr. Hasmiwati, M.Kes**

**FAKULTAS KEDOKTERAN  
UNIVERSITAS ANDALAS  
PADANG  
2022**

## ***ABSTRACT***

### ***DESCRIPTIVE OF ANTENATAL CARE IN PREECLAMPSIA AND ECLAMPSIA PATIENTS IN RSUP DR. M DJAMIL PADANG PERIOD 2021***

*By*

**Fahra Audina Aisha, Ariadi, Hasmiwati,  
Puja Agung Antonius, Zurayya Fadila**

Preeclampsia is an illness where hypertension and proteinuria after the gestational age of 20 weeks on a patient who normotensive before. Eclampsia is a generalized seizure in woman with preeclampsia. Preeclampsia is the main factor of morbidity and mortality of mothers worldwide. A high-quality ANC can be the right action to lower the number of AKI in Indonesia in a shorter period. This research is conducted to figure out the illustration of ANC on a preeclampsia and eclampsia patient who is undergoing a treatment at RSUP Dr. M. Djamil Padang for the 2021 period.

This is a descriptive retrospective research with 42 samples. The data was taken from the patients KIA books that were connected through the cell phone numbers recorded in the medical report. The data was then assessed with univariate analysis in SPSS to figure out the illustration of ANC.

The outcomes of the research are the sample with the age of 20-35 years is 73,8%, senior high school education are 52,4%, and housewife job with 72,7%. Patients with preeclampsia are 78,6% and with eclampsia are 21,4%. The visit of ANC that filled K4 at around 61,9% and the one that fulfilled the 7T standard is at 88,1%.

In conclusion, the majority of patients are aged 20- 35 years, based on education the majority of samples are senior high school, and the majority of samples are housewife. The spread of preeclampsia cases are 78,6% and the case for eclampsia are around 21,4%. The majority of visit of ANC didn't do the minimum K4 visit number. Based on the 7T ANC standard, the majority of sample have met the 7T standard

**Keywords:** Antenatal Care, ANC visits, Standard 7T, Preeclampsia, Eclampsia

## ABSTRAK

### GAMBARAN *ANTENATAL CARE* PADA PASIEN PREEKLAMSIA DAN EKLAMSIA DI RSUP DR. M DJAMIL PADANG PERIODE 2021

Oleh  
**Fahra Audina Aisha, Ariadi, Hasmiwati,  
Puja Agung Antonius, Zurayya Fadila**

Preeklamsia merupakan terjadinya hipertensi dan proteinuria setelah usia kehamilan 20 minggu pada pasien yang sebelumnya normotensif. Eklamsia merupakan kondisi kejang umum pada wanita dengan preeklamsia. Preeklamsia adalah penyebab utama morbiditas dan mortalitas ibu di seluruh dunia. Dengan ANC yang berkualitas, hal ini dapat menjadi upaya untuk mempercepat penurunan AKI di Indonesia. Penelitian ini bertujuan untuk mengetahui gambaran ANC pada pasien preeklamsia dan eklamsia yang menjalani perawatan di RSUP Dr. M. Djamil Padang periode 2021.

Penelitian ini merupakan penelitian deskriptif retrospektif dengan sampel pasien. Data didapatkan dari buku KIA pasien yang dihubungi melalui nomor telepon yang tercatat di rekam medis. Kemudian data dianalisis dengan analisis univariat di SPSS untuk mengetahui gambaran ANC.

Hasil penelitian ini adalah sampel preeklamsia dan eklamsia dengan usia 20-35 tahun sebanyak 73,8%, pendidikan SMA sebanyak 52,4%, dan pekerjaan ibu rumah tangga sebanyak 72,7%. Pasien yang mengalami preeklamsia sebanyak 78,6% dan yang mengalami eklamsia sebanyak 21,4%. Kunjungan ANC yang tidak memenuhi K4 sebanyak 61,9% dan yang memenuhi standar 7T sebanyak 88,1%.

Kesimpulan penelitian ini adalah mayoritas pasien berusia 20-35 tahun, mayoritas pendidikan terakhir SMA, dan mayoritas sampel merupakan ibu rumah tangga. Sebaran kasusnya adalah 78,6% preeklamsia dan 21,4% eklamsia. Kunjungan ANC lebih banyak yang tidak memenuhi minimal kunjungan K4 dan berdasarkan standar 7T ANC lebih banyak yang telah memenuhi standar 7T.

**Kata Kunci:** Antenatal Care, Kunjungan ANC, Standar 7T, Preeklamsia, Eklamsia