

## DAFTAR PUSTAKA

1. World Health Organization (WHO) (2015). The Global Prevalence of Anaemia in 2015. <https://www.who.int/publications/i/item/9789241564960> - Diakses Oktober 2022
2. Varney H, Kriebs JM, Carolyn L. Varney's Midwifery. 4<sup>th</sup> ed. London: Jones and Barlett Publishers, 2004. p 683.
3. Saifudidin AB, Rachimhadi T, Wiknjostastro GH, editors. Ilmu Kebidanan Sarwono Prawirohardjo edisi ketiga. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo, 2008. p 54.
4. Dinas Kesehatan Daerah Istimewa Yogyakarta (2020). Profil Kesehatan Daerah Istimewa Yogyakarta Tahun 2019. <https://www.dinkes.jogjaprovo.go.id/> - Diakses Agustus 2021.
5. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI (2018). Hail Utama Riset Kesehatan Dasar (Riskesdas) (2018). [https://kesmas.kemkes.go.id/assets/upload/dir\\_519d41d8cd98f00/files/Hasil-riskesdas-2018\\_1274.pdf](https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas-2018_1274.pdf) - Diakses Agustus 2021.
6. Dinas Kesehatan Provinsi Sumatera Barat (2018). Laporan Kinerja Dinas Kesehatan Prov. Sumbar Tahun 2017. [http://dinkes.sumbarprov.go.id/images/2018/07/file/LAKIP\\_DINKES\\_SUMBAR\\_TAHUN\\_2017.pdf](http://dinkes.sumbarprov.go.id/images/2018/07/file/LAKIP_DINKES_SUMBAR_TAHUN_2017.pdf) - Diakses Februari 2022
7. Dinas Kesehatan Kota Padang (2019). Laporan Tahunan Tahun 2019. [https://ppid.padang.go.id/uploads/audios/ppidpadang\\_5dcbb324968a2.pdf](https://ppid.padang.go.id/uploads/audios/ppidpadang_5dcbb324968a2.pdf) - Diakses Februari 2022
8. Garzon, S, Cacciato, PM, Certelli C, Salvaggio C., Magliarditi M., Rizzo, G. Iron Deficiency Anemia in Pregnancy: Novel Approaches for an Old Problem. *Oman Med J.* 2020;35(5):e166.
9. Gian CDR, Filippo S, Irene G, Eleonora B, Graziano C, Luis CR. Iron Deficiency Anemia in Pregnancy. *Women's Health.* 2015 Nov;11(6):891–900.

10. Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL, Casey BM, Sheffield JS. *Williams Obstetrics* 24<sup>th</sup> ed. New York: McGraw-Hill Education, 2014. p 55.
11. Sharma JB, Shankar M. Anemia in Pregnancy. *JIMSA*. 2010; 23(4):253-260.
12. Centers for Disease Control and Prevention (CDC). Recommendations to prevent and control iron deficiency in the United States. <https://www.cdc.gov/mmwr/preview/mmwrhtml/00051880.htm>. - Diakses Oktober 2021.
13. A. Kinga M, Ally M. Iron deficiency and Iron Deficiency Anemia in Pregnancy. *CMAJ*. 2021 Jul;193(29):E1137-E1138.
14. Ratna P, Dono I, Muhammad A. Analysis of Factors Associated with Anemia in Pregnant Women. *Matern. Child Health J*. 2016;1(2): 131-137.
15. Ketut S, Tjok GD, Made S, Made B. Iron-Deficiency Anemia In Pregnant Women In Bali, Indonesia: A Profile Of Risk Factors And Epidemiology. *Southeast Asian J Trop Med Public Health*. 2002 Sept;33(3):604–607.
16. Jamaiyah H, Anita D, Lim TO, Chen WS, Noraihan MN, Sanjay R, et al. Anemia in pregnancy in Malaysia: a cross-sectional survey. *Asia Pac J Clin Nutr*. 2007;16 (3):527-536.
17. Pobe RA, Setorglo J, Klevor M, MurrayKolb LE (2021) The prevalence of anemia and iron deficiency among pregnant Ghanaian women, a longitudinal study. *PLoS ONE*. 2021;16(3): e0248754.
18. Novita N, Sukaisih N, Awalia N. Kejadian Anemia Pada Ibu Hamil. *PP (Jurnal Kesehatan Poltekkes Palembang)*. 1-6.
19. Sabina Azhar B, Islam MS, Karim MR. Prevalence of anemia and associated risk factors among pregnant women attending antenatal care in Bangladesh: a cross-sectional study. *Primary Health Care Research & Development*. Cambridge University Press 2021;22:e61.
20. Tazeen S, Jamshed W, Zulfiqar L. Anemia and Its Association With Parity. *Professional Med J*. 2020; 27(5):968-972.
21. Osman MO, Nour TY, Bashir HM, Roble AK, Nur AM, Abdilahi AO. Risk Factors for Anemia Among Pregnant Women Attending the Antenatal Care Unit in Selected Jigjiga Public Health Facilities, Somali Region, East

- Ethiopia 2019: Unmatched Case–Control Study. *J. Multidiscip. Healthc.* 2020 Aug;(13):769–777.
22. Mohamed NEB, Hassan RHA. Prevalence and factors associated with anemia among pregnant women attending AnteNatal Clinic in the second and third trimesters at Soba University Hospital, Khartoum State, Sudan (2018-2019). *Int J Health Sci Res.* 2020; 10(8):195-204.
  23. Berhe K, Fseha B, Gebremariam G, Teame H, Etsay N, Welu G, et. al. Risk factors of anemia among pregnant women attending antenatal care in health facilities of Eastern Zone of Tigray, Ethiopia, case-control study, 2017/18. *Acta Med Port. Pan Afr. med. J.* 2019;34(121)1-10.
  24. Brannon PM, Taylor CL. Iron Supplementation during Pregnancy and Infancy: Uncertainties and Implications for Research and Policy. *Nutrients.* 2017;9(12):1327.
  25. Widoyoko APH, Septiano R. Pengaruh Anemia Terhadap Kematian Maternal. *Jurnal Penelitian Perawat Profesional.* 2020 Feb;2(1) :1-6.
  26. AbdelAzim AA, Duria AR, Tajeldin MA, Muustafa IE, Ishag A. Severe Anaemia Is Associated With A Higher Risk For Preeclampsia And Poor Perinatal Outcomes In Kassala Hospital, Eastern Sudan. *BioMed Central Ltd.* 2011;4(1):311.
  27. Fowkes, FJI, Moore KA, Opi DH, Simpson JA, Langham F, Stanisic DI et. al. Iron Deficiency During Pregnancy Is Associated With A Reduced Risk Of Adverse Birth Outcomes In A Malaria-Endemic Area In A Longitudinal Cohort Study. *BMC Medicine.* 2018;16(1):1–11.
  28. Moradi G, Zokaeii M, Goodarzi E, Khazaei Z. The Relationship between Maternal Diseases during Pregnancy and Low Birth Weight: a Nested Case-Control Study in Rural Areas of Kurdistan Province (West of Iran). *MSc. Student in Epidemiology.* 2017;5(44):5501–5514.
  29. Huang L, Purvashi G, Wang S, Zhong L, Tang H. The Influence of Iron-deficiency Anemia during the Pregnancy on Preterm Birth and Birth Weight in South China. *J Food Sci Nutr Res.* 2015;3(9):570–574.
  30. Heydapour F, Soltani M, Najafi F, Tabatabaee HR, Etemad K, Hajipour M, Babanejad M, et. al. Maternal Anemia in Various Trimesters and Related

Pregnancy Outcomes: Results from a Large Cohort Study in Iran. *Iran J Pediatr.* 2019 Feb;29(1):e69741.

31. Perveen, S, Soomro, TK. Sideropaenic anaemia: Impact on perinatal outcome at tertiary care hospital. *J Pak Med Assoc.* 2016;66(8):952–956.
32. Million G, Delenesaw Y, Ketema T, Yehenew G, Ahmed Z. Anaemia and associated risk factors among pregnant women in Gilgel Gibe dam area, Southwest Ethiopia. *Parasites & Vectors.* 2012;5(296):1-8.
33. Adera D, Merga D, Biftu G, Getahun T, Sagni GF. A Third of Pregnant Women are Affected by Anemia in Eastern Ethiopia: A Facility-Based Study. *Journal of Blood Medicine.* 2021;12:299–306
34. Basil AT , John KG, Muslim I. Anaemia at antenatal care initiation and associated factors among pregnant women in West Gonja District, Ghana: a cross-sectional study. *PAMJ One Health.* 2019;33:325.
35. Peter A, Francis A. Anaemia in pregnancy and associated factors: a cross sectional study of antenatal attendants at the Sunyani .Municipal Hospital, Ghana. *BMC Res Notes.* 2017;10:402
36. Okubatsion TO, Waithira M, Eunice O, Wakasiaka S, Michael H. Prevalence and Factors Associated with Anaemia among Pregnant Women Attending Antenatal Clinic in the Second and Third Trimesters at Pumwani Maternity Hospital, Kenya. *Open J Obstet Gynecol.* 2016;6:16-27.
37. Filagot K, Endalew Z, Yaregal A, Lealem G. Anemia among pregnant women in Southeast Ethiopia: prevalence, severity and associated risk factors. *BMC Res Notes.* 2014, 7:771
38. Wubet WT, Amare T, Fasil WS , Amare D, Wondale GA, Degefaye ZA. Anemia among Women Attending Antenatal Care at the University of Gondar Comprehensive Specialized Referral Hospital, Northwest Ethiopia. *Anemia.* 2018:2018.
39. Saidah W, Dominique E, Swati S, Anna J, Sarah F, Luz P, *et al.* Anemia in pregnancy in Western Jamaica. *Int J Womens Health.* 2017;9:431–439.
40. Umesh KY, Prabesh G, Archana A, Ashish L. Factors Associated with Anemia among Pregnant Women of Underprivileged Ethnic Groups

Attending Antenatal Care at Provincial Level Hospital of Province 2, Nepal. *Anemia*. 2021:2021.

41. Akhtar B, Asmatullah K, Fozia S, Farhat I. Frequency of anemia in pregnant women of different age groups at Quetta: A hospital-based cross sectional study. *Pure Appl. Biol.* 2019;8(2):1043-1050.
42. Jufar AH, Zewde T. Prevalence of Anemia among Pregnant Women Attending Antenatal Care at Tikur Anbessa Specialized Hospital, Addis Ababa Ethiopia. *J Hematol Thromb Dis.* 2014;2: 125.
43. Terefe D, Zelalem A Amare T. Magnitude and associated factors of anemia among pregnant women in Dera District: a cross-sectional study in northwest Ethiopia. *BMC Res Notes.* 2017;10:359.
44. Gudeta TA, Regassa TM, Belay AS. Magnitude and factors associated with anemia among pregnant women attending antenatal care in Bench Maji, Keffa and Sheka zones of public hospitals, Southwest, Ethiopia, 2018: A cross - sectional study. *PLoS ONE.* 2018;14(11): e0225148.
45. Adamu K, Efrem N, Lemi B, Negash Wakgari. Magnitude of Anemia and Associated Factors among Pregnant Women Attending Antenatal Care in Public Hospitals of Ilu Abba Bora Zone, South West Ethiopia: A Cross-Sectional Study. *Anemia.* 2018:2018.
46. Dirshaye AR, Hussien K, Mahlet B. Magnitude of Anemia and Its Associated Factors Among Pregnant Women Attending Antenatal Care in Southern Ethiopia: A Cross-Sectional Study. *J Blood Med.* 2020;11:335–344
47. Ravishankar S, Anil Navale S , Muninarayana C, Prathima SS, Sheela SR. Prevalence of anemia among pregnant women . *Int J Med Sci Public Health.* 2016;5(3):454-458.
48. Aklilu A, Lealem G, Tilahun Y, Yaregal A. Prevalence, Severity, and Determinant Factors of Anemia among Pregnant Women in South Sudanese Refugees, Pugnido, Western Ethiopia. *Anemia.* 2016:2016.
49. Abrehet A, Melkie EY, Molla MW. Prevalence and associated factors of anemia among pregnant women of Mekelle town: a cross sectional study. *BMC Res Notes.* 2014;7:888.

50. Angesom G, Aster T. Prevalence and Factors Associated with Anemia among Pregnant Women Attending Antenatal Clinic at St. Paul's Hospital Millennium Medical College, Addis Ababa, Ethiopia. *Anemia*. 2018:2018.
51. Mulugeta M, Zelalem A, Meseret A, Bamlaku E. Prevalence and Predictors of Maternal Anemia during Pregnancy in Gondar, Northwest Ethiopia: An Institutional Based Cross-Sectional Study. *Anemia*. 2014:2014.
52. Gerald O, Pancras O, Ronald W. Prevalence of anaemia and associated risk factors among pregnant women attending antenatal care in Gulu and Hoima Regional Hospitals in Uganda: A cross sectional study. *BMC Pregnancy Childbirth*. 2016;16:76
53. Ayensu J, Annan R, Lutterodt H, Edusei A, Peng L. Prevalence of anaemia and low intake of dietary nutrients in pregnant women living in rural and urban areas in the Ashanti region of Ghana. *PLoS ONE*. 2020;15(1): e0226026.
54. Ashraf MAH, Qais IK , Nibras AP. Prevalence of anaemia in a sample of pregnant women in Babylon Governorate, Iraq. *Revista Latinoamericana de Hipertensión*. 2020;15(4):275-279.
55. Lebso M, Anato A, Loha E. Prevalence of anemia and associated factors among pregnant women in Southern Ethiopia: A community based cross-sectional study. *PLoS ONE*. 2017;12(12): e0188783.
56. Kefyalew AA, Abdulahi MD. Prevalence of Anemia and Associated Factors among Pregnant Women in an Urban Area of Eastern Ethiopia. *Anemia*. 2017:2017.
57. Brhane B, Fitsum M, Haftom L, Aderajew G, Guesh G, Kebede T, Getachew K, Hadush N, Gebre A. Prevalence of anemia and associated factors among pregnant women in Adigrat General Hospital, Tigray, northern Ethiopia, 2018. *BMC Res Notes*. 2019;12:310.
58. Jing Tt , Guolin H, Yana Q , Hongmei Y, Yiquan Xi, Chunrong L, *et. al*. Prevalence of anemia and iron deficiency anemia in Chinese pregnant women (IRON WOMEN): a national cross-sectional survey. *BMC Pregnancy Childbirth*. 2020;20:670.

59. Mahmoud AS, Samah SA, Khaled MS, Khalid RY, Fekri S. Prevalence of Anemia and Iron Deficiency among Palestinian Pregnant Women and Its Association with Pregnancy Outcome. *Anemia*. 2018:2018.
60. Gemechu K, Aga W, Tariku T, Ebisa T, Moa A, Netsanet A, Latera J. Prevalence of anemia and its associated factors among pregnant women attending antenatal care follow up at Wollega University referral hospital, Western Ethiopia. *Contracept Reprod Med*. 2020;5:26.
61. Alemayehu B, Maregion T, Aleme M. Prevalence of Anemia and Its Associated Factors among Pregnant Women Attending Antenatal Care in Health Institutions of Arba Minch Town, Gamo Gofa Zone, Ethiopia: A Cross-Sectional Study. *Anemia*. 2016:2016.
62. Fikir A. Prevalence of anemia and its associated factors among pregnant women receiving antenatal care at Aymiba Health Center, northwest Ethiopia. *J Blood Med*. 2017;8:35–40.
63. Semalign S, Teshale D, Derese TD, Afework M. Socio-economic and dietary diversity characteristics are associated with anemia among pregnant women attending antenatal care services in public health centers of Kembata Tembaro Zone, Southern Ethiopia. *Food Sci Nutr*. 2020;8:1978–1986.
64. S Lestari , D Keumalasari , M Daulay , S J Martina S Syarifah. The prevalence of anemia in pregnant women and its associated risk factors in North Sumatera, Indonesia. *IOP Conf. Ser. Earth Environ. Sci*. 2016;125(2018):012195.
65. Assefa PK, Amelo BG. Anemia among Pregnant Women Attending Antenatal Care Clinic in Adare General Hospital, Southern Ethiopia: Prevalence and Associated Factors. *Health Serv*. 2020;14:1–9.
66. Teklit G, Ermyas B, Solomon H, Gizienesh K. Magnitude and factors associated with anemia among pregnant women attending antenatal care in public health centers in central zone of Tigray region, northern Ethiopia: a cross sectional study. *BMC Pregnancy Childbirth*. 2018;18:433.
67. Anthony W. Prevalence and determinants of anaemia in pregnant women receiving antenatal care at a tertiary referral hospital in Northern Ghana. *BMC Pregnancy Childbirth*. 2019;19:495.

68. Hasina AC, Kazi KA, Fatema J, Jesmin A, Sharmin H, Md. Shahjahan. Factors associated with maternal anaemia among pregnant women in Dhaka city. *BMC Women's Health*. 2015;15:77.
69. Elzahaf RA, Mariam O. Prevalence of anaemia among pregnant women in Derna city, Libya. *Int J Community Med Public Health*. 2016 Jul;3(7):1915-1920.
70. Weinshet G, Tefera B, Amare DW. Burden and associated factors of anemia among pregnant women attending antenatal care in southern Ethiopia: cross sectional study. *BMC Res Notes*. 2017;10:276.
71. Awoke K, Hadgu G, Freweyni A, Yared T, Girmay T. The magnitude of anemia and associated factors among pregnant women attending public institutions of Shire Town, Shire, Tigray, Northern Ethiopia, 2018. *BMC Res Notes*. 2018;11:595.
72. Felix B, Ronald O, Andrew PK, Sandra N, Gloria N, Lourita N. Anemia in Ugandan pregnant women: a cross-sectional, systematic review and meta-analysis study. *Trop Med Health*. 2021;49:19.
73. Victor O, Henry AU, Nathaniel B, Emmanuel K, Joel RU, Akafa R. Prevalence, Severity, and Correlates of Anaemia in Pregnancy among Antenatal Attendees in Warri, South-Southern Nigeria: A Cross-Sectional and Hospital-Based Study. *Anemia*. 2020:2020.
74. Zabihullah A, Muhammad HS, Wali MW, Abdul WW, Khushhal F. Anemia among Women Who Visit Bost Hospital for Delivery in Helmand Province, Afghanistan. *Anemia*. 2021:2021.
75. Olujimi AO, Aniekan MA, Emem AB, Robert SJ, Godwin I, Anyiekere M. Prevalence of Anaemia among Pregnant Women at Booking in the University of Uyo Teaching Hospital, Uyo, Nigeria. *Biomed Res Int*. 2014:2014.
76. Liyew AM, Tesema GA, Alamneh TS, Worku MG, Teshale AB, Alem AZ, et al. Prevalence and determinants of anemia among pregnant women in East Africa; A multi-level analysis of recent Demographic and Health Surveys. *PLoS ONE*. 2021;16(4): e0250560.
77. Niguse O , Andualem M , Teshome G. Magnitude Of Anemia And Associated Risk Factors Among Pregnant Women Attending Antenatal Care



In Shalla Woreda, West Arsi Zone, Oromia Region, Ethiopia. *Ethiop J Health Sci.* July 2013;23(2):165-173.

78. Solomon GB, Adunga NG, Melese AR, Lemessa AA. Prevalence and Associated Risk Factors of Anemia among Pregnant Women in Rural Part of JigJiga City, Eastern Ethiopia: A Cross Sectional Study. *J Preg Child Health* 2017;4:3.
79. Mehrotra M, Yadav S, Deshpande A, Mehrotra H. A study of the prevalence of anemia and associated sociodemographic factors in pregnant women in Port Blair, Andaman and Nicobar Islands. *J Family Med Prim Care.* 2018;7:1288-93.
80. Naimo KM, Bashir M, Caesar O, Farouk S, Fred W, John CO, Ivan MT. Prevalence of Anemia and Its Associated Socio-Demographic Factors Among Pregnant Women Attending an Antenatal Care Clinic at Kisugu Health Center IV, Makindye Division, Kampala, Uganda. *J Blood Med.* 2020;11:13–18.
81. Sinha A, Adhikary M, Phukan JP, Kedia S, Sinha T. A study on anemia and its risk factors among pregnant women attending antenatal clinic of a rural medical college of West Bengal. *J Family Med Prim Care.* 2021;10:1327-31.
82. Claire CO, Boaz A, Ronald K, Patrick O, Robert W, Enoch M, *et. al.* Prevalence, Morphological Classification, And Factors Associated With Anemia Among Pregnant Women Accessing Antenatal Clinic At Itojo Hospital, South Western Uganda. *J Blood Med.* 2019;10:351–357.
83. Tamires Lucas dos Santos M, Medeiros de Mendonça Costa K, Maria Pinheiro Bezerra I, Felipe De Sousa Santos E, Cornbluth Szarfarc S, José Francalino da Rocha Pereira M, Carlos de Abreu L, Paulino Venancio D. Anemia and iron deficiency in primigent parturients in a municipality of Brazilian west Amazon. *Medicine.* 2020;99:44(e22909).
84. Lealem G, Asrat A, Yaregal A, Andualem M. Anemia And Associated Factors Among Pregnant Women Attending Antenatal Care Clinic In Wolayita Sodo Town, Southern Ethiopia. *Ethiop J Health Sci.* April 2015; 25(2):155-162.

85. Xianglong X, Sheng L, Yunshuang R, Zumin S, LianLian W, Manoj S, *et. al.* Prevalence and Sociodemographic and Lifestyle Determinants of Anemia during Pregnancy: A Cross-Sectional Study of Pregnant Women in China. *Int. J. Environ. Res. Public Health.* 2016;13:908.
86. Meseret A, Bamlaku E, Aschalew G, Tigist K, Mohammed S, Yadessa O. Prevalence of anemia and associated risk factors among pregnant women attending antenatal care in Azezo Health Center Gondar town, Northwest Ethiopia. *J Interdiscipl Histopathol.* 2013;1(3):137-144.
87. Abel G, Afework M. Prevalence of Anemia and Associated Factors among Pregnant Women in North Western Zone of Tigray, Northern Ethiopia: A Cross-Sectional Study. *J Clin Nutr Metab.* 2015:2015.
88. Sewnet G, Tsion T, Meseret W, Tinbit S, Selam K, Reyana A, Mitiku B. Anemia and Associated Factors Among Pregnant Women Attending Antenatal Care at Madda Walabu University Goba Referral Hospital, Bale Zone, Southeast Ethiopia. *J Blood Med.* 2020;11:479–485.
89. Waheeda SK, Jonathan C, Magafu MM, Jing M, Fabian PA. Anaemia in pregnancy in Southern Tanzania: Prevalence and associated risk factors. *Afr J Reprod Health.* 2020; 24(3): 154-160.
90. Sholeye OO, Animasahun VJ, Shorunmu TO. Anemia in pregnancy and its associated factors among primary care clients in Sagamu, Southwest, Nigeria: A facility-based study. *J Family Med Prim Care.* 2017;6:323-9.
91. Bernard I, Isidore T, Clément ZM, Alain H, Maurice K, Michèle DW, Prevalence and factors associated with anaemia in pregnant women in Cascades Region of Burkina Faso in 2012. *Pan Afr Med J.* 2020;38(361).
92. Moola S, Munn Z, Tufanaru C, Aromataris E, Sears K, Sfetcu R, Currie M, Qureshi R, Mattis P, Lisy K, Mu P-F. Chapter 7: Systematic reviews of etiology and risk . In: Aromataris E, Munn Z (Editors). *JBIC Manual for Evidence Synthesis.* JBI, 2020. Available from <https://synthesismanual.jbi.global>
93. World Health Organization (WHO) (2022). Prevalence of anaemia in pregnant women (aged 15-49) (%).

Available from : [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-anaemia-in-pregnant-women\(-\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-anaemia-in-pregnant-women(-))

94. Tulu BD, Atomssa EM, Mengist HM. Determinants of anemia among pregnant women attending antenatal care in Horo Guduru Wollega Zone, West Ethiopia: Unmatched case-control study. *PLoS ONE*. 2019 Oct;14(10):e0224514.
95. Nur R, Rahman A, Anaparagna, NoviInriyanny S, Sadly Syam, Nurhaya S., Pitriani P. Socio-Economic, Fe Tablet Consumption And Anemia Incidence In Pregnant Women On Community Health Center Talise In Palu. *Int. J. Dev. Res.* 2018 Nov;08(11):23974-23979.
96. Sabina Azhar B, Islam MS, Karim MR. (2021) Prevalence of anemia and associated risk factors among pregnant women attending antenatal care in Bangladesh: a cross-sectional study. *Prim Health Care Res Dev*. 2021 Sept;22(e61):1–10.
97. Noviyanti B, Simanjuntak HC, Hutasoit EKP, Silitonga HA, Julianto E. The Relationship between Social Economic Levels and Anemia Events in Pregnant Women in Glugur Darat Health Center. *Matern Child Health J*. 2019; 4(6):48-56.
98. Nainggolan S, Siagian FE. The prevalence of anemia in pregnant women in the 10 priority villages for stunting control in Sumedang district, West Java: a community-based survey. *Int J Community Med Public Health*. 2019 Sept;6(9):3760-3767
99. Aji AS, Yusrawati, Malik SG, Lipoeto NI. Prevalence of anemia and factors associated with pregnant women in West Sumatra, Indonesia: Findings from VDPM Cohort Study. *J. Gizi Dietetik Indones*. 2019; 7(3): 97-106.
100. Abd Rahman R, Idris IB, Isa ZM, Rahana AR and Mahdy ZA. The Prevalence and Risk Factors of Iron Deficiency Anemia Among Pregnant Women in Malaysia: A Systematic Review. *Front. Nutr*. 2022 Apr; 9:847693.
101. N. Nuru Yesuf and Z. Agegniche. Prevalence and associated factors of anemia among pregnant women attending antenatal care at Felegehiwot Referral Hospital, Bahirdar City: Institutional based cross- sectional study. *Int J Afr Nurs Sci*. 2021 Aug; 15:100345.

102. Eteffa T, Arega A, Abejie B, Feyisa W, Alemnew F, et al. (2022) Prevalence of Anemia and its Associated Factors among Antenatal Care Attendees in the Public Health Facilities of Pawi District, Northwest, Ethiopia. *J Nutri Med Diet Care*. 2022 Mar; 8:059.
103. Samuel S, Darebo T, Desta DT, Mulugeta A. Socio-economic and dietary diversity characteristics are associated with anemia among pregnant women attending antenatal care services in public health centers of Kembata Tembaro Zone, Southern Ethiopia. *Food Sci Nutr*. 2020 Jan;8:1978–1986.
104. Stephen G, Mgongo M, Hashim TH, Katanga J, Stray-Pedersen B, Msuya SE. Anaemia in Pregnancy: Prevalence, Risk Factors, and Adverse Perinatal Outcomes in Northern Tanzania. *Anemia*. 2018 May;1846280:1-9
105. Noha Morsy, Sakina Alhady. Nutritional Status And Socio-Economic Conditions Influencing Prevalence Of Anaemia In Pregnant Women. *Int J Sci Technol Res*. 2014 Jul;3(7);54-60.
106. Taner CE, Ekin A, Solmaz U, Gezer C, Çetin B, Keleşoğlu M, et al. Prevalence and risk factors of anemia among pregnant women attending a high-volume tertiary care center for delivery. *Turk Ger Gynecol Assoc*. 2015; 16: 231-6.
107. Sinawangwulan IP, Dewi YLR, Wekadigunawan CSP. Association between Socio-demographic, Nutrition Intake, Cultural Belief, and Incidence of Anemia in Pregnant Women in Karanganyar, Central Java. *Matern Child Health J*. 2018;3(2): 128-137.
108. Rahmawati S, Widiasih R, Maryati I. Factor Associated Anemia Among Pregnant Women: A Literature Review. *Mal J Med Health Sci*. 2022 Feb; 18(SUPP3): 239-245.