

DAFTAR PUSTAKA

1. Suarjana IN. Arthritis reumatoid. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku ajari ilmu penyakit dalam. 6th ed. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI. 2014; 3130–50
2. Smolen JS, Aletaha D, McInnes IB. Rheumatoid arthritis. *The Lancet*. 2016;16: 30137 – 8.
3. Fang Q, Zhou C, Nandakumar KS. Molecular and cellular pathway contributing to joint damage to rheumatoid arthritis. *Mediator of Inflammation*. 2020; 2020: 1–20
4. McInnes LB, Schett G. The pathogenesis of rheumatoid arthritis. *N Eng J Med*. 2011; 365 (23): 2205–19
5. Irwin MR, Davis M, Zautra A. Behavioral comorbidities in rheumatoid arthritis a psychoneuroimmunological perspective. *Psychiatr Times*. 2008;25 (9): 1-9
6. American Psychiatric Association. *Diagnostic and statistical manual and mental disorder*. 5th Edition. Washington DC. 2015: 160–161
7. Matcam F, Rayner L, Steer S, Hatopf M. The prevalence of depression in rheumatoid arthritis: a systematic review and metaanalysis. *rheumatology*.2013; 52:2136–48
8. Fu X, Li ZJ, Yang CJ, Feng L, Sun L, Yao Y. The prevalence of depression in rheumatoid arthritis in china: a systematic review. *ImpactJournals*. 2017; 8 (32): 53623–30
9. Englbrecht M, Alten R, Aringer M, Baerwarld CG, Burhkrad H, Eby N. New insights into prevalence of depression in rheumatoid arthritis- implication from the prospective multicenter VADERA II Study. *PLoS ONE*. 2019; 14 (5): 1–13
10. Fakra E, Marotte H. Rheumatoid arthritis and depression. *Joint Bone Spine*. 2021; 88: 1–5
11. Jeon SW, Kim Y-K. The role of neuroinflammation and neurovascular dysfunction in major depressive disorder. *J Inflamm Res* 2018;11:179–92.

12. Belleau EL, Treadway MT, Pizzagalli DA. The impact of stress and major depressive disorder on hippocampal and medial prefrontal cortex morphology. *Biol Psychiatry* 2019;85:443–53.
13. Dowlati Y, Herrmann N, Swadfager W, Liu H, Sham L, Reim EK, et al. A meta analysis of cytokines in major depression. *Biol Psychiatry*. 2009; 67 (5): 446–57
14. Osimo EF, Pillinger T, Rodriguez IM, Khandaker GM, Pariante CM, Howes OD. Inflammatory markers in depression: A meta-analysis of mean differences and variability in 5,166 patients and 5,083 controls. *Brain Behav Immun*. 2020; 87: 901–9
15. Tantawy AM, Sayed AE, Kora BA, Amin RT. Psychiatric morbidity associated with some cytokines (IL-1beta, IL-12, IL-18 and TNF-alpha) among rheumatoid arthritis patients. *Egypt J Immunol*. 2008; 15 (1): 1–11
16. Albeltagy ES, Elazis SY, Abozaid SY, Zomor AM, Elhamed SS. Interleukin 6, interleukin 17, disease-related and contextual factor association with depression, and its severity in patients with rheumatoid arthritis. *International League of Associations for Rheumatology*. 2021 ;40(3) : 895–904
17. Lisitsyna TA, Veltishchev DY, Seravina OF, Kovalevskaya OB, Zeltyn AE, Novikov AA, et al. Proinflammatory cytokines and depression in rheumatoid arthritis. *Rheumatology Science and Practice*. 2013;51(3):261–266.
18. Vallerand IA, Lewinson RT, Frolkis AD, Lowerison MW, Kaplan GG, Swain MG, et al. Depression as a risk factor for the development of rheumatoid arthritis: a population-based cohort study. *RMD Open*. 2018; 4(2):e000670
19. Lu MC, Guo HR, Lin MC, Livneh H, Lai NS, Tsai TY. Bidirectional associations between rheumatoid arthritis and depression: a nationwide longitudinal study. *Sci Rep*. 2016; 6 : 20647.
20. Mudjaddid E, Puspitasari M, Setyohadi B, Dewiasthy E. Hubungan derajat aktivitas penyakit dengan depresi pada pasien artritis reumatoid. *Jurnal Penyakit Dalam Indonesia*. 2017; 4 (4): 194–8

21. Mostafa H, Radwan A. The relationship between disease activity and depression in Egyptian patients with rheumatoid arthritis. *The Egyptian Rheumatologist*. 2013; 35: 193–99.
22. Fragoulis, Jonathan C, Alistair T, Mohammad D, Caron P, et al. Depression and anxiety in an early rheumatoid arthritis inception cohort association with demographic, socioeconomic and disease features. *RMD Open*. 2020; 6: 1–9
23. Smarr KL, Keefer AL. Measures of depression and depressive symptoms Beck Depression Inventory-II (BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Patient Health Questionnaire-9 (PHQ-9). *American College of Rheumatology*. 2011; 63 (11): 454–66
24. Englbrecht M, Alten R, Aringer M, Baerwald CG, Burkhardt H, Eby N, et al. Validation of standardized questionnaires evaluating symptoms of depression in rheumatoid arthritis patients: approaches to screening for a frequent yet underrated challenge. *Arthritis Care Res*. 2017; 69 (1): 58–66
25. Hitchon CA, Zhang L, Peschen CA, Lix LM, Graff LA, Fisk JD. Validity and reliability of screening measures for depression and anxiety disorders in rheumatoid arthritis. *Arthritis Care Res*. 2020; 72 (8): 1130–39
26. Murni AW. Terapi Depresi Pada Nyeri Kronis. *The 4 Scientific Meeting On Psychosomatic Medicine*. 2016: 161–70
27. World Health Organization. *Depression and Other Common Mental Disorders Global Health Estimates*. 2017
28. Kementrian Kesehatan Badan Penelitian dan Pengembangan Kesehatan. *Hasil Utama Riset Kesehatan Dasar*. 2018.
29. Jessulola I, Micalos P, Baguley IJ. Understanding the pathophysiology of depression from monoamine to the neurogenesis hypothesis model are we there

- yet?. Behavioral Brain Research. 2018; 341: 79–90
30. Belmarker RH, Agam G. Major Depressive Disorder. The New England Journal Medicine. 2008;358(1): 1–14
 31. Brigitta B. Pathophysiology of depression and mechanisms of treatment. Dialogues in Clinical Neuroscience. 2002;4 (1). 7–20
 32. Baumeister D, Lightman SL, Pariante CM. The HPA Axis in the Pathogenesis and Treatment of Depressive Disorders: Integrating Clinical and Molecular Findings. Journal Of Experimental Psychopathology. 2016: a3(1): 67–76
 33. Strawbridge R, Young AH, Cleare AJ. Biomarkers for depression: recent insights, current challenges and future prospects. Neuropsychiatr Dis Treat. 2017;13:1245–62.
 34. Keputusan Menteri Kesehatan Republik Indonesia Nomor HK 02.02/Menkes/73/2015 Tentang Pedoman Nasional Pelayanan Kedokteran Jiwa.
 35. Muslim R. Buku Saku Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ III dan DSM 5. Bagian Ilmu Kedokteran Jiwa FK Unika Atmajaya. Jakarta. 2013: 64–67
 36. Malhi GS, Mann JJ. Depression. Lancet. 2018; 392(10161): 2299–2312
 37. Mudjaddid E. Pemahaman dan Penanganan Psikosomatis Gangguan Ansietas dan Depresi di Bidang Ilmu Penyakit Dalam. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku ajar Ilmu Penyakit Dalam. 6th ed. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI. 2014; 3581–4
 38. Zhang C. Flare-up of cytokines in rheumatoid arthritis and their role in triggering depression: Shared common function and their possible applications in treatment (Review). Biomedical Report. 2020; 14 (16) : 1–8
 39. Katchamart W, Narongroeknawin P, Chanapai W, Thaweeratthakul P, Srisomnuek A. Prevalence of and factors associated with depression and anxiety in patients with rheumatoid arthritis: A multicenter prospective cross-

- sectional study. *International Journal of Rheumatic Disease*. 2020; 23 (3): 302–8
40. Lwin MN, Sorbal L, Holroyd C, Edward CJ. Rheumatoid arthritis: the impact of mental health on disease: a narrative review. *Rheumatol Ther*. 2020; 7: 557–71
41. Nicassio PM, Irani M. Depression in rheumatoid arthritis. *The Rheumatologist*. 2021.
42. Humo M, Lu H, Yalcin I. The molecular neurobiology of chronic pain induce depression. *Cell and Tissue Research*. 2019; 377: 21–43
43. Sheng J, Liu S, Wang Y, Cui R, Zhang X. The link between depression and chronic pain: Neural mechanisms in the brain. *Neural Plasticity*. 2017; 10–11
44. Nikmalia Z, Wirasto RT, Supriyanto I. The Association between pain and depression in patient with rheumatoid arthritis. Universitas Gadjah Mada. 2018
45. Bruce TO. Comorbid depression in rheumatoid arthritis: Pathophysiology and clinical implications. *Current Psychiatry Report*. 2008;10: 258–64
46. Withers MH, Gonzalez LT , Karpouzas GA. Identification and treatment optimization of comorbid depression in rheumatoid Arthritis. 2017; 4: 281–91
47. Nerurkar L, Siebert S, McInn BI, Cavanagh J. Rheumatoid arthritis and depression: an inflammatory perspective. *The Lancet*. 2018; 18: 30255–4
48. Chimenthi MS, Fonti GL, Conigliaro P, Triaggianese P, Bianciardi E, Conviello N, et al. The burden of depressive disorders in musculoskeletal disease: Is there an association between mood and inflammation. *Ann Gen Psychiatry*. 2021; 20 (1) : 1–13
49. Choy EH, Calabrese LH. Neuroendocrine and neurophysiological interleukin 6 in rheumatoid arthritis. *Rheumatology Review*. 2018; 57: 1885–95
50. Gorniak BG, Limphaiboo N, Puszczewicz M. Cytokine secretion and risk of depression development in patients with connective tissue disease. *Psychiatry and Clinical Neurosciences*. 2019; 73 (6): 302–16
51. Kinne RW, Stuhlmüller B, Burmester GR. Cells of the synovium in rheumatoid arthritis. *Macrophages. Arthritis Res Ther*. 2007; 9(6):224.

52. Koo JW, Duman RS. Evidence for IL-1 reseptor blockade as therapeutic strategy for treatmen of depression. *Curr Opin Investig Drugs*. 2009; 10(7): 664–71
53. Ting EY, Yang AC, Tsai SJ. Role of interleukin – 6 in depressive disorders. *Int J Mol Sci*. 2020;21(6) 2194
54. Postal M, Appenzeller S. The importance of Cytokine and autoantibodies in depression. *Autoimmune Reviews*. 2014; 14 (1): 30 –35
55. Covic T, Cumming SR, Pallant JF, Manolios N, Emery P, Conaghan PG, et al Depression and anxiety in patients with rheumatoid arthritis : prevalence rate based on a comparison of the depression, anxiety and stress scale (DASS) and the hospital, anxiety and depression scale (HADS). *BMC Psychiatry*. 2012; 12 (6): 11
56. Batko B, Stajszczyk M, Swierko J, Urbanski K, Raciborski F, Jedrzejewski, M, et al. Prevalence and clinical characteristics of rheumatoid arthritis in Poland: a nationwide study. *Arch Med Sci*. 2019; 15 (1): 134 – 40
57. Gerosa M, Angelis VD, Ribolni P, Meroni PL. rheumatoid arthritis : a female challenge. *Womens Health (Lond)*. 2008; 4 (2): 195 –201
58. Wright GE, Parker JC, Smarr KL, Johnson JC, Hewett JE, Walker SE. Age, depressive symtptoms, and rheumatoid arthritis. *Arthritis & Rheumatism*. 1998; 41 (2): 298 –305
59. Shoukry. Prevalence of depression among hospital based rheumatoid arthritis population and its associated factors. *Achive Of Medicine*. 2021; 13 (2): 1 – 9
60. Alaaraji FS, Mohisen MA, Awad MM. Assesmet serum level of neopterin, IL-6, IL-1, hs-CRP, TNF and MMP 9 in iraqi rheumatoid arthritis patients. *Sys Rev Pharm*. 2020; 11 (12): 88–93
61. Chen DY, Hsieh TY, Chen YM, Hsieh CW, Lan JL, Lin FJ. Proinflammatory cytokine profile of patients with erderly onset rheumatoid arthrhritis: a comparisson with younger onset disease. 2009; 55 (3): 250–8
62. Sharma Y, Kumar N, Thakur D. Interleukin 6 in patients with rheumatoid arthritis. *The Imumune and Non Immune System Related Cytokine*. 2020

63. Tania PO, Simamora D, Parmasari WD, Rahmawati F. kadar interleukin 6 sebagai indikator. Progresivitas penyakit reumatoid arthritis. Jurnal Ilmiah Kedokteran. 2017; 3(1): 40–47
64. Roohi E, Jaafari N, Hashemian F. on inflammatory hypothesis of depression : what is the role of IL 6 in the middle of the chaos. Journal of Neuroinflammation. 2021; 45(2021)
65. Kohler CA, Freitas TH, Maes M, Andrade NQ, Liu CS, Fernandes BS et al. Peripheral cytokine and chemokine alterations in depression: a meta-analysis of 82 studies. Acta Psychiatr Scand. 2017; 135 (5): 373 – 387.
66. Andriyati A, Siswanto A. perbedaan kadar interleukin 6 pada penderita arthritis reumatoid dengan simtom depresi dan tanpa simtom depresi. Universitas Gadjah Mada. 2015.
67. Illahi MI, Amjad S, Alam SM, Ahmed ST, Fatima M, Shahid MA et al. serum tumor necrosis alpha as acompetent biomarker for evaluationof disease activity in early rheumatoid arthritis. Cureus. 2021;13 (5): e15314
68. Das R, Emon PZ, Shahriar M, Nahar Z, Sardar, Islam MA et al. Higher level of serum IL-1 and TNF- α are associated with an increased probability of major depressive disorder. Psychiatry Research. .2021; 295: 113568
69. Alekandrov A, Alekandrova N. Peculiarities of interaction of chronic inflammation and depression in rheumatoid arthritis. Annals of the Rheumatic Diseases. 2021; 80 (1): 110
70. Li YC, Chou YC, Lu CC, Chang DM. Ilnterleukin 6 and interleukin 17 are related to depression in patient with rheumatoid arthritis. Int J Rheum Dis. 2019;1–6
71. Li F, Ai W, Ye J, Wang, C, Yuan S, Xie Y et al. inflamatory markers and risk factors of RA patients with depression and application of different scale in judging depression. Clin Rheumatol. 2022; 41 (8): 2309 – 2317
72. Imran MY, Khan SE, Ahmad NM, RajaSF, Saeeds MA, Haiders I. Depression in rheumatoid arthritis and its relation to disease activity. Pak J Med Sci. 2015;31(2):393–7.

73. Al-Baz N, Karim MA. Rheumatoid arthritis, depression, and the role of celecoxib. *SN comprehensive Clinical Medicine*. 2020; 2020(2): 1848n–1852

