

## DAFTAR PUSTAKA

1. Magliano DJ, Boyko EJ, Balkau B, Barengo N, Barr E, Basit A, et al. IDF diabetes atlas 10th edition. 2021. Available from: [www.diabetesatlas.org](http://www.diabetesatlas.org)
2. Volpe CMO, Villar-Delfino PH, Dos Anjos PMF, Nogueira-Machado JA. Cellular death, reactive oxygen species (ROS) and diabetic complications review-Article. *Cell Death Dis.* 2018 Feb 1;9(2).
3. World Health Organization. Noncommunicable Diseases. 2021 Apr 13.
4. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. Hasil utama riskesdas 2018. 2018.
5. Sukarma W. Laporan nasional riskesdas 2018. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. 2018.
6. Suarsana IN, Utama IH, Kardena IM. Immunohistochemical expression of insulin and glucagon, superoxide dismutase and catalase activity in pancreas in hyperglycaemia condition. *Asian J Biochem.* 2016;11(4-5):177-85.
7. Chatuphonprasert W, Lao-Ong T, Jarukamjorn K. Improvement of superoxide dismutase and catalase in streptozotocin-nicotinamide-induced type 2-diabetes in mice by berberine and glibenclamide. *Pharm Biol.* 2014 Apr 1;52(4):419-27.
8. Rains JL, Jain SK. Oxidative stress, insulin signaling, and diabetes. *Free Radical Biology and Medicine.* 2011;50:567-75.
9. Zhang P, Li T, Wu X, Nice EC, Huang C, Zhang Y. Oxidative stress and diabetes: antioxidative strategies. *Frontiers of Medicine.* Higher Education Press Limited Company. 2020;14:583-600.
10. Asmat U, Abad K, Ismail K. Diabetes mellitus and oxidative stress—a concise review. *Saudi Pharmaceutical Journal.* Elsevier B.V. 2016;24:547-53.
11. Maritim AC, Sanders RA, Watkins JB. Diabetes, oxidative stress, and antioxidants: a review. *Journal of Biochemical and Molecular Toxicology.* 2003;17:24-38.
12. Nandi A, Yan L-J, Kumar Jana C, Das N. Role of catalase in oxidative stress-and age-associated degenerative diseases. *Oxid Med Cell Longev.* 2019.
13. Suarsana IN, Utama IH, Agung IG, Suartini A. Pengaruh hiperglikemia dan vitamin e pada kadar malonaldehida dan enzim antioksidan intrasel jaringan pankreas tikus. *MKB.* 2011;43(2):72-6.

14. Saxena S, Jamil K. Oxidative stress and expression level of catalase, glutathione s tranferase enzyme in type 2 diabetes patients. *Int J Sci Eng Res.* 2014;5(8):1127–31.
15. Zainuri M, Wanandi SI, Litbangkes B, Ri K. Aktivitas spesifik manganese superoxide dismutase (mnsod) dan katalase pada hati tikus yang diinduksi hipoksia sistemik: hubungannya dengan kerusakan oksidatif. *Media Litbang Kesehatan.* 2012;22.
16. Institut Pertanian Bogor. Respon stres oksidatif dan pemberian isoflavan terhadap aktivitas enzim superoksida dismutase dan peroksidasi lipid pada hati tikus. *JITV.* 2013;18.
17. Zuraida, Yerizel E, Anas E. Pengaruh pemberian ekstrak rosella (*hibiscus sabdariffa linn*) terhadap kadar malondialdehid dan aktivitas katalase tikus yang terpapar karbon tetraklorida. *J Kesehat Andalas.* 2015;4(3):795–802.
18. Rifai L, Saleh FA. Conventional and alternative mesenchymal stem cell therapies for the treatment of diabetes. In: *Advances in Experimental Medicine and Biology.* Springer.2021:97–106.
19. Decroli E. *Diabetes melitus tipe 2.* 1st ed. Kam A, Efendi YP, Decroli GP, Rahmadi A, editors. Padang: Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas; 2019.
20. Pan G, Mu Y, Hou L, Liu J. Examining the therapeutic potential of various stem cell sources for differentiation into insulin-producing cells to treat diabetes. *Ann Endocrinol (Paris).* 2019 Feb 1;80(1):47–53.
21. Kamal MM, Kassem DH. Therapeutic potential of wharton’s jelly mesenchymal stem cells for diabetes: achievements and challenges. *Frontiers in Cell and Developmental Biology.* Frontiers Media S.A. 2020;8.
22. Wang H, Hung S, Peng S, Huang C, Wei H, Guo Y, et al. Mesenchymal stem cells in the wharton’s jelly of the human umbilical cord. *Stem Cells.* 2004 Dec;22(7):1330–7.
23. Marino L, Castaldi MA, Rosamilio R, Ragni E, Vitolo R, Fulgione C, et al. Mesenchymal stem cells from the wharton’s jelly of the human umbilical cord: biological properties and therapeutic potential. *International Journal of Stem Cells.* Sungkyunkwan University. 2019;12:218–26.
24. Hu J, Wang Y, Gong H, Yu C, Guo C, Wang F, et al. Long term effect and safety of wharton’s jelly-derived mesenchymal stem cells on type 2 diabetes. *Exp Ther Med.* 2016 Sep 1;12(3):1857–66.
25. Liu X, Zheng P, Wang X, Dai G, Cheng H, Zhang Z, et al. A preliminary evaluation of efficacy and safety of wharton’s jelly mesenchymal stem cell transplantation in patients with type 2 diabetes mellitus. *Stem Cell Res Ther.* 2014;5(2):1–9.

26. Burra P, Arcidiacono D, Bizzaro D, Chioato T, Di Liddo R, Banerjee A, et al. Systemic administration of a novel human umbilical cord mesenchymal stem cells population accelerates the resolution of acute liver injury. *BMC Gastroenterol.* 2012;12(1):1.
27. Soelistijo SA, Suastika K, Lindarto D, Decroli E, Permana H, Sucipto KW, et al. *Pedoman pengelolaan dan pencegahan diabetes melitus tipe 2 dewasa di indonesia 2021.* Pb Perkeni. 2021.
28. American Diabetes Association. Standards of medical care in diabetes-2022. *Diabetes Care.* 2022;45(1).
29. Pereira M da G. Beyond life style interventions in type 2 diabetes. *Revista Latino-Americana de Enfermagem. Escola de Enfermagem de Universidade de Sao Paulo;* 2016;24.
30. Lambrinou E, Hansen TB, Beulens JWJ. Lifestyle factors, self-management and patient empowerment in diabetes care. *Eur J Prev Cardiol.* 2019 Dec 1;26:55–63.
31. Ekowati R, Indriastuti A, Tarigan TJE, Riangwati E, Nurlita H. *Pedoman pengendalian diabetes melitus dan penyakit metabolik.* Departemen Kesehatan Republik Indonesia. 2008.
32. Pulungan AB, Annisa D, Imada S. Diabetes melitus tipe-1 pada anak : situasi di indonesia dan tata laksana. *Sari Pediatri.* 2019;20.
33. Ighodaro OM, Akinloye OA. First line defence antioxidants-superoxide dismutase (sod), catalase (cat) and glutathione peroxidase (gpx): their fundamental role in the entire antioxidant defence grid. *Alexandria J Med.* 2018 Dec 1;54(4):287–93.
34. Zakrzewski W, Dobrzyński M, Szymonowicz M, Rybak Z. Stem cells: past, present, and future. *Stem Cell Research and Therapy.* BioMed Central Ltd. 2019;10.
35. Halim D, Murti H, Sandra F, Boediono A D TS. *Stem cell-dasar teori & aplikasi klinis.* Erlangga. 2010.
36. Lalu MM, McIntyre L, Pugliese C, Fergusson D, Winston BW, Marshall JC, et al. Safety of cell therapy with mesenchymal stromal cells (safecell): a systematic review and meta-analysis of clinical trials. *PLoS ONE.* 2012;7.
37. Kawata Y, Tsuchiya A, Seino S, Watanabe Y, Kojima Y, Ikarashi S, et al. Early injection of human adipose tissue-derived mesenchymal stem cell after inflammation ameliorates dextran sulfate sodium-induced colitis in mice through the induction of M2 macrophages and regulatory T cells. *Cell Tissue Res.* 2019 May 6;376(2):257–71.
38. Davies JE, Walker JT, Keating A. Concise review: wharton’s jelly: the rich,

but enigmatic, source of mesenchymal stromal cells. *Stem Cells Transl Med.* 2017 Jul 1;6(7):1620–30.

39. Jiao Y, Chen X, Niu Y, Huang S, Wang J, Luo M, et al. Wharton's jelly mesenchymal stem cells embedded in PF-127 hydrogel plus sodium ascorbyl phosphate combination promote diabetic wound healing in type 2 diabetic rat. *Stem Cell Res Ther.* 2021 Dec 1;12(1).
40. Ansari AS, Yazid MD, Sainik NQAV, Razali RA, Saim A Bin, Idrus RBH. Osteogenic induction of wharton's jelly-derived mesenchymal stem cell for bone regeneration: a systematic review. *Stem Cells International.* Hindawi Limited. 2018.
41. Zang L, Hao H, Liu J, Li Y, Han W, Mu Y. Mesenchymal stem cell therapy in type 2 diabetes mellitus. *Diabetol Metab Syndr.* 2017;9(1):1–11.
42. Shiddiq ZA. Pengaruh pemberian sel punca mesenkim wharton's jelly terhadap aktivitas enzim katalase pada tikus model sirosis hati. Universitas Andalas; 2021.
43. Rahayu DP. Pengaruh pemberian mesenchymal stem cell wharton's jelly terhadap aktivitas enzim katalase pada tikus model osteoarthritis. Universitas Andalas; 2020.
44. Mostafavinia A, Amini A, Ghorishi SK, Pouriran R, Bayat M. The effects of dosage and the routes of administrations of streptozotocin and alloxan on induction rate of type 1 diabetes mellitus and mortality rate in rats. *Lab Anim Res.* 2016;32(3):160.
45. Lenzen S. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia.* 2008;51:216–26.
46. Ighodaro OM, Adeosun AM, Asejeje FO, Soetan GO, Kassim OO. Time course effects of 5,5-dihydroxyl pyrimidine-2,4,6-trione (alloxan) as a diabetogenic agent in animal model. *Alexandria J Med.* 2018 Dec 1;54(4):705–10.
47. Al-Awar A, Kupai K, Veszelka M, Szucs G, Attieh Z, Murlasits Z, et al. Experimental diabetes mellitus in different animal models. *J Diabetes Res.* 2016.
48. Ighodaro OM, Adeosun AM, Akinloye OA. Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. *Med.* 2017;53(6):365–74.
49. Ramadan BK, Schaaln MF, Tolba AM. Hypoglycemic and pancreatic protective effects of portulaca oleracea extract in alloxan induced diabetic rats. *BMC Complement Altern Med.* 2017 Jan 11;17(1).

50. WHO. General guidelines for methodologies on research and evaluation of traditional medicine world health organization. 2000;1–73.
51. Madiyono B, Moechlisan S, Sastroasmoro S, Budiman I, Purwanto S. Dasar-dasar metodologi penelitian klinis. Jakarta: Sagung Seto; 2011.
52. Puspa Dewi SR, Marlamsya DO, Bikarindrasari R. Efek antikaries ekstrak gambir pada tikus jantan galur wistar. *Maj Kedokt Gigi Indones*. 2017;3(2):83.
53. Bhansali S, Kumar V, Saikia UN, Medhi B, Jha V, Bhansali A, et al. Effect of mesenchymal stem cells transplantation on glycaemic profile & their localization in streptozotocin induced diabetic wistar rats. *Indian J Med Res*. 2015;142:63–71.
54. Mostafavinia A, Amimi A, Ghorishi SK, Pouriran R, Bayat M. The effects of dosage and the routes of administrations of streptozotocin and alloxan on induction rate of type 1 diabetes mellitus and mortality rate in rats. *Lab Anim Res*. 2016;32(3):160.
55. Wang Z, Yang Y, Xiang X, Zhu Y, Men J, He M. Estimation of the normal range of blood glucose in rats. *Wei Sheng Yan Jiu*. 2010;39(2):133–7, 142.
56. Sops T, Tech V. SOP : Mouse Intravenous Injections. 2017.
57. Kassem DH, Kamal MM. Wharton’s jelly mscs: potential weapon to sharpen for our battle against dm. *Trends Endocrinol Metab*. 2020;31(4):271–3. Available from: <https://doi.org/10.1016/j.tem.2020.01.001>
58. Turner P V., Brabb T, Pekow C, Vasbinder MA. Administration of substances to laboratory animals: routes of administration and factors to consider. *J Am Assoc Lab Anim Sci*. 2011;50(5):600–13.
59. Dahlan MS. *Statistik untuk kedokteran dan kesehatan*. 5th ed. Jakarta: Salemba Medika; 2011.
60. Rahimi-Madiseh M, Heidarian E, Kheiri S, Rafieian-Kopaei M. Effect of hydroalcoholic allium ampeloprasum extract on oxidative stress, diabetes mellitus and dyslipidemia in alloxan-induced diabetic rats. *Biomed Pharmacother*. 2017;86:363–7.
61. Awad S, El-Sayed MI, Wahba A, El Attar A, Yousef MI, Zedan M. Antioxidant activity of milk protein hydrolysate in alloxan-induced diabetic rats. *J Dairy Sci*. 2016;99(11):8499–510.
62. Ezquer F, Giraud-Billoud M, Carpio D, Cabezas F, Conget P, Ezquer M. Proregenerative microenvironment triggered by donor mesenchymal stem cells preserves renal function and structure in mice with severe diabetes mellitus. *Biomed Res Int*. 2015.

63. Yin Y, Hao H, Cheng Y, Gao J, Liu J, Xie Z, et al. The homing of human umbilical cord-derived mesenchymal stem cells and the subsequent modulation of macrophage polarization in type 2 diabetic mice. *Int Immunopharmacol.* 2018;60:235–45.
64. Wang H, Qiu X, Ni P, Qiu X, Lin X, Wu W, et al. Immunological characteristics of human umbilical cord mesenchymal stem cells and the therapeutic effects of their transplantation on hyperglycemia in diabetic rats. *Int J Mol Med.* 2014;33(2):263–70.
65. El-far MA, Gabr MM, El-halawani SM, Ibrahim RY. Novel evidence of restoring and augmenting antioxidant defense after treatment of diabetic rats using stem cells. 2012;14.
66. El-Tantawy WH, Haleem ENA Al. Therapeutic effects of stem cell on hyperglycemia, hyperlipidemia, and oxidative stress in alloxan-treated rats. *Mol Cell Biochem.* 2014;391(1–2):193–200.

