

DAFTAR PUSTAKA

1. UNAIDS. Global AIDS Update: Confronting inequalities, lessons for pandemic responses from 40 years of AIDS. 2020
2. Kementerian Kesehatan RI. Infodatin HIV AIDS. 2020
3. UNAIDS. Country factsheets Indonesia. AIDSinfo. 2020
4. RSUP. Dr. M. Djamil. Data Sistem Informasi HIV AIDS. Padang. 2022
5. Djoerban Z, Djauzi S. HIV/AIDS di indonesia. Dalam : Buku Ajar Ilmu Penyakit Dalam. Edisi ke-6. Jakarta : Pusat Penerbitan Ilmu Penyakit Dalam FKUI. 2014; hal 887–97
6. Pan American Health Organization. TB/HIV coinfection regional clinical manual 2017 update. Washington DC: PAHO;2018
7. Peraturan Menteri Kesehatan Republik Indonesia No. 67 Tahun 2016 Tentang Pengendalian Tuberkulosis
8. Canetti D, Riccardi N, Martini M, Villa S, Di Biagio A, Codecasa L, et al. HIV and tuberculosis: A historical perspective on conflicts and challenges. *Tuberculosis*. 2020; 122: 101921
9. World health organization. Global tuberculosis report 2020. Geneva: World Health Organization; 2020
10. Esmail H, Riou C, du Bruyn E, Lai RP, Harley YXR, Meintjes G, et al. The immune response to mycobacterium tuberculosis in HIV-1-coinfected persons. *Annu Rev Immunol*. 2018;36(1):603–38.
11. Kementerian Kesehatan Republik Indonesia. Petunjuk teknis tata laksana klinis ko-infeksi TB-HIV. 2013
12. PERPARI. Modul PPM TB perhimpunan dokter spesialis penyakit dalam Indonesia (PAPDI). 2017.
13. Hamada Y, Getahun H, Tadesse BT, Ford N. HIV-associated tuberculosis. *Int J STD AIDS*. 2021;32(9):780–90.
14. WHO. WHO operational handbook on tuberculosis. Module 1 : prevention Tuberculosis preventive treatment. Geneva: World Health Organization; 2020
15. Gupta-Wright A, Manabe YC. Implementation science: point-of-care diagnostics in HIV and tuberculosis. *Clin Med*. 2019;19(2):145–8.

16. Gupta RK, Lucas SB, Fielding KL, Lawn SD. Prevalence of tuberculosis in post-mortem studies of HIV-infected adults and children in resource-limited settings: a systematic review and meta-analysis. *AIDS*. 2015;29(15):1987–2002
17. Kaso AW, Hailu A. Costs and cost-effectiveness of Gene Xpert compared to smear microscopy for the diagnosis of pulmonary tuberculosis using real-world data from Arsi zone, Ethiopia. Quinn F, ed. *PLOS ONE*. 2021;16(10): e0259056.
18. Saeed M, Hussain S, Riaz S, et al. GeneXpert Technology for the diagnosis of HIV-associated tuberculosis: Is scale-up worth it? *Open Life Sci*. 2020;15(1):458–65.
19. Cevaal PM, Bekker LG, Hermans S. TB-IRIS pathogenesis and new strategies for intervention: Insights from related inflammatory disorders. *Tuberculosis*. 2019; 118: 101863.
20. Quinn CM, Poplin V, Kasibante J, et al. Tuberculosis IRIS: Pathogenesis, Presentation, and Management across the Spectrum of Disease. *Life*. 2020;10(11):262.
21. WHO. Lateral flow urine lipoarabinomannan assay (LF-LAM) for the diagnosis of active tuberculosis in people living with HIV. Geneva : World Health Organization; 2019
22. Suchard MS, Adu-Gyamfi CG, Cumming BM, Savulescu DM. Evolutionary Views of Tuberculosis: Indoleamine 2,3-Dioxygenase Catalyzed Nicotinamide Synthesis Reflects Shifts in Macrophage Metabolism: Indoleamine 2,3-Dioxygenase Reflects Altered Macrophage Metabolism During Tuberculosis Pathogenesis. *BioEssays*. 2020;42(5):1900220.
23. Adu-Gyamfi CG, Savulescu D, George JA, Suchard MS. Indoleamine 2, 3-Dioxygenase-Mediated Tryptophan Catabolism: A Leading Star or Supporting Act in the Tuberculosis and HIV Pas-de-Deux? *Front Cell Infect Microbiol*. 2019; 9: 372.
24. Lott JS. The tryptophan biosynthetic pathway is essential for *Mycobacterium tuberculosis* to cause disease. *Biochem Soc Trans*. 2020;48(5):2029–37.
25. Mehra S, Alvarez X, Didier PJ, et al. Granuloma Correlates of Protection Against Tuberculosis and Mechanisms of Immune Modulation by *Mycobacterium tuberculosis*. *J Infect Dis*. 2013;207(7):1115–27.

26. Weiner J, Parida SK, Maertzdorf J, et al. Biomarkers of Inflammation, Immunosuppression and Stress Are Revealed by Metabolomic Profiling of Tuberculosis Patients. *PLoS ONE*. 2012;7(7):14.
27. Suzuki Y, Suda T, Asada K, et al. Serum Indoleamine 2,3-Dioxygenase Activity Predicts Prognosis of Pulmonary Tuberculosis. *Clin Vaccine Immunol*. 2012;19(3):436–42.
28. Wu H, Gong J, Liu Y. Indoleamine 2, 3-dioxygenase regulation of immune response (Review). *Mol Med Rep*. 2018.
29. Chen J, Shao J, Cai R, et al. Anti-Retroviral Therapy Decreases but Does Not Normalize Indoleamine 2,3-Dioxygenase Activity in HIV-Infected Patients. Platten M, ed. *PLoS ONE*. 2014;9(7): e100446.
30. Chen J, Xun J, Yang J, Ji Y, Qi T, Wang Z, et al. Plasma indoleamine 2,3-dioxygenase activity is associated with the size of the HIV reservoir in patients receiving antiretroviral therapy. *Clin Infect Dis*. 2018; 68(8): 1274–81
31. Adu-Gyamfi CG, Snyman T, Makhathini L, et al. Diagnostic accuracy of plasma kynurenine/tryptophan ratio, measured by enzyme-linked immunosorbent assay, for pulmonary tuberculosis. *Int J Infect Dis*. 2020; 99: 441–8.
32. Adu-Gyamfi CG, Snyman T, Hoffmann CJ, Matinson NA, Chaisson RE, George JA, et al. Plasma Indoleamine 2, 3-Dioxygenase, a Biomarker for Tuberculosis in Human Immunodeficiency Virus-Infected Patients. *Clin Infect Dis*. 2017; 65 (8): 1356–63
33. ImmuSmol. Kynurenine/Tryptophan ratio ELISA pack. ImmuSmol. 2021. [cited 20 December 2021]. Available from: <https://www.immusmol.com/kynurenine-tryptophan-ratio-elisa-kit-kyn-trp-ratio-pack.html#references>
34. Nasronudin. Virologi HIV. Dalam : Buku Ajar Ilmu Penyakit Dalam. Edisi ke-6. Jakarta : Pusat Penerbitan Ilmu Penyakit Dalam FKUI. 2014; hal 898–901
35. Fauci AS, Folkers GK, Lane HC. Human immunodeficiency virus disease: AIDS and related disorders. In : *Harrisons principles of internal medicine 20th Edition*. New York: Mc Graw Hill Education. 2018; 1393-462
36. Hoffmann C, Rockstroh JK. HIV 2015/2016. Hamburg: Medizin Fokus Verlag; 2015

37. Klatt EC. Biology and pathogenesis of HIV infection. In : pathology of HIV/AIDS. Georgia: Mercer University School of Medicine. 2020; 6-73
38. Deeks SG, Overbaugh J, Phillips A, Buchbinder S. HIV infection. *Nat Rev Dis Primer*. 2015;1(1):15035.
39. Nelwan EJ, Wisaksana R. Gejala dan diagnosis HIV. Dalam : Buku Ajar Ilmu Penyakit Dalam. Edisi ke-6. Jakarta : Pusat Penerbitan Ilmu Penyakit Dalam FKUI. 2014; 910–5
40. Keputusan Menteri Kesehatan Republik Indonesia No. HK.01.07 tentang Pedoman Nasional Pelayanan Kedokteran Tata laksana HIV. 2019
41. Mehta JB, Dutt AK. Epidemiology and Host Factors. In: Schlossberg D, ed. *Tuberculosis and Nontuberculous Mycobacterial Infections*. ASM Press; 2017:11–32
42. Keputusan Menteri Kesehatan Republik Indonesia No. HK.01.07 tentang Pedoman Nasional Pelayanan Kedokteran Tata laksana HIV. 2019
43. Amin Z, Bahar A. Tuberkulosis paru. Dalam : Buku Ajar Ilmu Penyakit Dalam. Edisi ke-6. Jakarta : Pusat Penerbitan Ilmu Penyakit Dalam FKUI. 2014; hal 863–72
44. Torrelles JB, Schlesinger LS. Integrating Lung Physiology, Immunology, and Tuberculosis. *Trends Microbiol*. 2017;25(8):688–97.
45. O'Garra A, Redford PS, McNab FW, Bloom CI, Wilkinson RJ, Berry MPR. The Immune Response in Tuberculosis. *Annu Rev Immunol*. 2013;31(1):475–527.
46. Averbakh MM, Ergeshow A. Interaction between Mycobacterium tuberculosis and Human Host: Role of Cytokines in Pathogenesis and Treatment Monitoring. In: Kayembe JMN, ed. *Tuberculosis*. InTech; 2018.
47. Romero-Adrian TB. Role of cytokines and other factors involved in the Mycobacterium tuberculosis infection. *World J Immunol*. 2015;5(1):16.
48. Crowther RR, Qualls JE. Metabolic Regulation of Immune Responses to Mycobacterium tuberculosis: A Spotlight on L-Arginine and L-Tryptophan Metabolism. *Front Immunol*. 2021; 11: 628432.
49. Walzl G, McNerney R, du Plessis N, et al. Tuberculosis: advances and challenges in development of new diagnostics and biomarkers. *Lancet Infect Dis*. 2018;18(7): 199–210.

50. Shankar EM, Vignesh R, Ellegård R, et al. HIV- Mycobacterium tuberculosis co-infection: a ‘danger-couple model’ of disease pathogenesis. *Pathog Dis.* 2014;70(2):110–8.
51. Shankar EM, Saeidi A, Vignesh R, Velu V, Larsson M. Understanding Immune Senescence, Exhaustion, and Immune Activation in HIV–Tuberculosis Coinfection. In: Fulop T, Franceschi C, Hirokawa K, Pawelec G, eds. *Handbook of Immunosenescence.* Springer International Publishing; 2018:1–15.
52. Montales MT, Chaudhury A, Beebe A, Patil S, Patil N. HIV-Associated TB Syndemic: A Growing Clinical Challenge Worldwide. *Front Public Health.* 2015;3.
53. Tornheim JA, Dooley KE. Tuberculosis associated with HIV infection. *Tuberculosis and Nontuberculous Mycobacterial infections seventh edition.* Washington : American Society for Microbiology. 2017; 577–94
54. Meka DM. Diagnostic Accuracy of Gene Xpert vs Acid Fast Smear in HIV Patients Suspected for Tuberculosis. *J Med Sci Clin Res.* 2020;08(01).
55. Cudahy P, Shenoi SV. Diagnostics for pulmonary tuberculosis: Table 1. *Postgrad Med J.* 2016;92(1086):187–93.
56. Kerkhoff AD, Barr DA, Schutz C, et al. Disseminated tuberculosis among hospitalised HIV patients in South Africa: a common condition that can be rapidly diagnosed using urine-based assays. *Sci Rep.* 2017;7(1):10931.
57. Yeung AWS, Terentis AC, King NJC, Thomas SR. Role of indoleamine 2,3-dioxygenase in health and disease. *Clin Sci.* 2015;129(7):601–72.
58. Schmidt SV, Schultze JL. New Insights into IDO Biology in Bacterial and Viral Infections. *Front Immunol.* 2014;5.
59. Boasso A. Wounding the Immune System with its Own Blade: HIV-Induced Tryptophan Catabolism and Pathogenesis. *Curr Med Chem.* 2011;18(15):2247–56.
60. Kellner KH, Stemke A. Kynurenine and IDO: Immunological Markers and Actors. 2018; 33: 7.
61. Collins JM, Siddiqa A, Jones DP, et al. Tryptophan catabolism reflects disease activity in human tuberculosis. *JCI Insight.* 2020;5(10): e137131.

62. Shi W, Wu J, Tan Q, et al. Plasma indoleamine 2,3-dioxygenase activity as a potential biomarker for early diagnosis of multidrug-resistant tuberculosis in tuberculosis patients. *Infect Drug Resist.* 2019; 12:1265–76.
63. Sharan R, Buçşan AN, Ganatra S, et al. Chronic Immune Activation in TB/HIV Co-infection. *Trends Microbiol.* 2020;28(8):619–32.
64. Badawy AAB, Guillemin G. The Plasma [Kynurenine]/[Tryptophan] Ratio and Indoleamine 2,3-Dioxygenase: Time for Appraisal. *Int J Tryptophan Res.* 2019;12.
65. Badawy AAB. Kynurenine Pathway of Tryptophan Metabolism: Regulatory and Functional Aspects. *Int J Tryptophan Res.* 2017;10
66. Simanjuntak RB. Uji diagnostik lipoarabinomannan (LAM) urin pada pasien tuberculosis paru pasien HIV/AIDS. UNAND. 2017
67. Kementerian Kesehatan RI. Petunjuk teknis pemeriksaan biakan, identifikasi, dan uji kepekaan *Mycobacterium tuberculosis* pada media padat. Direktorat Jendral Bina Upaya Kesehatan Direktorat Jendral Pengendalian Penyakit dan Penyehatan Lingkungan. 2012
68. Evans L, Rhodes A, Alhazzani W, Antonelli M, Coopersmith CM, French C, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Critical care medicine.* 2021; 49(11): 1063–143
69. Fitri SUR, Ibrahim K, Liani SS, Rahayuwati L, Herliani YK. Nutritional status and health characteristics of people living with HIV/AIDS. *Macedonian Journal of Medical Sciences.* 2021; 9(T6): 153–8
70. Putri CL, Siregar ML, Harapan H, Husnah H. Malnutrition and opportunistic infections among people living with HIV receiving anti-retroviral therapy in Aceh, Indonesia. *J Public health.* 2018; 47 (5): 762–4
71. Sala SS, Lim JA. Quality of life and its determinants among filipino people living with HIV/AIDS enrolled in treatment hub of tertiary government hospital. *Acta Medica Philippina.* 2022; 56 (6): 124132
72. UNAIDS. In danger: UNAIDS global AIDS update 2022. Geneva: Joint United Nations Programme on HIV/AIDS; 2022
73. ASEAN. HIV in the ASEAN region: second regional report on HIV & AIDS 2011-2015. Jakarta: the ASEAN Secretariat. 2016

74. Ministry of Health Republic Indonesia. HIV epidemiology review Indonesia 2016. Jakarta: Directorate General of Disease Prevention and Control. 2017
75. Girum T, Waise A, Lentiro K, muktar E, Shumbej T, Difer M, et al. Gender disparity in epidemiological trend of HIV/AIDS infection and treatment in Ethiopia. *Arch Public Health*. 2018; 76: 51
76. Olsson O, Skogmar S, Tesfaye F, Mulleta D, Jansson M, Bjorkman P. Kynurenine/tryptophan ratio for detection of active tuberculosis in adults with HIV prior to antiretroviral therapy. *AIDS*. 2022; 36 (9): 1245-53
77. Gupta-wright A, Fielding K, Wilson D, Oosterhout JJ, Grint D, Mwandumba HC, et al. Tuberculosis in hospitalized patients with human immunodeficiency virus: clinical characteristics, mortality, and implications from the rapid urine-based screening for tuberculosis to reduce AIDS related mortality in hospitalized patients in Africa. *Clin infect dis*. 2020; 71 (10): 2618–26
78. Khatri S, Amatya A, Shrestha B. Nutritional status and the associated factors among people living with HIV: an evidence from cross-sectional survey in hospital based antiretroviral therapy site in Kathmandu, Nepal. *BMC Nutrition*. 2020; 6(22): 1–13
79. Nanewortor BM, Saah FI, Appiah PK, Amu H, Kissah-Korsah K. Nutritional status and associated factors among people living with HIV/AIDS in Ghana: cross-sectional study of high active antiretroviral therapy clients. *BMC Nutrition*. 2021; 7: 14
80. Fenta A, Demeke G, Bitew A, Kebede D, Hailu T. Prevalence and associated factors of TB co-morbidity among HIV sero-positive individuals in shegaw motta district hospital, Ethiopia. *Int J Gen Med*. 2020; 13: 1529–36
81. Sayanarayan TB, Manjunath MP, Ranganath M, Mahendra M. Impact of CD4 count in the development of mycobacterium tuberculosis in patients with HIV infection in a tertiary care centre. *Int J Adv Med*. 2018; 5(2): 340–2
82. Fatimatuzzuhro, Sundari, AS, Indriati, DW. The prevalence of pulmonary tuberculosis among newly diagnosed HIV/AIDS individuals admitted in Gresik, Indonesia. *Malaysian J Med Health Sci*. 2020; 16 : 4–8
83. Sahle SN, Asress DT, Tullu KD, Weldemariam AG, Tola HH, Awas YA, et al. Performance of point-of-care urine test in diagnosing tuberculosis suspects with

- and without HIV infection in selected peripheral health settings of Addis Ababa, Ethiopia. *BMC Res Notes*. 2017; 10: 74
84. Kakoma LN, Mukesi M, Moyo SR. Effectiveness of GeneXpert technology in the diagnosis of smear-negative pulmonary mycobacterium tuberculosis in HIV positive patients in Namibia. *Open J Med Microbiol*. 2016; 6: 133–41
 85. Sastroasmoro S, Ismael S. *Dasar-dasar metodologi penelitian klinis*. Edisi ke-4. Jakarta: Sagung Seto. 2011
 86. Hardisman. *Penelitian diagnostik dan prognostik*. Jakarta: Prenadamedia Group. 2021
 87. Adu-gyamfi C, Savulescu D, Mikhathani L, Otwombe K, Salazar-Austin N, Chaisson R, et al. Plasma kynurenine to tryptophan ratio, a highly sensitive blood based diagnostic tool for tuberculosis in pregnant women living with human immunodeficiency virus (HIV). *Clin Infect Dis*. 2021; 73(6): 1027–36
 88. Sabur NF, Esmail A, Brar MS, Dheda K. Diagnosing tuberculosis in hospitalized HIV-infected individuals who cannot produce sputum: is urine lipoarabinomannan testing the answer ?. *BMC Infect Dis*. 2017; 17: 1–6
 89. Brock M, Hanlon D, Zhao M, Pollock NR. Detection of mycobacterial lipoarabinomannan in serum for diagnosis of active tuberculosis. *Diagn Microbiol Infect Dis*. 2020;96(2):114937
 90. Elvira D, Masri R, Bilmahdi R. The rule of chemokine family, CXCL-10 urine as a marker diagnosis of active lung tuberculosis in HIV-AIDS patients. *Int J Sci Res Innov*. 2017; 11 (3): 86–8
 91. Santos VS, Goletti D, Kontogianni K, Adams ER, Molina-Moya B, Dominguez J, et al. Acute phase proteins and IP-10 as triage tests for the diagnosis of tuberculosis: systematic review and meta-analysis. *Clin Microbiol Infect*. 2019;25(2):169–77
 92. Qiu X, Tang Y, Zou R, Zeng Y, Yue Y, Li W, et al. Diagnostic accuracy of interferon-gamma-induced protein 10 for differentiating active tuberculosis from latent tuberculosis; a meta-analysis. *Scientific Reports*. 2019; 9: 1–10