

DAFTAR PUSTAKA

- Abdulkhaleq, L. A., Assi, M. A., Abdullah, R., Zamri-Saad, M., Taufiq-Yap, Y. H., & Hezmee, M. N. M. (2018). The crucial roles of inflammatory mediators in inflammation: A review. *Veterinary World*, *11*(1), 627–635. <https://doi.org/10.14202/vetworld.2018.627-635>
- Afonso, V., Champy, R., Mitrovic, D., Collin, P., & Lomri, A. (2007). Reactive oxygen species and superoxide dismutases: Role in joint diseases. *Joint Bone Spine*, *74*(1), 324–329. <https://doi.org/10.1016/j.jbspin.2007.02.002>
- Agency, E. M. (2011). Guideline on bioanalytical method validation, 1–23.
- Alaaeddine, N., Olee, T., Hashimoto, S., Creighton-Achermann, L., & Lotz, M. (2001). Production of the chemokine RANTES by articular chondrocytes and role in cartilage degradation. *Arthritis and Rheumatism*, *44*(7), 1633–1643. [https://doi.org/10.1002/1529-0113\(200107\)44:7<1633::AID-ART286>3.0.CO;2-Z](https://doi.org/10.1002/1529-0113(200107)44:7<1633::AID-ART286>3.0.CO;2-Z)
- Ashkavand, Z., Malekinejad, H., & Vishwanath, B. S. (2013). The pathophysiology of osteoarthritis. *Journal of Pharmacy Research*, *7*(1), 132–138. <https://doi.org/10.1007/BF03327357>
- Auweter, H., André, V., Horn, D., & Lüddecke, E. (1998). the Function of Gelatin in Controlled Precipitation Processes of Nanosize Particles. *Journal of Dispersion Science and Technology*, *19*(2–3), 163–184. <https://doi.org/10.1080/01932699808913170>
- Bansal, S., Bansal, M., & Kumria, R. (2012). Nanocrystals: Current Strategies and Trends. *IJRBB*, *3*(1), 406–419. Retrieved from <http://ijrpsonline.com/files/63.pdf>
- Batrakova, E. V., & Kabanov, A. V. (2008). Pluronic block copolymers: Evolution of drug delivery concept from inert nanocarriers to biological response modifiers. *Journal of Controlled Release*, *130*(2), 98–106. <https://doi.org/10.1016/j.jconrel.2008.04.013>
- Baumann, M. H., Williams, Z., Zolkowska, D., & Rothman, R. B. (2011). Serotonin (5-HT) precursor loading with 5-hydroxy-l-tryptophan (5-HTP) reduces locomotor activation produced by (+)-amphetamine in the rat. *Drug and Alcohol Dependence*, *114*(1), 147–152. <https://doi.org/10.1016/j.drugalcdep.2010.09.015>
- Bhosale, A. M., & Richardson, J. B. (2008). Articular cartilage: Structure, injuries and review of management. *British Medical Bulletin*, *87*(1), 77–95. <https://doi.org/10.1093/bmb/ldn025>

- Billinghurst, R. C., Dahlberg, L., Ionescu, M., Reiner, A., Bourne, R., Rorabeck, C., ... Poole, A. R. (1997). Enhanced Cleavage of Type II Collagen by Collagenases in Osteoarthritic Articular Cartilage. *J.Clin.Invest.*, 99(7), 1534–1545.
- Bondeson, J., Wainwright, S. D., Lauder, S., Amos, N., & Hughes, C. E. (2006). The role of synovial macrophages and macrophage-produced cytokines in driving aggrecanases, matrix metalloproteinases, and other destructive and inflammatory responses in osteoarthritis. *Arthritis Research and Therapy*, 8(6), 1–12. <https://doi.org/10.1186/ar2099>
- Bruckner, P. (1994). Structure and Function of Cartilage Collagens. *Microscopy Research and Technique*, 28(1), 378–384.
- Burrage, Peter, S., mix, kimberlee, S., & Brinckerhoff, constance, E. (2006). Matrix Metalloproteinases: Role In Arthritis. *Frontiers in Bioscience*, 11(1), 529–543. <https://doi.org/10.2741/1817>
- Chan, C. M., Macdonald, C. D., Ditherland, G. J., Wilkinson, D. J., Skelton, A., Europe-finner, G. N., & Rowan, A. D. (2017). Cytokine-induced MMP13 Expression in Human Chondrocytes Is Dependent on Activating Transcription. *Journal of Biological Chemistry*, 292(5), 1625–1636. <https://doi.org/10.1074/jbc.M116.756601>
- Chogale, M. M., Ghodake, V. N., & Patravale, V. B. (2016). Performance parameters and characterizations of nanocrystals: A brief review. *Pharmaceutics*, 8(3). <https://doi.org/10.3390/pharmaceutics8030026>
- Dash, S., Murhty, P., Nath, L., & Chowdhury, P. (2010). KINETIC MODELING ON DRUG RELEASE FROM CONTROLLED DRUG DELIVERY SYSTEMS. *Acta Poloniae Pharmaceutica-Drug Researchrug Research*, 67(3), 217–223.
- de Waard, H., Hinrichs, W. L. J., & Erijlink, H. W. (2008). A novel bottom-up process to produce drug nanocrystals: Controlled crystallization during freeze-drying. *Journal of Controlled Release*, 128, 179–183. <https://doi.org/10.1016/j.jconrel.2008.03.002>
- Deng, J., Huang, L., & Liu, F. (2010). Understanding the structure and stability of paclitaxel nanocrystals. *International Journal of Pharmaceutics*, 390(2), 242–249. <https://doi.org/10.1016/j.ijpharm.2010.02.013>
- Dhapte, V., & Pokharkar, V. (2011). Polyelectrolyte Stabilized Antimalarial Nanosuspension Using Factorial Design Approach. *Journal of Biomedical Nanotechnology*, 7(1), 139–141. <https://doi.org/10.1166/jbn.2011.1239>
- Dodou, D., Breedveld, P., & Wieringa, P. A. (2005). Mucoadhesives in the gastrointestinal tract: Revisiting the literature for novel applications.

European Journal of Pharmaceutics and Biopharmaceutics, 60(1), 1–16. <https://doi.org/10.1016/j.ejpb.2005.01.007>

Duchêne, D., & Ponchel, G. (1997). Bioadhesion of solid oral dosage forms, why and how? *European Journal of Pharmaceutics and Biopharmaceutics*, 44(1), 15–23. [https://doi.org/10.1016/S0939-6411\(97\)00097-0](https://doi.org/10.1016/S0939-6411(97)00097-0)

Ensign, L. M., Schneider, C., Suk, J. S., Cone, R., & Hanes, J. (2012). Mucus Penetrating Nanoparticles: Biophysical Tool and Method of Drug and Gene Delivery. *Adv. Mater.*, 1(1), 1–8. <https://doi.org/10.1002/adma.201201800>

Fitriani, L., Afriyanti, I., Afriyani, A., Ismed, F., & Zaini, E. (2018). Solid Dispersion of Usnic acid–HPMC 2910 Prepared by Spray drying and Freeze drying Techniques. *Oriental Journal of Chemistry*, 34(4), 2083–2088. <https://doi.org/10.13005/ojc/3404048>

Ganta, S., Paxton, J. W., Baguley, B. C., & Garg, S. (2009). Formulation and pharmacokinetic evaluation of an asulacrine nanocrystalline suspension for intravenous delivery. *International Journal of Pharmaceutics*, 367(1–2), 179–186. <https://doi.org/10.1016/j.ijpharm.2008.09.022>

Gao, L., Liu, G., Ma, J., Wang, X., Zhou, L., Li, X., & Wang, F. (2013). Application of drug nanocrystal technologies on oral drug delivery of poorly soluble drugs. *Pharm Res*, 30(2), 307–324. <https://doi.org/10.1007/s11095-012-0889-z>

Gelse, K., Po, E., & Aigner, T. (2003). Collagens — structure , function , and biosynthesis. *Advanced*, 55(1), 1531–1546. <https://doi.org/10.1016/j.addr.2003.08.002>

Ghosh, I., Bose, S., Vippagunta, R., & Harmon, F. (2011). Nanosuspension for improving the bioavailability of a poorly soluble drug and screening of stabilizing agents to inhibit crystal growth. *International Journal of Pharmaceutics*, 409(1), 260–268. <https://doi.org/10.1016/j.ijpharm.2011.02.051>

Ghosh, I., Schenck, D., Bose, S., & Ruegger, C. (2012). Optimization of formulation and process parameters for the production of nanosuspension by wet media milling technique: Effect of Vitamin e TPGS and nanocrystal particle size on oral absorption. *European Journal of Pharmaceutical Sciences*, 47(1), 718–728. <https://doi.org/10.1016/j.ejps.2012.08.011>

Gigliobianco, M., Casadidio, C., Censi, R., Di Martino, P., Gigliobianco, M. R., Casadidio, C., ... Di Martino, P. (2018). Nanocrystals of Poorly Soluble Drugs: Drug Bioavailability and Physicochemical Stability. *Pharmaceutics*, 10(3), 134. <https://doi.org/10.3390/pharmaceutics10030134>



- Glasson, S. S., Askew, R., Sheppard, B., Carito, B. A., Blanchet, T., Ma, H. L., ... Morris, E. A. (2004). Characterization of and osteoarthritis susceptibility in ADAMTS-4-knockout mice. *Arthritis and Rheumatism*, 50(8), 2547–2558. <https://doi.org/10.1002/art.20558>
- Goldring, M. B. (2000). THE ROLE OF THE CHONDROCYTE IN OSTEOARTHRITIS. *Arthritis&Rheumatism*, 43(9), 1916–1926.
- Goldring, M. B., & Otero, M. (2011). Inflammation in osteoarthritis. *Curr Opin Rheumatol*, 23(5), 471–478. <https://doi.org/10.1093/rheumatology/XVII.suppl.59>
- Gs, M., & Mologhianu, G. (2014). Osteoarthritis pathogenesis – a complex process that involves the entire joint. *Journal of Medicine and Life*, 7(1), 37–41.
- Guingamp, C., Gegout-pottie, P., Philippe, L., Terlain, B., Netter, P., & Gillet, P. (1997). MONO-IODOACETATE-INDUCED EXPERIMENTAL OSTEOARTHRITIS: A Dose-Response Study of Loss of Mobility, Morphology, and Biochemistry. *Arthritis & Rheumatism*, 40(9), 1670–1679.
- Henrotin, Y., Sanchez, C., & Reginster, J.-Y. (2002). The inhibition of metalloproteinases to treat osteoarthritis: reality and new perspectives. *Expert Opinion on Therapeutic Patents*, 12(1), 29–43. <https://doi.org/10.1517/13543776.12.1.29>
- Hollander, A. P., Bourne, R., & Poole, A. R. (1995). Damage to type II collagen in aging and osteoarthritis starts at the articular surface , originates around chondrocytes , and extends into the cartilage with progressive degeneration . Find the latest version : Progressive Degeneration. *J Clin Invest*, 96(6), 2859–2869.
- Hollander, A. P., Rorabeck, C., & Poole, A. R. (1994). Increased damage to type II collagen in osteoarthritic articular cartilage detected by a new immunoassay . Find the latest version : *J Clin Invest*, 93(4), 1722–1732.
- Hu, Q., & Ecker, M. (2021). Overview of MMP-13 as a Promising Target for the Treatment of Osteoarthritis. *Int. J. Mol. Sci*, 22(1742), 1–21.
- Huang, Z., Tao, J., Ruan, J., Li, C., & Zheng, G. (2014). Anti-inflammatory effects and mechanisms of usnic acid , a compound firstly isolated from lichen *Parmelia saxatilis*. *Journal of Medicinal Plant Reseach*, 8(4), 197–207. <https://doi.org/10.5897/JMPR10.873>
- Ingolfssdottir, K. (2002). Usnic acid. *Phytochemistry*, 61(7), 729–736. [https://doi.org/10.1016/S0031-9422\(02\)00383-7](https://doi.org/10.1016/S0031-9422(02)00383-7)

- Jacobs, C., & Müller, R. H. (2002). Production and characterization of a budesonide nanosuspension for pulmonary administration.pdf. *Pharmaceutical Research*, 19(2), 2–7.
- Jain, A. K., & Thareja, S. (2019). pharmaceutical nanocarriers used for drug delivery. *Artificial Cells, Nanomedicine, and Biotechnology*, 47(1), 524–539. <https://doi.org/10.1080/21691401.2018.1561457>
- Janusz, M. J., Hookfin, E. B., Heitmeyer, S. A., Woessner, J. F., Freemont, A. J., Hoyland, J. A., ... Taiwo, Y. O. (2001). Moderation of iodoacetate-induced experimental osteoarthritis in rats by matrix metalloproteinase inhibitors. *OARSI*, 9(1), 751–760. <https://doi.org/10.1053/joca.2001.0472>
- Junghanns, J.-U. A. H., & Mueller, R. H. (2008). Nanocrystal technology, drug delivery and clinical applications. *International Journal of Nanomedicine*, 3(3), 295–309.
- Junghanns, J. U. A. H., & Müller, R. H. (2008). Nanocrystal technology, drug delivery and clinical applications. *International Journal of Nanomedicine*, 3(3), 295–309. <https://doi.org/10.2147/IJN.S595>
- Kapoor, M., Martel-Pelletier, J., Lajeunesse, D., Pelletier, J. P., & Fahmi, H. (2011). Role of proinflammatory cytokines in the pathophysiology of osteoarthritis. *Nature Reviews Rheumatology*, 7(1), 33–42. <https://doi.org/10.1038/nrrheum.2010.196>
- Kayaert, P., & Mooter, G. Van Den. (2012). Is the amorphous fraction of a dried nanosuspension caused by milling or by drying? A case study with Naproxen and Cinnarizine. *European Journal of Pharmaceutics and Biopharmaceutics*, 81, 650–656. <https://doi.org/10.1016/j.ejpb.2012.04.020>
- Keck, C. M., & Müller, R. H. (2006). Drug nanocrystals of poorly soluble drugs produced by high pressure homogenisation. *European Journal of Pharmaceutics and Biopharmaceutics*, 62(1), 3–16. <https://doi.org/10.1016/j.ejpb.2005.05.009>
- Krishna, R., Venkataramana, D. (2006). Pharmacokinetics Of D(+)-Usnic Acid In Rabbits After Intravenous And Oral Administration. *The American Society for Pharmacology and Experimental Therapeutics*, 20(6), 909–911.
- Krishna, D. R., Ramana, D. V, & Mamidi, N. V. (1995). In vitro protein binding and tissue distribution of D(+) usnic acid. *Drug Metabolism and Drug Interactions*, 12(1), 53–63.
- Kuby. (2012). *Immunology*. (E. Champion & I. Pech, Eds.), *Uma ética para quantos?* (seventh ed, Vol. XXXIII). New York: susan winslow. <https://doi.org/10.1007/s13398-014-0173-7.2>

- Lai, S. L., Guo, J. Y., Petrova, V., Ramanath, G., & Allen, L. H. (1996). Size-Dependent Melting Properties of Small Tin Particles: Nanocalorimetric Measurements. *Physical Review Letters*, 77(1), 99–102.
- Lee, J., Choi, J. Y., & Park, C. H. (2008). Characteristics of polymers enabling nano-comminution of water-insoluble drugs. *International Journal of Pharmaceutics*, 355(1), 328–336. <https://doi.org/10.1016/j.ijpharm.2007.12.032>
- Lee, J., Lee, S. J., Choi, J. Y., Yoo, J. Y., & Ahn, C. H. (2005). Amphiphilic amino acid copolymers as stabilizers for the preparation of nanocrystal dispersion. *European Journal of Pharmaceutical Sciences*, 24(5), 441–449. <https://doi.org/10.1016/j.ejps.2004.12.010>
- Leyva-porras, C., Cruz-alcantar, P., Espinosa-solís, V., & Martínez-guerra, E. (2020). Application of Differential Scanning Calorimetry (DSC) and Modulated Differential Scanning Calorimetry (MDSC) in Food and Drug Industries. *Polymers*, 12(5), 1–21. <https://doi.org/10.3390/polym12010005>
- Li, H., Wang, D., Yuan, Y., & Min, J. (2017). New insights on the MMP-13 regulatory network in the pathogenesis of early osteoarthritis. *Arthritis Research & Therapy*, 19(248), 1–12. <https://doi.org/10.1186/s13075-017-1454-2>
- Li, J., Wang, Z., Zhang, H., Gao, J., & Zheng, A. (2021). Progress in the development of stabilization strategies for nanocrystal preparations. *Drug Delivery*, 28(1), 19–36. <https://doi.org/10.1080/10717544.2020.1856224>
- Li, X., Gu, L., Xu, Y., & Wang, Y. (2009). Preparation of fenofibrate nanosuspension and study of its pharmacokinetic behavior in rats. *Drug Development and Industrial Pharmacy*, 35(7), 827–833. <https://doi.org/10.1080/03639040802623941>
- Lipinski, C. (2009). American Pharmaceutical Review - Poor Aqueous Solubility – an Industry Wide Problem in Drug Discovery American Pharmaceutical Review - Poor Aqueous Solubility – an Industry Wide Problem in Drug Discovery. *American Pharmaceutiocal Review*, 1–16.
- Lira, M. C. B., Ferraz, Æ. M. S., Cortes, M. E., Teixeira, Æ. K. I., Caetano, Æ. N. P., Sinisterra, R. D., & Ponchel, Æ. G. (2009). Inclusion complex of usnic acid with b -cyclodextrin: characterization and nanoencapsulation into liposomes, 215–224. <https://doi.org/10.1007/s10847-009-9554-5>
- Liu, D., Xu, H., Tian, B., Yuan, K., Pan, H., Ma, S., ... Pan, W. (2012). Fabrication of Carvedilol Nanosuspensions Through the Anti-Solvent Precipitation – Ultrasonication Method for the Improvement of Dissolution Rate and Oral Bioavailability. *AAPS PharmSciTech*, 13(1), 295–304. <https://doi.org/10.1208/s12249-011-9750-7>



- Lucida, H., Febriyenti, Pradana, R., & Rahmatika, L. (2016). Preparation of quercetin nanocrystals by planetary ball mill to increase the solubility and the dissolution profile. *Der Pharmacia Lettre*, 8(18), 53–58.
- Lukáč, M., Prokipčák, I., Lacko, I., & Devínsky, F. (2012). Solubilisation of (+)-Usnic Acid in Aqueous Micellar Solutions of Gemini and Heterogemini Surfactants and their Equimolar Mixture. *Acta Fac. Pharm. Univ. Comen.*, 59(2), 36–43. <https://doi.org/10.2478/v10219-012-0022-8>
- Mahmoud, K. A., Mena, J. A., Male, K. B., Hrapovic, S., Kamen, A., & Luong, J. H. T. (2010). Effect of surface charge on the cellular uptake and cytotoxicity of fluorescent labeled cellulose nanocrystals. *ACS Applied Materials and Interfaces*, 2(10), 2924–2932. <https://doi.org/10.1021/am1006222>
- Male, D., Brostoff, J., Roth, D. B., & Roitt, I. (2006). *Immunology* (seventh ed). Canada: Elsevier Ltd.
- Mathiessen, A., & Conaghan, P. G. (2017). Synovitis in osteoarthritis: Current understanding with therapeutic implications. *Arthritis Research and Therapy*, 19(1), 1–9. <https://doi.org/10.1186/s13075-017-1229-9>
- Mathy-Hartert, M., Hogge, L., Sanchez, C., Deby-Dupont, G., Crielaard, J. M., & Henrotin, Y. (2008). Interleukin-1 β and interleukin-6 disturb the antioxidant enzyme system in bovine chondrocytes: a possible explanation for oxidative stress generation. *Osteoarthritis and Cartilage*, 16(7), 756–763. <https://doi.org/10.1016/j.joca.2007.10.009>
- Merisko-Liversidge, E., & Liversidge, G. G. (2011). Nanosizing for oral and parenteral drug delivery: A perspective on formulating poorly-water soluble compounds using wet media milling technology. *Advanced Drug Delivery Reviews*, 63(1), 427–440. <https://doi.org/10.1016/j.addr.2010.12.007>
- Mishra, P. R., Shaal, L. A., Müller, R. H., & Keck, C. M. (2009). Production and characterization of Hesperetin nanosuspensions for dermal delivery. *International Journal of Pharmaceutics*, 371(1–2), 182–189. <https://doi.org/10.1016/j.ijpharm.2008.12.030>
- Monshi, A., Foroughi, M. R., & Monshi, M. R. (2012). Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD. *WJNSE*, 2012(2), 154–160. <https://doi.org/10.4236/wjnse.2012.23020>
- Müller, R. H., Gohla, S., & Keck, C. M. (2011a). State of the art of nanocrystals - Special features, production, nanotoxicology aspects and intracellular delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, 78(1), 1–9. <https://doi.org/10.1016/j.ejpb.2011.01.007>
- Müller, R. H., Gohla, S., & Keck, C. M. (2011b). State of the art of nanocrystals - Special features, production, nanotoxicology aspects and intracellular

delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, 78, 1–9. <https://doi.org/10.1016/j.ejpb.2011.01.007>

Muller, R. H., Shegokar, R., & Keck, C. M. (2011). 20 years of lipid nanoparticles (SLN and NLC): present state of development and industrial applications. *Current Drug Discovery Technologies*, 8(3), 207–227. <https://doi.org/10.2174/157016311796799062>

Nagase, H., & Kashiwagi, M. (2003). Aggrecanases and cartilage matrix degradation. *Arthritis Research Therapy*, 5(2), 94–103. <https://doi.org/10.1186/ar630>

Nagase, H., & Woessner, J. F. (1999). Matrix Metalloproteinases *. *The Journal of Biological Chemistry*, 274(31), 21491–21494.

Ng, H. Y., Lee, A. A., & Shen, K. X. (2017). Articular Cartilage: Structure, Composition, Injuries and Repair. *JSM Bone and Joint Dis*, 1(2), 1010. <https://doi.org/10.1111/j.1469-7580.2008.00942>

Ozturk, A. A., Yenilmez, E., Arslan, R., Senel, B., & Yazan, Y. (2017). Dexketoprofen Trometamol-Loaded Kollidon® SR and Eudragit® RS 100 Polymeric Nanoparticles: Formulation and In Vitro-In Vivo Evaluation. *Lat. Am. J. Pharm*, 36(11), 2153–2165.

Palmer, G., Guerne, P.-A., Mezin, F., Maret, M., Guicheux, J., Goldring, M. B., & Gabay, C. (2002). Production of interleukin-1 receptor antagonist by human articular chondrocytes. *Arthritis Research*, 4(3), 226–231. <https://doi.org/10.1186/ar411>

Pande, V. V., & Abhale, V. N. (2016). Nanocrystal technology: A particle engineering formulation strategy for the poorly water soluble drugs. *Der Pharmacia Letter*, 8(5), 384–392. <https://doi.org/10.1016/j.jipharm.2013.01.019>

Patravale, V. B., Date, A. A., & Kulkarni, R. M. (2004). Nanosuspensions: a promising drug delivery strategy. *Journal of Pharmacy and Pharmacology*, 56(1), 827–840. <https://doi.org/10.1211/0022357023691>

Pawar, V. K., Singh, Y., Meher, J. G., Gupta, S., & Chourasia, M. K. (2014). Engineered nanocrystal technology: In-vivo fate, targeting and applications in drug delivery. *Journal of Controlled Release*, 183(1), 51–66. <https://doi.org/10.1016/j.jconrel.2014.03.030>

Peltonen, L., & Hirvonen, J. (2010). Pharmaceutical nanocrystals by nanomilling: critical process parameters, particle fracturing and stabilization methods. *JPP*, 62, 1569–1579. <https://doi.org/10.1111/j.2042-7158.2010.01022.x>



- Pitcher, T., Sousa-valente, J., & Malcangio, M. (2016). The Monoiodoacetate Model of Osteoarthritis Pain in the Mouse. *Journal of Visualized Experiments*, 111(1), 1–5. <https://doi.org/10.3791/53746>
- Polson, C., Sarkar, P., Incledon, B., Raguvaran, V., & Grant, R. (2003). Optimization of protein precipitation based upon effectiveness of protein removal and ionization effect in liquid chromatography – tandem mass spectrometry. *J. Chromatogr. B*, 785, 263–275.
- Poole, A. R., Kobayashi, M., Yasuda, T., Lavery, S., Mwale, F., Kojima, T., ... Wu, W. (2002). Type II collagen degradation and its regulation in articular cartilage in osteoarthritis. *Ann Rheum Dis*, 61(2), 78–81.
- Poole, R., Kojima, T., Mwale, F., & Kobayashi, M. (2001). Composition and Structure of Articular Cartilage: A Template for Tissue Repair. *Clinical Orthopedics and Related Research*, (391S), S26–S33.
- Quan, P., Shi, K., Piao, H., Piao, H., Liang, N., Xia, D., & Cui, F. (2012). A novel surface modified nitrendipine nanocrystals with enhancement of bioavailability and stability. *International Journal of Pharmaceutics*, 430(1–2), 366–371. <https://doi.org/10.1016/j.ijpharm.2012.04.025>
- Quan, P., Xia, D., Piao, H., Piao, H., Shi, K., Jia, Y., & Cui, F. (2011). Nitrendipine Nanocrystals : Its Preparation , Characterization , and In Vitro – In Vivo Evaluation. *AAPS PharmSciTech*, 12(4), 1136–1143. <https://doi.org/10.1208/s12249-011-9682-2>
- Rabinow, B. E. (2004). Nanosuspensions in drug delivery. *Nature Reviews Drug Discovery*, 3(9), 785–796. <https://doi.org/10.1038/nrd1494>
- Ravisankar, P., Navya, C. N., Pravallika, D., & Sri, D. N. (2015). A Review on Step-by-Step Analytical Method Validation A Review on Step-by-Step Analytical Method Validation. *IOSR Journal Of Pharmacy*, 5(10), 07-19.
- Rowe, R., Sheskey, P., & Quinn, M. (2009). Handbook of Pharmaceutical Excipients. *Handbook of Pharmaceutical Excipients, Sixth Edition*, 549–553. [https://doi.org/10.1016/S0168-3659\(01\)00243-7](https://doi.org/10.1016/S0168-3659(01)00243-7)
- Saindane, N. S., Pagar, K. P., & Vavia, P. R. (2013). Nanosuspension Based In Situ Gelling Nasal Spray of Carvedilol: Development, In Vitro and In Vivo Characterization. *AAPS PharmSciTech*, 14(1), 189–199. <https://doi.org/10.1208/s12249-012-9896-y>
- Salazar, J., Müller, R. H., & Möschwitzer, J. P. (2014). Combinative Particle Size Reduction Technologies for the Production of Drug Nanocrystals. *Journal of Pharmaceutics*, 2014, 1–14. <https://doi.org/10.1155/2014/265754>

- Sato, T., Konomi, K., Yamasaki, S., Aratani, S., Tsuchimochi, K., Yokouchi, M., ... Nakajima, T. (2006). Comparative Analysis of Gene Expression Profiles in Intact and Damaged Regions of Human Osteoarthritic Cartilage. *Arthritis & Rheumatism*, 54(3), 808–817. <https://doi.org/10.1002/art.21638>
- Scanzello, C. R., & Goldring, S. R. (2012). The role of synovitis in osteoarthritis pathogenesis ☆. *Bone*, 51(2), 249–257. <https://doi.org/10.1016/j.bone.2012.02.012>
- Scott, J. L., Gabrielides, C., Davidson, R. K., Swinger, T. E., Clark, I. M., Wallis, G. A., ... Young, D. A. (2010). Superoxide dismutase downregulation in osteoarthritis progression and end-stage disease. *Annals of the Rheumatic Diseases*, 69(8), 1502–1510. <https://doi.org/10.1136/ard.2009.119966>
- Sedgwick, G. W., Fenton, T. W., & Thompson, J., R. (1991). Effect of protein precipitating agents on the recovery of plasma free amino acids. *Can. J. Anim. Sci*, 71, 953–957.
- Sellam, J., & Berenbaum, J. (2010). The role of synovitis in pathophysiology and clinical symptoms of osteoarthritis. *Nature Reviews Rheumatology*, 6(11), 625–635. <https://doi.org/10.1038/nrrheum.2010.159>
- Selvia, N., Dahlan, K., D. S. U. (2012). SINTESIS DAN KARAKTERISASI β - TRICALCIUM PHOSPHATE BERBASIS CANGKANG KERANG RANGA PADA VARIASI SUHU SINTERING. *Jurnal Biofisika*, 8(1), 42–53.
- Sharma, P., Denny, W. A., & Garg, S. (2009). Effect of wet milling process on the solid state of indomethacin and simvastatin. *International Journal of Pharmaceutics*, 380(1–2), 40–48. <https://doi.org/10.1016/j.ijpharm.2009.06.029>
- Sharma, P., & Garg, S. (2010). Pure drug and polymer based nanotechnologies for the improved solubility, stability, bioavailability and targeting of anti-HIV drugs. *Advanced Drug Delivery Reviews*, 62(4–5), 491–502. <https://doi.org/10.1016/j.addr.2009.11.019>
- Shegokar, R., & Müller, R. H. (2010). Nanocrystals: Industrially feasible multifunctional formulation technology for poorly soluble actives. *International Journal of Pharmaceutics*, 399, 129–139. <https://doi.org/10.1016/j.ijpharm.2010.07.044>
- Shinde, A., Jadhav, N., More, H., & Heena, N. (2019). Design and characterisation of lopinavir nanocrystals for solubility and dissolution enhancement. *Pharm Sci Asia*, 46(3), 193–205. <https://doi.org/10.29090/psa.2019.03.018.0020>
- Singare, D. S., Marella, S., Gowthamrajan, K., Kulkarni, G. T., Vooturi, R., & Rao, P. S. (2010). Optimization of formulation and process variable of

- nanosuspension: An industrial perspective. *International Journal of Pharmaceutics*, 402(1), 213–220.
<https://doi.org/10.1016/j.ijpharm.2010.09.041>
- Singh, S. K., Srinivasan, K. K., Gowthamarajan, K., Singare, D. S., Prakash, D., & Gaikwad, N. B. (2011). Investigation of preparation parameters of nanosuspension by top-down media milling to improve the dissolution of poorly water-soluble glyburide. *European Journal of Pharmaceutics and Biopharmaceutics*, 78(1), 441–446.
<https://doi.org/10.1016/j.ejpb.2011.03.014>
- Smart, J. D. (2005). The basics and underlying mechanisms of mucoadhesion. *Advanced Drug Delivery Reviews*, 57(11), 1556–1568.
<https://doi.org/10.1016/j.addr.2005.07.001>
- Smith, M. D. (2011). The Normal Synovium, 100–106.
- Smith, R. L. (1999). Degradative enzymes in osteoarthritis. *Frontiers in Bioscience: A Journal and Virtual Library*, 704–712. Retrieved from <https://www.bioscience.org/1999/v4/d/smith/fulltext.htm%5Cnpapers3://publication/uuid/84B12656-9EF7-468C-8D2C-4691D8AF6B69>
- Sumadiyasa, M., & Manuaba, I. B. S. (2018). Penentuan Ukuran Kristal Menggunakan Formula Scherrer, Williamson-Hull Plot, dan Ukuran Partikel dengan SEM Determining Crystallite Size Using Scherrer Formula, Williamson-Hull Plot, and Particle Size with SEM. *Buletin Fisika*, 1(1), 28–34.
- Suryani, A. I., Dini, I., Maryono, & Muharram. (2019). Usnic Acid Derivate from *Usnea sp.* and Bioactivity against *Arthemisa salina* Leach. *Materials Science Forum*, 967, 45–50. <https://doi.org/10.4028/www.scientific.net/MSF.967.45>
- Sutradhar, K. B., Khatun, S., & Luna, I. P. (2013). Increasing possibilities of nanosuspension. *Journal of Nanotechnology*, 2013(1), 1–12.
<https://doi.org/10.1155/2013/346581>
- Takahashi, I., Matsuzaki, T., Kuroki, H., & Hosono, M. (2018). Induction of osteoarthritis by injecting monosodium iodoacetate into the patellofemoral joint of an experimental rat model. *PLoS ONE*, 13(4), 1–15.
<https://doi.org/10.1371/journal.pone.0196625>
- Takaishi, H., Kimura, T., Dalal, S., Okada, Y., & Armiento, J. D. (2010). Joint Diseases and Matrix Metalloproteinases: A Role for MMP-13, 47–54.
- Tang, X.-J., Fu, Y.-H., Meng, Q.-H., Li, L.-M., Ying, X.-Y., Han, M., ... Gao, J.-Q. (2013). Evaluation of pluronic nanosuspensions loading a novel insoluble anticancer drug both in vitro and in vivo. *International Journal of Pharmaceutics*, 456(1), 243–250.

<https://doi.org/10.1016/j.ijpharm.2013.07.058>

- Taylor, S. J., Abeywardane, A., Liang, S., Xiong, Z., Proudfoot, J. R., Farmer, B. S., ... Farrow, N. A. (2021). Indole Inhibitors of MMP-13 for Arthritic Disorders. *ACS Omega*, 6, 18635–18650. <https://doi.org/10.1021/acsomega.1c01320>
- Tortorella, M. D., Malfait, A. M., Deccico, C., & Arner, E. (2001). The role of ADAM-TS4 (aggrecanase-1) and ADAM-TS5 (aggrecanase-2) in a model of cartilage degradation. *Osteoarthritis and Cartilage*, 9(6), 539–552. <https://doi.org/10.1053/joca.2001.0427>
- Tuomela, A., Hirvonen, J., & Peltonen, L. (2016). Stabilizing agents for drug nanocrystals: Effect on bioavailability. *Pharmaceutics*, 8(16), 1–18. <https://doi.org/10.3390/pharmaceutics8020016>
- Udo, M., Muneta, T., Tsuji, K., Ozeki, N., Nakagawa, Y., Ohara, T., ... Sekiya, I. (2016). Monoiodoacetic acid induces arthritis and synovitis in rats in a dose- and time-dependent manner: proposed model specific scoring systems. *Osteoarthritis and Cartilage*, 24(7), 1284–1291. <https://doi.org/10.1016/j.joca.2016.02.005>
- Vaghela, A., Patel, A., Patel, A., Vyas, A., & Patel, N. (2016). Sample Preparation In Bioanalysis : A Review. *IJSTR*, 05, 6–10.
- Van Eerdenbrugh, B., Van den Mooter, G., & Augustijns, P. (2008). Top-down production of drug nanocrystals: Nanosuspension stabilization, miniaturization and transformation into solid products. *International Journal of Pharmaceutics*, 364(1), 64–75. <https://doi.org/10.1016/j.ijpharm.2008.07.023>
- Verma, S., Huey, B. D., & Burgess, D. J. (2009). Scanning probe microscopy method for nanosuspension stabilizer selection. *Langmuir*, 25(21), 12481–12487. <https://doi.org/10.1021/la901643z>
- Vijayakumar, C. S., Viswanathan, S., & Kannappa, M. (2000). Anti-inflammatory activity of (+)-usnic acid. *Fitoterapia*, 71, 564–566.
- Vinod, E., P.R.J.V.C.Boopalan, Arumugam, S., & Sathishkumar, S. (2018). Creation of monosodium iodoacetate-induced model of osteoarthritis in rabbit knee joint. *Indian Journal of Medical Research*, 147(March), 312–314. <https://doi.org/10.4103/ijmr.IJMR>
- Wang, M., & Thanou, M. (2010). Targeting nanoparticles to cancer. *Pharmacological Research*, 62(2), 90–99. <https://doi.org/10.1016/j.phrs.2010.03.005>



- Wang, Y., Li, X., Wang, L., Xu, Y., Cheng, X., & Wei, P. (2011). Formulation and pharmacokinetic evaluation of a paclitaxel nanosuspension for intravenous delivery. *International Journal of Nanomedicine*, 6, 1497–1507. <https://doi.org/10.2147/IJN.S21097>
- Wang, Y., Pi, C., Feng, X., Hou, Y., Zhao, L., & Wei, Y. (2020). The Influence of Nanoparticle Properties on Oral Bioavailability of Drugs. *International Journal of Nnaomedicine*, 15(1), 1–16.
- Wang, Y., Zheng, Y., Zhang, L., Wang, Q., & Zhang, D. (2013). Stability issue of nanosuspensions in drug delivery. *Journal of Controlled Release*, 172(3), 1126–1141. <https://doi.org/10.1016/j.jconrel.2013.08.006>
- White, P. A. S., Oliveira, R. C. M., Oliveira, A. P., Serafini, M. R., Araújo, A. A. S., Gelain, D. P., ... Santos, M. R. V. (2014). Antioxidant Activity and Mechanisms of Action of Natural Compounds Isolated from Lichens: A Systematic Review, (September), 14496–14527. <https://doi.org/10.3390/molecules190914496>
- Willian, N., Labanni, A., Arief, S., Manis, K. I., & Sumatera-indonesia, W. (2020). Bio-Friendly Synthesis of Silver Nanoparticles Using Mangrove *Rhizophora stylosa* Leaf Aqueous Extract and Its Antibacterial and Antioxidant Activity. *Rasayan J. Chem.*, 13(3), 1478–1485.
- Willian, N., Syukri, S., Zulhadjri, Z., & Arief, S. (2021). Marine plant mediated green synthesis of silver nanoparticles using mangrove *Rhizophora stylosa*: Effect of variable process and their antibacterial activity [version 1 ; peer review : 1 approved with reservations]. *F1000Research*, 10(768), 1–13.
- Zafar, A., Alruwaili, N. K., Imam, S. S., Alsaidan, O. A., Alkholifi, F. K., Alharbi, K. S., ... Alguraini, A. (2021). Formulation of Genistein-HP β Cyclodextrin-Poloxamer 188 Ternary Inclusion Complex: Solubility to Cytotoxicity Assessment. *Pharmaceutics*, 13(1997), 1–17.
- Zhang, F. J. I. E., Yu, W. E. N. B. O., Luo, W. E. I., Gao, S. H. U. G., Li, Y. U. S., & Lei, G. H. U. A. (2014). Effect of osteopontin on TIMP - 1 and TIMP - 2 mRNA in chondrocytes of human knee osteoarthritis in vitro. *Experimental and Therapeutic Medicine*, 8(1), 391–394. <https://doi.org/10.3892/etm.2014.1750>
- Zhang, J. M., & An, J. (2007). cytokines, inflammation and pain. *Int Anesthesiol Clin.*, 45(2), 27–37. <https://doi.org/10.1097/AIA.0b013e318034194e.Cytokines>