

## DAFTAR PUSTAKA

- Agustining D. 2012. Daya Hambat *Saccharomyces Cerevisiae* Terhadap Pertumbuhan Jamur *Fusarium Oxysporum*. Skripsi. : Universitas Jember, Jember.
- Ahmad, R. Z. 2005. Pemanfaatan Khamir *Saccharomyces cerevisiae* untuk Ternak. *Wartazoa* Vol. 15 (1) : 49-55. Balai Penelitian Veteriner, Bogor.
- Amin, M., Hasan, S.D., Yanuarianto, O., and Iqbal, M. 2015. Pengaruh Lama Fermentasi Terhadap Kualitas Jerami Padi Amoniasi yang Ditambah Probiotik *Bacillus Sp.* *Jurnal Ilmu dan Teknologi Peternakan Indonesia*, 1 (1) : 8 ± 13. ISSN : 2460-6669.
- Anas, S dan Andy. 2010. Kandungan NDF dan ADF Silase Campuran Jerami Jagung (*zea mays*) dengan beberapa level daub gamal (*Gricildia maculate*). *Jurnal Aggrisistem*. 6 (2) : 77-88. ISN 1858-4330.
- Anggorodi, R. 2005. Ilmu Makanan Temak Umum. Gadjah Mada University Press. Jogjakarta.
- Arief, R. 2001. Pengaruh penggunaan jerami pada amoniasi terhadap daya cerna NDF dan ADF dalam ransum domba lokal. *Jurnal Angroland* volume 8 (2)
- Arora, S. P. 1989. Pencernaan Mikroba Pada Ruminansia. Penerjemah : R. Murwani dan B. Srigandono. Gajah Mada University Press, Yogyakarta.
- Arora, S. P. 1995. Pencernaan Mikrobia pada Ruminansia. Gajah Mada University Press. Yogyakarta.
- Aryani, A. L. YS., Widodo, Y., dan Erwanto. 2012. Analisis kandungan serat kasar pada tanaman (*Salvinia molesta*) dengan metode Van Soest di waduk Batugedi Tanggamus Lampung. Artikel. Fakultas Pertanian Universitas Lampung, Lampung.
- Astutik WD, Wiryawan KG, Wina E, Widyastuti Y, Suharti S, Ridwan R. 2019. Effects of selected *Lactobacillus plantarum* as probiotic on in vitro ruminal fermentation and microbial population. *Pakistan J Nutr*. 17(3):131-139.
- Branen, A.L. (1993). An Introduction. Dalam: A. L. Branen dan P. M. Davidson.
- Brashears, M. M., A. Amezquita and D. Jaroni. 2005. *Lactic acid bacteria* and their uses in animal feeding to improve food safety. *Adv. Food Nut. Res.*50:1- 31
- Buckle, K.A., R.A. Edward, G.H. Fleet and R.D Applemen. (1987). Ilmu Pangan.

- Chaucheyras-Durand F., N.D.Walker, and A. Bach., 2008. Effect of active dry yeast on the rumen microbial ecosystem; Past present and future Anim. Feed Sci. Tech. 145, 5-26.
- Cole, D..J.A . 1991 . The role of the nutritionist in design feed for future in feed industry. Proc. of Alltechs, Seventh Annual Symposium. Alltech Technical Publication, Nicholasville Kentucky : 1-2.
- Dawson, K.A. 1990. Designing the *yeast* culture of tomorrow. Mode of action of yeast culture for ruminant and non ruminant.In: T.P. Lyons (ed), Biotechnology in the feed industry. Altech Technical Publications, Nicholasvillae, KY. Pp.59-78.
- De Mot, R. (1990). Conversion of starch by *yeasts*. Dalam: Verachtert, H. dan De Mot R. (ed.). *Yeasts Biotechnology and Biocatalysis*, hal 163. Marcel Dekker, New York.
- Denev, S.A., T.Z. Peeva, P. Radulova, N. Stancheva, Staykova, G. Beev, P. Todorova, S. Tchbanova. 2006. *Yeast* cultures in ruminant nutrition. Bulgarian Journal of Agricultural Science. 13. P. 357–374.
- Desnoyers, M., S. Giger-Reverdin, G. Bertin, C. Duvaux-Ponter and D. Sauvant. 2009. Meta-Analysis Of The Influence Of *Saccharomyces Cerevisiae* Supplementation On Ruminant Parameters And Milk Production Of Ruminant. J. Dairy. Sci., 92: 1620-1632.
- Elida, M., 2002. Profil bakteri asam laktat dari dadih yang difermentasi dalam berbagai jenis bambu dan potensinya sebagai probiotik [Tesis].Program Pascasarjana, Institut Pertanian Bogor, Bogor.
- Eun, J.S., et. al.. 2006. Exogenous enzymes added to untreated or ammoniated rice straw: Effect on in vitro fermentation characteristic and degradability. J. Anim. Sci. and Tech, 131: 86-101. doi:10.1016/j.anifeedsci.2006.01.026
- Fuller, R. 1992. History and Development of Probiotics. In Probiotics the Scientific basis. Edited by Fuller. Chapman and hall. London, New York, Tokyo, Melbourne, Madras. Pp. 1 – 7.
- Ghani,EA. A. 2004. Influence of diet supplementation with yeast culture (*Saccharomyces cerevisiae*) on performance of Zaraibi goats. Small ruminant Research. 52(3):223-229.
- Hanafi, N. D. 2004. Perlakuan Silase dan Amoniasi Daun Kelapa Sawit sebagai Bahan Pakan domba. Skripsi. Fakultas Pertanian Program Studi Produksi Ternak Universitas Sumatera Utara. Medan.
- Harjanto, K., 2005. Pengaruh Penambahan Probiotik Bio H+ Terhadap Kecernaan Bahan Kering dan Bahan Organik Pakan Sapi PFH Jantan. Skripsi Fakultas Pertanian UNS. Surakarta.

- Harnentis, Marlida.Y., Nur.YS. and Huda. N. 2020. Novel probiotic lactic acid bacteria isolated from indigenous fermented foods from West Sumatera, Indonesia. *Veterinary World*, 2020, 13(9), pp. 1922–1927.
- Harris, L. E. 1970. *Nutrition Research Technique for Domestic and Wild Animal*. Animal Science Departement Utah State University.
- Haryanto, B., I. Inounu, I.G.M. Budiarsana, dan K. Dwiyanto. 2003. Panduan teknis integrasi padi-ternak (SIPT). Departemen Pertanian.
- Hatakka, A. 2000. Biodegration of Lignin. University of Helsinki, Viikki Biocenter, Department of Applied Chemistry dan Microbiology. Helsinki
- Higginbotham, G.E., C.A. Collar, M.S Aseltone, and D.L. Bate. 1994. Effect of yeast culture and *Aspergillus oryzae* extract on milk yield in a commercial dairy herd. *J. Dairy Sci.* 77:343-348.
- Hungate,R.E. 1966. The Rumen and it's Microbes. Departement of Biotechnology and Agriculture Experimen Station University California. DavisCalifornia Academy Press, London.
- Kamel, H.E., M., J. Sekine, A.M. El-Waziry and M.H.M. Yacout. 2004. Effect of *Saccharomyces cerevisiae* on the synchronisation of organic matter and nitrogen degradation kinetics and microbial nitrogen synthesis in sheep fed Berseem hay (*Trifolium alexandrium*). *Small Rumin. Res.*, 52: 2011-216
- Komar, A. 1984. Teknologi Pengolahan Jerami sebagai Makanan Ternak. Yayasan Dian Grahita Indonesia. Bandung.
- Lamid, M, Ni Nyoman Tri Puspaningsih, M, Sarwoko. 2013. Addition of Lignocellulolytic Enzymes Into Rice Straw Improves In Vitro Rumen Fermentation Products. *J. Appl. Environ. Biol. Sci.*, 3(9)166-171.ISSN: 2090-4274.
- Lynch, H.A. and S.A Martin. 2002. Effect of *Saccharomyces cerevisiae* cultureand *Saccharomyces cerevisiae* live cells on in vitro mixed ruminal mircoorganism fermentation. *J. Dairy. Sci.* 85 : 2603-2608.
- Lynd L.R., PJ. Weimer.W.H van Zyl WH and I.S.Pretorius. 2002. Microbial cellulase untilization: fundamentals and biotechnology. *Microbiol. Mol. Biol. Rev.* 66(3):506-577.
- Marlida, Y., Harnentis., Azizah., Y.S. Nur., F. Adzitey., N. Julmohammad., N. Huda. 2022. The Possibility of a Halal Mix Probiotic Medium for The Cultivation of *Lactobacillus plantarum* N16 and *Saccharomyces cerevisiae*. *Potravinarstvo Slovak Journal of Food Sciences*. Vol. 16, p. 279-286. ISSN: 1337-0960
- Martawidjaja, M., I-K. Utama, T. Kostaman dan I-G.M. Budiarsana. 2003.

Pengaruh pakan komplit jerami padi terhadap pertumbuhan dan kualitas karkas kambing peranakan Etawah. Laporan Akhir Penelitian Kerjasama Balai Penelitian Ternak dengan PT Caprito Agrindo Prima, 2003

- Mc Donald, P., R. A. Edwards, J. F. D. Greenhalgh and C. A. Morgan. 2002. *Animal Nutrition* 5 th Edition. Longman Scientific and Technical. New York.
- Mc. Donald P., Edwards R. A., Greenhalg J. F. D., Morgan C. A. 1995. *Animal Nutrition*. 5th Ed. New York (US): Lingman Scientific and Technical.
- Moallem, U., Lehrer, H., Livshitz, L., Zachut, M. Nad and Yakoby, S. 2009. The effect of live yeast supplementation to dairy cows during the hot season on production, feed efficiency, and digestibility. *J. Dairy. Sci.*, **92**: 343-351.
- Murni, R., Suparjo, Akmal, dan B. L. Ginting 2008. *Buku Ajar Teknologi Pemanfaatan Limbah untuk Pakan*. Laboratorium Makanan Ternak. Fakultas Peternakan Universitas Jambi, Jambi.
- Mustangwa, T., I.E. Edward, J.H. Topps and G.F.M. Peterson. 1992. The effect of dierty inclusion yeast culture (*Yea-Saac*) on pattern of rumen fermentation, food intake and growth of intensively fed bulls. *Anim. Prod.*, **55**: 35-40.
- Ngadiyono, N. dan E. Baliarti. 2001. Laju Pertumbuhan dan produksi karkas sapi Peternakan Ongle Jantan dengan penambahan probiotik starbio pada pakannya. *Media Peternakan* 24(2): 63-67.
- Nocek JE, and Kautz WP. 2002. Direct-fed microbial supplementation on ruminal digestion, health, and performance of pre- and postpartum dairy cattle. *J Dairy Sci*. 89:260-266.
- NRC. 2001. *Nutrient Requirements of Beef Cattle: Seventh Revised Edition: Update 2000*. Subcommittee on Beef Cattle Nutrition. Committee on Animal Nutrition. National Research Council.
- Oktaviani, S. 2012. *Kandungan ADF dan NDF Jerami Padi yang Diredam Air Laut dengan Lama Perendaman Berbeda*. Skripsi. Fakultas Peternakan. Universitas Hasanuddin. Makassar.
- Perez J., J. Munoz-Dorado, T. de la Rubia and J. Martinez. 2002. Biodegradation and biological treatments of cellulose, hemicellulose and lignin: an overview. *Int. Microbiol.*
- Pino, F., Mitchell, L. K., Jones, C. M. & Heinrichs, A. J. 2018. Comparison of diet digestibility, rumen fermentation, rumen rate of passage, and feed efficiency in dairy heifers fed ad-libitum versus precision diets with low and high quality forages. *Journal of Applied Animal Research*. 46 (1): 1296-1306.
- Prakash, B. P. Porumal, P. Tamilmani and Lini.P. Mathew. 2013. *Economic Utilization of Horn Residues for Microbial Biomass & SCP Production by Solid State*

Fermentation. Asian Journal of Biochemical and Pharmaceutical Research Issue. 3(1):104-110. ISSN 2231-2560

Ranjhan, S. K. 1977. Animal Nutrition and Feeding Practices in India. Vikas Publishing House PVT. Ltd. New Delhi, Bombay, Bangalore Calcutta Kampar.

Reddy, G.M., Altaf, B.J. Naveena, M. Venkateshwar, E. dan Kumar, V. (2008). Amylolytic bacterial lactic acid fermentation, a review. Biotechnology Advances 26: 22–34.

Reddy, N., and Yang Y. 2006. Properties of High Quality Long Natural Cellulose Fibers from Rice Straw. J. Agric. Food Chem. 54 (21): 8077–8081 DOI: 10.1021/jf0617723.

Roberfoid, M.B . 2000. Prebiotics and probiotics :are they functional foods 1-3 Am. J. Clin. New. 71 (Suppl) :16828-16878.

Seo J K, Kim J S, Kim M H, Upadhaya S D, Kam D K, Ha J K. 2010. Direct-fed microbials for ruminant animals. AsianAustralasian Journal of Animal Sciences, 23, 1657–1667.

Shin, T., S. Hyung, K. Kyun and A. Choong. 1989 . Effects of CYC on the performance of Dairy, Beef cattle and swine. Seoul, Korea.

Siregar, A. R. dan Chalid Thalib. 1992. Gelar Teknologi Penggemukan Sapi di Sulawesi Tengah. Prosiding Gelar Teknologi Program Keterkaitan Penelitian Penyuluhan. Badan Penelitian dan Pengembangan Pertanian. Bekerjasama dengan Kantor Wilayah Departemen Pertanian Propinsi Sulawesi Tengah dan Sulawesi Tenggara.

Siswanto, D., B. Tulung, K. Maaruf, M. R. Waani dan M. M. Tindangen. 2016. Pengaruh pemberian rumput raja (*Pennisetum pupupoides*) dan tebon jagung terhadap pencernaan NDF dan ADF pada sapi PO peder jantan. J. ZooteK. 36 (32) 379-386.

Sitompul, S. dan Martini. 2005. *Penetapan Serat kasar dalm Pakan Tanpa Ekstraksi Lemak*. Prosiding temu Teknis Nasional Tenaga FungsionalPertanian 2005. Hlm. 96-99.

Stell, R. G. And J. H. Torrie. 1993. Principles and Procedure of Statistics. Mc Graw Hill Book Co. Inc., New York.

Sudirman, Suhubdy, S. D. Hasan, S. H. Dilaga, dan I. W. Karda. 2015. Kandungan *Neutral Detergent Fiber* (NDF) dan *Acid Detergent Fiber* (ADF) bahan pakan lokal ternak sapi yang dipelihara pada kandang kelompok. *J. Ilmu dan Teknologi Peternakan Indonesia*, 1(1) : 66-70.

Sumarsih, S., Sulistiyano, B., Sutrisno, C. I dan Rahayu, E. 2012. Peran Probiotik Bakteri Asam Laktat dari Limbah Kotoran Ayam Sebagai Agensi Probiotik

dan Enzim Kolesterol Reduktase. *Prosiding Seminar Nasional Biologi*.

- Sutardi, T. 1983. Landasan Ilmu Nutrisi. Jilid I. Fakultas Peternakan. Institut Pertanian Bogor, Bogor.
- Syamsu, J. A. 2006. Kajian Penggunaan Starter Mikroba dalam Fermentasi Jerami Padi sebagai Sumber Pakan pada Peternakan Rakyat di Sulawesi Tenggara. Disampaikan dalam Seminar Nasional Bioteknologi. Puslit Bioteknologi LIPI: Bogor.
- Thalib, A. 2004. Uji Efektivitas Saponin Buah *Sapindus rarak* Sebagai Inhibitor Metanogenesis Secara *In Vitro* pada Sistem Pencernaan Rumen. *JITV* 9(3): 164-171.
- Tilley, J. M. and R. A. Terry. 1963. A two stage technique, for invitro digestion of forage crops. *J. Br. Grassland. society* 18 (2): 104-111.
- Utama, C. S. N. 2011. Potensi Probiotik Bekatul. *Poultry Indonesia*. Vol VI, September: 78-80.
- Utomo, R. 2017. *Konservasi Hijauan Pakan dan Peningkatan Kualitas Bahan Pakan Berserat Tinggi*. Gadjah Mada University Press
- Wallace, R.J. and C.J. Newbold. 1992 . Probiotics for ruminants. In : Probiotics, the Scientific Basis. FULLER, R . (Ed.). Champan and Hall. London. pp . 317 – 353.
- Wanapat, M., Kang, S., Hankla, N., and Phesatcha, K. 2013. Effect of rice straw treatment on feed intake, rumen fermentation and milk production in lactating dairy cows. *Afr. J. Agric. Res.* 8(17):1677-1687. DOI: 10.5897/AJAR2013.6732.
- Weimer, P.J., D.R. Mertens, E. Ponnampalam, B.F. Severin and B.E. Dale. 2003. FIBEX treated rice straw as a feed ingredient for lactating dairy cows. *Anim. Feed Sci. Technol.* 103: 41–50.
- Whitley NC., Cazac D, Rude BJ, Jackson-O'Brien, and D. Parveen S. 2009. Use of commercial Probiotic supplement in meat goat. *J. Anim. Sci.*, 87:723-728.
- Yanuartono, S. Indarjulianto, H. Purnamaningsih, A. Nururrozi. 2019. Metode untuk meningkatkan nilai nutrisi jerami padi. *Jurnal Sain Peternakan Indonesia* 14 (1), 49-60
- Zain, M., Jurnida Rahman, Khasrad and Erpomen. 2015. In vitro Fermentation Characteristics of Palm Oil By Product Which is Supplemented with Growth Factor Rumen Microbes. *Pakistan Journal of Nutrition* 14 (9): 625-628.