

## DAFTAR PUSTAKA

- [1] "KAMUS BAHASA INDONESIA."
- [2] N. Bianquin and D. Bulgarelli, "4 Conceptual Review of Disabilities 4.1 LUDI Definition of Disability."
- [3] "SISTEM INFORMASI MANAGEMRNT PENYANDANG DISABILITAS," 2022.
- [4] M. I. Rusydi, T. Okamoto, S. Ito, and M. Sasaki, "Controlling 3-D movement of robot manipulator using electrooculography," *International Journal on Electrical Engineering and Informatics*, vol. 10, no. 1, pp. 170–185, Mar. 2018, doi: 10.15676/ijeei.2018.10.1.12.
- [5] P. Sale *et al.*, "Recovery of hand function with robot-assisted therapy in acute stroke patients: A randomized-controlled trial," *International Journal of Rehabilitation Research*, vol. 37, no. 3, pp. 236–242, 2014, doi: 10.1097/MRR.0000000000000059.
- [6] T. Nef, M. Mihelj, and R. Riener, "ARMin: A robot for patient-cooperative arm therapy," *Med Biol Eng Comput*, vol. 45, no. 9, pp. 887–900, Sep. 2007, doi: 10.1007/s11517-007-0226-6.
- [7] S. Muhamom, "Control of Wheelchair Robot Movements Using Flex Sensor Glove," *INFORM : Jurnal Ilmiah Bidang Teknologi Informasi dan Komunikasi*, vol. 3, no. 2, 2018, doi: 10.25139/inform.v3i2.967.
- [8] Y. Rabhi, M. Mrabet, and F. Fnaiech, "Intelligent Control Wheelchair Using a New Visual Joystick," *J Healthc Eng*, vol. 2018, 2018, doi: 10.1155/2018/6083565.
- [9] N. Rajesh, "EOG Controlled Motorized Wheelchair for Disabled Persons." [Online]. Available: <https://www.researchgate.net/publication/279195183>
- [10] K. TANAKA, "Electroencephalogram-Based Control of an Electric Wheelchair," *Journal of the Society of Mechanical Engineers*, vol. 111, no. 1080, pp. 927–929, 2008, doi: 10.1299/jsmemag.111.1080\_927.
- [11] Y. Zou, L. Bo, and Z. Li, "Recent progress in human body energy harvesting for smart bioelectronic system," *Fundamental Research*, vol. 1, no. 3, pp. 364–382, May 2021, doi: 10.1016/j.fmre.2021.05.002.
- [12] S. Siuly, Y. Li, and Y. Zhang, "Health Information Science EEG Signal Analysis and Classification Techniques and Applications." [Online]. Available: <http://www.springer.com/series/11944>
- [13] I. S. Isa, B. S. Zainuddin, Z. Hussain, and S. N. Sulaiman, "Preliminary study on analyzing EEG alpha brainwave signal activities based on visual

stimulation,” in *Procedia Computer Science*, 2014, vol. 42, no. C, pp. 85–92. doi: 10.1016/j.procs.2014.11.037.

- [14] Y. Miao *et al.*, “Dynamic theta/beta ratio of clinical EEG in Alzheimer’s disease,” *J Neurosci Methods*, vol. 359, Jul. 2021, doi: 10.1016/j.jneumeth.2021.109219.
- [15] F. Bröhl and C. Kayser, “Delta/theta band EEG differentially tracks low and high frequency speech-derived envelopes,” *Neuroimage*, vol. 233, Jun. 2021, doi: 10.1016/j.neuroimage.2021.117958.
- [16] A. Maffei, S. Polver, C. Spironelli, and A. Angrilli, “EEG gamma activity to emotional movies in individuals with high traits of primary ‘successful’ psychopathy,” *Brain Cogn*, vol. 143, Aug. 2020, doi: 10.1016/j.bandc.2020.105599.
- [17] A. Tripathi, “Analysis of EEG frequency bands for Envisioned Speech Recognition,” Mar. 2022, [Online]. Available: <http://arxiv.org/abs/2203.15250>
- [18] L. M. Alonso-Valerdi and V. R. Mercado-García, “Towards designing brain-computer interfaces in terms of user-profiles, neurophysiological factors and user experience,” *Revista Mexicana de Ingenieria Biomedica*, vol. 40, no. 2, May 2019, doi: 10.17488/RMIB.40.2.3.
- [19] J. Wang, Y. Liu, and J. Tang, “Fast Robot Arm Control Based on Brain-computer Interface.”
- [20] J. Li *et al.*, “Evaluation and application of a hybrid brain computer interface for real wheelchair parallel control with multi-degree of freedom,” *Int J Neural Syst*, vol. 24, no. 4, Jun. 2014, doi: 10.1142/S0129065714500142.
- [21] V. Gandhi, *Brain-computer interfacing for assistive robotics: electroencephalograms, recurrent quantum neural networks and user-centric graphical interfaces*. Academic Press, 2014.
- [22] N. Padfield, J. Zabalza, H. Zhao, V. Masero, and J. Ren, “EEG-based brain-computer interfaces using motor-imagery: Techniques and challenges,” *Sensors (Switzerland)*, vol. 19, no. 6, Mar. 2019, doi: 10.3390/s19061423.
- [23] Y. Winata, “MERANCANG SISTEM BRAIN COMPUTER INTERFACE BERBASIS ELECTROENCEPHALOGRAPHY UNTUK PENGOPERASIAN ROBOT LENGAN MENGGUNAKAN METODE THRESHOLD.”
- [24] M. da Graça Simões, M. C. v. de Freitas, and B. Rodríguez-Bravo, “Theory of classification and classification in libraries and archives: Convergences

and divergences,” *Knowledge Organization*, vol. 43, no. 7, pp. 530–538, 2016, doi: 10.5771/0943-7444-2016-7-530.

- [25] D. Xhemali, C. J. Hinde, and R. G. Stone, “Naïve Bayes vs. Decision Trees vs. Neural Networks in the Classification of Training Web Pages.”
- [26] IEEE Staff, *2016 2nd International Conference on Advanced Technologies for Signal and Image Processing (ATSIP)*. IEEE, 2016.
- [27] L. D. Yulianto, A. Triayudi, and I. D. Sholihati, “Implementation Educational Data Mining For Analysis of Student Performance Prediction with Comparison of K-Nearest Neighbor Data Mining Method and Decision Tree C4.5,” 2020. [Online]. Available: <https://iocscience.org/ejournal/index.php/mantik/index>
- [28] Institut Teknologi Bandung. Fakultas Teknologi Industri. Instrumentation and Control Research Division, Institut Teknologi Bandung. Fakultas Teknologi Industri, Institute of Electrical and Electronics Engineers. Indonesia Section, Institute of Electrical and Electronics Engineers. Indonesia Section. CSS/RAS Joint Chapter, and Institute of Electrical and Electronics Engineers, *Proceedings of 2013 3rd International Conference on Instrumentation Control and Automation (ICA 2013) : August 28-30, 2013, Kuta, Bali, Indonesia*.
- [29] Siddhant College of Engineering, Institute of Electrical and Electronics Engineers. Bombay Section., and Institute of Electrical and Electronics Engineers, *2018 3rd International Conference for Convergence in Technology (I2CT) : the Gateway Hotel, XION Complex, Wakad Road, Pune, India. Apr 06-08, 2018*.
- [30] “UU Nomor 8 Tahun 2016”.
- [31] G. A. Light *et al.*, “Electroencephalography (EEG) and event-related potentials (ERPs) with human participants,” *Current Protocols in Neuroscience*, no. SUPPL. 52. Jul. 2010. doi: 10.1002/0471142301.ns0625s52.
- [32] A. Mohebbi, S. K. D. Engelsholm, S. Puthusserypady, T. W. Kjaer, C. E. Thomsen, and H. B. D. Sorensen, *A Brain Computer Interface for Robust Wheelchair Control Application Based on Pseudorandom Code Modulated Visual Evoked Potential*. 2015. doi: 10.0/Linux-x86\_64.
- [33] R. Oostenveld and P. Praamstra, “The ®ve percent electrode system for high-resolution EEG and ERP measurements.” [Online]. Available: [www.elsevier.com/locate/clinph](http://www.elsevier.com/locate/clinph)
- [34] G. Vanacker *et al.*, “Context-based filtering for assisted brain-actuated wheelchair driving,” *Comput Intell Neurosci*, vol. 2007, 2007, doi: 10.1155/2007/25130.

- [35] K. Suresh Manic, A. Saadha, and K. Pirapaharan, “CHARACTERISATION AND SEPARATION OF BRAINWAVE SIGNALS,” 2014.
- [36] Institute of Electrical and Electronics Engineers and IEEE Sensors Council, *IEEE SENSORS 2018 : 2018 conference proceedings : October 28-31, 2018, Pullman Aerocity, New Delhi, India*.
- [37] I. Anshory and A. Efiyanti, *Physics Feature Extraction of Heart Signals using Fast Fourier Transform Feature Extraction of Heart Signals using Fast Fourier Transform*.
- [38] I. dan K. D. A. Saputra, *Machine Learning untuk Pemula*, vol. I. Bandung : Penerbit Informatika, 2022.
- [39] E. J. Rechy-Ramirez and H. Hu, “Bio-signal based control in assistive robots: a survey,” *Digital Communications and Networks*, vol. 1, no. 2. Chongqing University of Posts and Telecommunications, pp. 85–101, Apr. 01, 2015. doi: 10.1016/j.dcan.2015.02.004.
- [40] Mehmed. Kantardzic, *Data mining : concepts, models, methods, and algorithms*.
- [41] S. Debnath, N. Sinha, and B. B. Bhowmik, “ML based modulation format identifier using K-NN algorithm,” *Mater Today Proc*, 2022, doi: 10.1016/j.matpr.2022.04.880.
- [42] M. Ali, L. T. Jung, A. H. Abdel-Aty, M. Y. Abubakar, M. Elhoseny, and I. Ali, “Semantic-k-NN algorithm: An enhanced version of traditional k-NN algorithm,” *Expert Syst Appl*, vol. 151, Aug. 2020, doi: 10.1016/j.eswa.2020.113374.
- [43] S. Merai, D. Shah, B. Trivedi, P. Joshi, and S. Kushwah, “A study and design of standing wheelchair,” *Mater Today Proc*, Jul. 2022, doi: 10.1016/j.matpr.2022.06.485.
- [44] M. Gautham and A. Professor, “Head Motion Based Wheel Chair Movement for Disable Person,” 2020. [Online]. Available: [www.ijsr.com](http://www.ijsr.com)
- [45] S. Kumar, S. Kumar, Bt. Student, and A. Professor, “DESIGN AND DEVELOPMENT OF HEAD MOTION CONTROLLED WHEELCHAIR Design and Development View project Form tolerances View project DESIGN AND DEVELOPMENT OF HEAD MOTION CONTROLLED WHEELCHAIR,” *Int J Adv Eng Technol*, vol. 8, pp. 816–822, 2015, doi: 10.13140/RG.2.2.29123.71209.
- [46] D. A. Craig and H. T. Nguyen, “Adaptive EEG Thought Pattern Classifier for Advanced Wheelchair Control.”

- [47] Hội-Vô-tuyến-Điệ̣n-tu-Việt-nam, IEEE Communications Society, International Conference on Advanced Technologies for Communications 6 2013.10.16-18 Ho Chi Minh City, and ATC 6 2013.10.16-18 Ho Chi Minh City, *International Conference on Advanced Technologies for Communications (ATC), 2013 16-18 Oct. 2013, Ho Chi Minh [City], Vietnam.*
- [48] Institut Teknologi Bandung. Fakultas Teknologi Industri. Instrumentation and Control Research Division, Institut Teknologi Bandung. Fakultas Teknologi Industri, Institute of Electrical and Electronics Engineers. Indonesia Section, Institute of Electrical and Electronics Engineers. Indonesia Section. CSS/RAS Joint Chapter, and Institute of Electrical and Electronics Engineers, *Proceedings of 2013 3rd International Conference on Instrumentation Control and Automation (ICA 2013) : August 28-30, 2013, Kuta, Bali, Indonesia.*
- [49] J. Long, Y. Li, H. Wang, T. Yu, J. Pan, and F. Li, “A Hybrid Brain Computer Interface to Control the Direction and Speed of a Simulated or Real Wheelchair,” 2011.

