

DAFTAR PUSTAKA

- Abassi, M. R., Safavi, A., Haghverdi, M., & Saedi, B. (2016). Sleep disorders in ESRD patients undergoing hemodialysis. *Acta Medica Iranica*, 54(3), 176–184.
- Al-Ali, F., Elshirbeny, M., Hamad, A., Kaddourah, A., Ghonimi, T., Ibrahim, R., & Fouda, T. (2021). Prevalence of depression and sleep disorders in patients on dialysis: a cross-sectional study in qatar. *International Journal of Nephrology*, 2021. <https://doi.org/10.1155/2021/5533416>
- Allen, R. P. (2017). Controversies and challenges in defining the etiology and pathophysiology of restless legs syndrome. *American Journal of Medicine*, 120(1 SUPPL. 1), 13–21. <https://doi.org/10.1016/j.amjmed.2006.11.003>
- Americans, N., Hawaiian, N., & Services, H. (2019). Incidence, prevalence, patient characteristics, and treatment modalities. *American Journal of Kidney Diseases*, 59(1 SUPPL. 1). <https://doi.org/10.1053/j.ajkd.2011.10.027>
- Anninah, A., Asmawati, A., & Pardosi, S. (2020). Pengaruh slow stroke back massage terhadap kualitas tidur ibu post sectio caesarea di rs. bhayangkara bengkulu. *Jurnal Keperawatan Raflesia*, 2(1), 41–50. <https://doi.org/10.33088/jkr.v2i1.427>
- Anwar N, Mahmud SN. (2018) Quality of sleep in CKD patients on chronic hemodialysis_and the effect of Dialysis shift. *J Coll Physicians Surg Pak*. 2018;28(8):636–9.
- Arnold, M. E. (2018). From context to outcomes: a thriving model for 4-h youth development programs. *Journal of Human Sciences and Extension*, Vol. 6 No. 1, 141-160.
- Asmadi. (2008). *Konsep dan aplikasi kebutuhan dasar klien*. (H. Haroen, Ed.). Jakarta: Salemba Medika.
- Astuti, (2018). Pengaruh stimulus massage effleurage. *Politeknik Jogja*. <http://eprints.poltekkesjogja.ac.id/3682/4/Chapter2.pdf>
- Banaga, A. S. I., Mohammed, E. B., Siddig, R. M., Salama, D. E., Elbashir, S. B., Khojali, M. O., Babiker, R. A., Elmusharaf, K., & Homeida, M. M. (2015). Causes of end stage renal failure among haemodialysis patients in Khartoum

- State/Sudan. *BMC Research Notes*, 8(1), 1–7. <https://doi.org/10.1186/s13104-015-1509-x>
- Bayhakki. (2012). *Klien gagal ginjal kronik*. Jakarta: ECG. <http://doi.org/10.1080/16501960410016776>
- Bieber., & Himmelfarb. (2014). Two-times weekly hemodialysis in China: Frequency, associated patient and treatment characteristics and quality of life in the China dialysis outcomes and practice patterns study. *Nephrology Dialysis Transplantation*, 29(9), 1770–1777. <http://doi.org/10.1093/ndt/gft472>
- Black, J. M., & Hawks, J. H. (2014). *Keperawatan medikal bedah*. (A. Suslia & P. P. Lestari, Eds.) (8th ed.). Jakarta: Salemba Medika.
- Brunner., & Suddarth. (2008). *Keperawatan medikal bedah (08)*. Jakarta: Buku Kedokteran.
- Borg, W.R & Gall, M.D (1983). *Eucation research: an introduction*.4th Edition. New York: Longman Inc
- Caldwell, C., & Victoria, H. K. (2017). Breathwork in body psychotherapy: Towards a more unified theory and practice. *Body, Movement and Dance in Psychotherapy*, 6(2), 89–101. <https://doi.org/10.1080/17432979.2011.574505>
- Coon D., Mitterer J. O. (2005). *Introduction to psychologi: Gateways to mind and behavior*. Boston, USA: Cengage Learning
- Dahlan, S. (2014). *Statistik untuk kedokteran dan kesehatan (6)*. Jakarta: Epiidiomologi Indonesia.
- Danang, B., Sodikin., & Mukha. (2020). *Characteristic of chronic kidney disease (ckd) patient Undergoing hemodialisys in rsi fatimah cilacap*. *Trend Of Nursing Science*. <http://e-jurnal.stikesalirsyadclp.ac.id/TeNs/index.php/TeNS>.
- Daugirdas, P. G. Blake, & T. S. (2007). *Handbook of dialysis fourth edition (pp. 25-58)*. Philadelphia: Lippincott Williams & Wilkins
- Da Costa, S. V., & Ceolim, M. F. (2016). Factors that affect inpatients' quality of sleep. *Revista Da Escola de Enfermagem*, 47(1), 46–52. <https://doi.org/10.1590/S0080-62342013000100006>
- Dewanti. (2017). Gambaran kualitas tidur pada mahasiswa profesi ners program studi ilmu keperawatan universitas diponegoro dan stikes ngudi waluyo semarang. *Universitas Diponegoro*.

<http://eprints.undip.ac.id/51124/1/PROPOSA>

[Ade Rahma Dewantri 22020112140117.pdf](#)

- Devi, L., Efendi, s., & Yayan. (2020). Faktor-faktor yang berhubungan dengan kepatuhan penderita hipertensi dalam menjalani pengobatan di puskesmas karang dapo kabupaten muratara. *JNPH*. 8(1). 2722-0613.
- dharma, k. (2015). *metodologi penelitian keperawatan*. Jakarta timur: CV. Trans Info Media.
- D'Onofrio, G., Simeoni, M., Rizza, P., Caroleo, M., Capria, M., Mazzitello, G., Sacco, T., Mazzuca, E., Panzino, M. T., Cerantonio, A., Segura-Garcia, C., Andreucci, M., De Fazio, P., & Fuiano, G. (2017). Quality of life, clinical outcome, personality and coping in chronic hemodialysis patients. *Renal Failure*, 39(1), 45–53. <https://doi.org/10.1080/0886022X.2016.1244077>
- Elios Russo, G. (2017). Glomerulonephritis, pathogenetic mechanisms and therapeutic options: an overview. *Journal of Nephrology & Therapeutics*, 04(04). <https://doi.org/10.4172/2161-0959.1000175>
- Erna, M., Hayatul. N., & Ayi. (2018). Gambaran karakteristik pasien hemodialisis di Rumah Sakit Islam Sultan Agung Semarang. *Sultan Agung*. 34(1), 56-64.
- Ezzat, H., & Mohab, A. (2015). Prevalence of sleep disorders among ESRD patients. *Renal Failure*, 37(6), 1013–1019. <https://doi.org/10.3109/0886022X.2015.1044401>
- Faizah, N.S., 2017. Perbedaan kadar trigliserida yang diperiksa langsung dengan ditunda 48 jam dan 72 jam pada suhu ruang. *Karya Tulis Ilmiah*. Universitas Muhammadiyah, Semarang.
- Gigli, G., Lorenzuti, S., Serafini, A., & Valente, M. (2017). Sleep disturbances among dialysis patients. *Kidney Transplantation*, 317–328. <http://doi.org/10.5772/60142>
- Grace, Pierce. & Borley, N. (2007). *At a glance ilmu bedah*. (A. Safitri, Ed.) (Edisi 3). Jakarta: Erlangga.
- Grippio, A. J., Johnson, A. K., Dantzer, R., Connor, J. C. O., Freund, G. G., Johnson, R. W. Manuscript, A. (2017). NIH public access. *autoimmunity*, 9(1), 447–453. <http://doi.org/10.1038/nrn2297>.From

- Hall, M.H., (2015). Sleep. Gelman M & Turner, J.R (eds). Encyclopedia of behavioral medicine. London: Springer New York Heidelberg Dordrecht. <http://dx.doi.org/10.1007/978-1-4419-1005-9>
- Hasanah, N. (2021). Pengaruh slow stroke back massage terhadap kualitas tidur. *Borneo Student Research*, 2(1), 41–50.
- Helalat. & Alireza. (2021). Effect of SSBM on fatigue and sleep quality of hemodialysis patients: A clinical trial study. *Journal of School of Nursing and Midwifery*, 27, 1–18. https://hayat.tums.ac.ir/browse.php?a_id=3978&sid=1&slc_lang=en
- Henderson, C., & Jones, K. (Eds.). (2006). Buku ajar-Konsep kebidanan (Ria Anjarwati, Renata Komalasari & Dian Adiningsih, Penerjemah). Jakarta: EGC.
- Hidayat. (2006). *Pengantar kebutuhan dasar manusia*. Jakarta: Salemba Medika.
- Holland, B., & Pokorny, M. E. (2018). Slow stroke back massage: its effect on patients in a rehabilitation setting. *Rehabilitation Nursing: The Official Journal of the Association of Rehabilitation Nurses*, 26(5), 182–186. <https://doi.org/10.1002/j.2048-7940.2001.tb01948.x>
- Hornblower, S. (2015). *Oxford textbook of clinical nephrology*. Edited by N. Turner. Oxford University Press.
- Hsu, W. C., Guo, S. E., & Chang, C. H. (2019). Back massage intervention for improving health and sleep quality among intensive care unit patients. *Nursing in Critical Care*, 24(5), 313–319. <https://doi.org/10.1111/nicc.12428>
- Husna, C., Ika, A., & Ayu, P. A. (2021). Hubungan lama menjalani hemodialisis dengan kecemasan pasien. *Indonesian Journal of Nursing Health Science ISSN*, 6(1), 31–38.
- Jamiatun, J., Elegia, K., dan Syarif, M. N. O. (2016). Analisis faktor yang berhubungan dengan kepatuhan pembatasan cairan pada pasien gagal ginjal kronis yang menjalani hemodialisis di rumah sakit islam jakarta sukapura. *Jurnal Bidang Ilmu Kesehatan*, 5(1). Available at: <http://ejournal.urindo.ac.id>.
- Kemenkes RI. (2017). Analisa lansia Indonesia 2017. Kementerian Kesehatan RI.
- Kirchhoff, S. M. (2018). *Medicare coverage of End-Stage Renal Disease (ESRD)*.

- Kline, C. (2017). Sleep quality. Gelman M & Turner, J.R (eds). Encyclopedia of behavioral medicine. London: Springer New York Heidelberg Dordrecht. <http://dx.doi.org/10.1007/978-1-4419-1005-9>
- Kusuma, H., Ropyanto, C. B., Widyaningsih, S., & Sujianto, U. (2018). Relating factors of insomnia among haemodialysis patients. *Nurse Media Journal of Nursing, 1*, 44–57. <http://ejournal.undip.ac.id/index.php/medianers>
- Lea, J. P., & Nicholas, S. B. (2017). Diabetes mellitus and hypertension: Key risk factors for kidney disease. *Journal of the National Medical Association, 94*(8 Suppl), 7S–15S. Retrieved from. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2594170/>
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2594170/pdf/jnma00331-0010.pdf>
- Lei, Z., Qiongjing, Y., Qiuli, W., Sabrina, K., Xiaojing, L., & Changli, W. (2018). Sleep quality and sleep disturbing factors of inpatients in a Chinese general hospital. *Journal of Clinical Nursing, 18*(17), 2521–2529. <https://doi.org/10.1111/j.1365-2702.2009.02846.x>
- Lenggogeni, D. P., Sitorus, R., & Maria, R. (2020). *Sleep quality among hemodialysis patients.*
- Liao., van den Broek-Best., Smyth., & Hong, D. (2019). The effect of extended hours dialysis on sleep quality in a randomised trial. *Nephrology (Carlton), 2019*;24(4):430–37.
- Locatelli, F., Canaud, B., Eckardt, K. U., Stenvinkel, P., Wanner, C., & Zoccali, C. (2017). Oxidative stress in end-stage renal disease: An emerging treat to patient outcome. *Nephrology Dialysis Transplantation, 18*(7), 1272–1280. <https://doi.org/10.1093/ndt/gfg074>
- Malekshahi, F., Aryamanesh, F., & Fallahi, S. (2018). The effects of massage therapy on sleep quality of patients with end-stage renal disease undergoing hemodialysis. *Sleep and Hypnosis, 20*(2), 91–95. <https://doi.org/10.5350/Sleep.Hypn.2017.19.0138>
- Mary Baradero, dkk. 2008. *Seri asuhan keperawatan klien gangguan ginjal*. Jakarta: EGC
- Meijon. (2020). Karakteristik pasien ESRD yang menjalani hemodialisis di RSUD Wates. *Poltekkes Kemenkes Wates, 7*(8).

- Melastuti, E., Nursalam, N., Sukartini, T., & Janitra, F. E. (2020). Combination therapy: Murottal and slow stroke back massage (SSBM) affecting the blood pressure of hemodialysis patients. *International Journal of Psychosocial Rehabilitation*, 24(7), 9208–9214.
- Menha., Siomey. (2022). Interdialytic fluid weight gain is mainly caused. <http://www.hemodialysis.org/pros/20080114/>.
- Menon., Alla .P., Madhuri S., Sanathan SR., & Shetty. (2017) . Kualitas tidur pada pasien penyakit ginjal stadium akhir pada hemodialisis pemeliharaan: Sebuah survei prospektif enam bulan. *Jurnal Internasional Ilmu dan Penelitian Farmasi*; 6(2):660-8.
- Miller, A. H., Maletic, V., & Raison, C. L. (2019). Inflammation and its discontents: The role of cytokines in the pathophysiology of major depression. *Biological Psychiatry*, 65(9), 732–741. <https://doi.org/10.1016/j.biopsych.2008.11.029>
- Mithayani. 2017. Massage dan tekniknya. <https://mithayani.com/2012/05/31/massage-sebagai-perawatan-tubuh/>.
- Mollaoglu, M. (2009). *Fatigue in people undergoing hemodialysis*. *Dialysis & Transplantation*, 38.
- Monfared, A., Soodmand, M., Ghasemzadeh, G., Mirzaee, S., Mohammadi, M., & Lichayi, N. A. (2019). Study of lifestyle, sleep quality, and related factors in hemodialysis patients. *Journal of Holistic Nursing and Midwifery*, 29(3), 159–166. <https://doi.org/10.32598/JHNM.29.3.159>
- Muza, R. (2018). Normal sleep. In h. selsick (Ed.), *Sleep disorders in psychiatric patients: A practical guide* (pp. 3–25). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-54836-9_1
- National Kidney Foundation. (2017). Clinical practice guideline for hemodialysis adequacy. *American Journal of Kidney Disease*, 884-930. Diakses pada tanggal 14 Mei 2022 melalui [http://www.ajkd.org/article/S0272-6386\(15\)01019-7/pdf](http://www.ajkd.org/article/S0272-6386(15)01019-7/pdf)
- Ngatman. (2017). *Evaluasi Pendidikan Jasmani Olahraga dan Kesehatan*. Grobogan: CV Samu Untung
- Nissenson, A., & Fine, R. (2017). Handbook of dialysis (5). Philadelphia: Elsevier. <http://doi.org/10.1016/B978-1-4160-4197-9.50089>
- Notoatmodjo. 2014. *Metodologi penelitian kedokteran*. Jakarta: Rineka Cipta

- Ningrum, C., & Rahma, S. (2019). Faktor yang berhubungan dengan kualitas tidur pasien gagal ginjal kronik dengan terapi hemodialisis. [http://www.ajkd.org/article/S0272-6386\(15\)01019-7/pdf](http://www.ajkd.org/article/S0272-6386(15)01019-7/pdf)
- Nur Hasanah. (2021). Pengaruh *Slow Stroke Back Massage* terhadap kualitas tidur. *Bhayangkara Bengkulu Anninah I**, 2(1), 41–50.
- Nurhayati, I., Hamzah, A., Erlina, L., Rumahorbo, H., Studi III Keperawatan, P. D., Keperawatan, J., & Kemenkes Bandung, P. (2021). Gambaran kualitas tidur pada pasien gagal ginjal kronik yang menjalani terapi hemodialisa: *A Literature Review*. 1(1).
- Pan, K. C., Hung, S. Y., Chen, C. I., Lu, C. Y., Shih, M. L., & Huang, C. Y. (2019). Social support as a mediator between sleep disturbances, depressive symptoms, and health-related quality of life in patients undergoing hemodialysis. *PLoS ONE*, 14(4), 1–14. <https://doi.org/10.1371/journal.pone.0216045>
- Pedruzzi, L. M., Cardozo, L. F. M. F., Daleprane, J. B., Stockler-Pinto, M. B., Monteiro, E. B., Leite, M., Vaziri, N. D., & Mafra, D. (2015). Systemic inflammation and oxidative stress in hemodialysis patients are associated with down-regulation. *Journal of Nephrology*, 28(4), 495–501. <https://doi.org/10.1007/s40620-014-01620>
- Pernefri. (2018). *11th Report Of Indonesian Renal Registry 2018*. 1–46.
- Potter PA & Perry AG. 2006. *Buku ajar fundamental keperawatan konsep, Proses dan Praktik Edisi 4*, Jakarta: EGC.
- Prakash. S., & O'Hare, AM. (2017). *Interaction of aging and CKD*. *Semin Nephrol*. ;29(5): 497-503.
- Price, S., & Wilson, L. (2014). *Patofisiologi : konsep klinis proses -proses penyakit*. (D. Hartanto, Huriawati; Wulansari, Pita; Susi, Natalia; Mahanani, Ed.) (Edisi 6, V). Jakarta: EGC.
- Rai, M., Rustagi, T., Rustagi, S., & Kohli, R. (2018). Depression, insomnia and sleep apnea in patients on maintenance hemodialysis. *Indian Journal of Nephrology*, 21(4), 223–229. <https://doi.org/10.4103/0971-4065.83028>
- Ratna. (2016). Gambaran kualitas tidur pada komunitas game online mahasiswa teknik elektro universitas diponegoro. *Universitas Diponegoro*. http://eprints.undip.ac.id/5197/1/BAB_1-3.pdf

- Redeker, N., & McEnany, G. P. (2017). *Sleep disorders and sleep promotion in nursing practice*. New York: Springer Publishing Company.
- Renditya., Yetti,I., & Made. (2021). Faktor yang mempengaruhi serta metode peningkatan kualitas tidur pasien hemodialisis: *Literatur Review. Jurnal Penelitian Kesehatan Suara Forikes*, 12, 1–5.
- Remmert, L., & Sorrentino, S. (2017). *Mosbys's textbook for nursing assistants (edisi 9)*. St. Louis, Missouri: Elsevier.
- Richard, B. (2017). *Fundamentals of sleep medicine*.(67). Philadel a:Elsevier Saunders. <http://doi.org/10.1016/B978-0-44452007-4.00017-5>
- Rivan, D., Setyo, G., & Rakhma,Y. (2016). Hubungan tingkat aktivitas penyakit dengan kualitas tidur pada pasien lupus eritematosus sistemik (studi kasus di rsup dr. Kariadi, semarang). *Jurnal Kedokteran Diponegoro*. 5(4). <http://ejournal-s1.undip.ac.id/index.php/medico>
- Rosa-Diez, G., Gonzalez-Bedat, M., Ferreiro, A., García-García, G.,_Fernandez-Cean, J., & Douthat, W. (2016). Burden of end-stage renal_disease (ESRD) in Latin America. *Clinical Nephrology*, 86(S1), 29–33. <http://doi.org/10.5414/CNP86S105>
- Samara, A. M., Sweileh, M. W., Omari, A. M., Omari, L. S., Dagash, H. H., Sweileh, W. M., Natour, N., & Zyoud, S. H. (2019). An assessment of sleep quality and daytime sleepiness in hemodialysis patients: a cross-sectional study from Palestine. *Sleep Science and Practice*, 3(1). <https://doi.org/10.1186/s41606-019-0036-4>
- Setiadi. (2013). *Konsep dan praktek penulisan riset keperawatan (Ed.2)* Yogyakarta: Graha Ilmu
- Shaw, J. E., Sicree, R. A., & Zimmet, P. Z. (2015). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research and Clinical Practice*, 87(1), 4–14. <https://doi.org/10.1016/j.diabres.2009.10.007>
- Sheldon, S.H., Kryger, M.H., Ferber, R., & Gozal, D., (2018). *Principles and practice of pediatric sleep medicine*, 2nd Edition. USA: Elsevier Health Sciences
- Shilo, L., Sabbah, H., Hadari, R., Kovatz, S., Weinberg, U., Dolev, S., Dagan, Y., & Shenkman, L. (2017). The effects of coffee consumption on sleep and melatonin secretion. *Sleep Medicine*, 3(3), 271–273. [https://doi.org/10.1016/S1389-9457\(02\)00015-1](https://doi.org/10.1016/S1389-9457(02)00015-1)

- Smeltzer., Suzanne, C., & Brenda., Bare. (2008). *Buku ajar keperawatan medikal - bedah. Brunner & suddar.* (2), EGC, Jakarta.
- Stuart, C., & Cherry, B. (2018). Pengalaman perawat-bidan bersertifikat dengan manajemen berat badan gestasional. *Keperawatan Kesehatan Wanita*, 20, 38-50.
- Suarilah, I., Hayat, M., & Indarwati, R. (2020). The effect of cutaneous stimulation: *slow stroke back massage* on sleep quality improvement in elderly correspondence. In *Systematic Reviews in Pharmacy* 11(3).
- Sudijanto, D., & Arofaiti,F. (2022). Terapi *slow stroke back massage* terhadap peningkatan kualitas tidur pasien *chronic kidney disease* (CKD) yang menjalani hemodialisis. *Jurnal Kesehatan Silampari*, 5(2).
- Sugiyono. (2016). *Metode Penelitian Kuantitatif, Kualitatif dan R&D.* Bandung: PT Alfabet.
- Sukma, A., Melastuti, E., Nursalam, N., Sukartini, T., & Janitra, F. E. (n.d.). (2020). Combination therapy: murottal and slow stroke back massage (ssbm) affecting the blood pressure of hemodialysis patients. *International Journal of Psychosocial Rehabilitation*.
- Suparti.S., & Solikhah, u. (2016) Perbedaan Kualitas Hidup Pasien Gagal Ginjal Kronik Ditinjau Dari Tingkat Pendidikan ,Frekuensi Dan Lama Hemodialisis Di rsud Goenteng Taroenadibrata Purbalingga.*Medisains:Jurnal Ilmiah Ilmu-Ilmu Kesehatan.* 2(1)
- Suraniti., K. (2022). Gambaran interdialyticweight gain (IDWG) pada pasien gagal ginjal kronis yang menjalani terapi hemodialisa di RSUD tabang. *Poltekes Kemenkes Denpasar.* 3(1)
- Susilo, R. (2017). Hubungan Kualitas Tidur Dengan Tekanan Darah Pada Mahasiswa Semester VIII Program Studi Keperawatan Stikes BHM Madiun. S, 1–102.
- Swarjana, I. K. (2012). *Metodologi penelitian kesehatan.* (I. Nastiti, Ed.).Yogyakarta: ANDI.
- Theodorou, V., Karetsi, E., Daniil, Z., Gourgoulisanis, K. I., & Stavrou, V. T. (2020). Physical activity and quality of sleep in patients with end-stage renal disease on hemodialysis: A preliminary report. *Sleep Disorders*, 2020, 1–5. <https://doi.org/10.1155/2020/6918216>

- Thomas, B., Wulf, S., Bikbov, B., Perico, N., Cortinovis, M., De Vacarro, K. C., Flaxman, A., Peterson, H., Delossantos, A., Haring, D., Mehrotra, R., Himmelfarb, J., Remuzzi, G., Murray, C., & Naghavi, M. (2015). Maintenance dialysis throughout the world in years 1990 and 2010. *Journal of the American Society of Nephrology*, 26(11), 2621–2633. <https://doi.org/10.1681/ASN.2014101017>
- Toto, R. B. (2003). Hypertensive nephrosclerosis in african americans. *Kidney International*, 64(6), 2331–2341. <https://doi.org/10.1046/j.1523-1755.2003.00333.x>
- Transplantation, O., Arabia, S., & Urology, M. (2021). *Sleep disorders in hemodialysis patients*, (October 2021).
- Unal, K. S., & Balci Akpınar, R. (2016). The effect of foot reflexology and back massage on hemodialysis patients' fatigue and sleep quality. *Complementary Therapies in Clinical Practice*, 24, 139–144. <https://doi.org/10.1016/j.ctcp.2016.06.004>
- Valsaraj, B. P., Bhat, S. M., & Latha, K. S. (2016). Cognitive behaviour therapy for anxiety and depression among people undergoing haemodialysis: A randomized control trial. *Journal of Clinical and Diagnostic Research*, 10(8), VC06-VC10. <https://doi.org/10.7860/JCDR/2016/18959.8383>
- Vetrugno, R., D'Angelo, R., & Montagna, P. (2017). Periodic limb movements in sleep and periodic limb movement disorder. *Neurological Sciences*, 28(SUPL.1). <https://doi.org/10.1007/s10072-007-0733-0>
- Walker, H.K., Hall, W.D., & Hurst, J.W., (1990). Clinical method, 3rd edition. USA: Butterworth Publishers.
- Wasis. (2008). *Pedoman riset praktis untuk profesi perawat*. Jakarta: EGC
- Yekti (2019). *Cara jitu mengatasi hipertensi*. Yogyakarta: Andi.
- Yilmaz, S., Yildirim, Y., Yilmaz, Z., Kara, A. V., Taylan, M., Demir, M., Coskunsel, M., Kadiroglu, A. K., & Yilmaz, M. E. (2016). Pulmonary function in patients with end-stage renal disease: Effects of hemodialysis and fluid overload. *Medical Science Monitor*, 22, 2779–2784. <https://doi.org/10.12659/MSM.897480>
- Yulianto, D., Basuki, H.,. (2017). Analisis ketahanan hidup pasien penyakit ginjal kronis dengan hemodialisis di rsud dr. Soetomo surabaya. *Kesehatan Masyarakat Universitas Airlangga* 3(1).

Zalai, D., Szeifert, L., & Novak, M. (2016). Psychological distress and depression in patients with chronic kidney disease. *Seminars in Dialysis*, 25(4), 428–438. <https://doi.org/10.1111/j.1525-139X.2012.01100.x>

