

DAFTAR PUSTAKA

1. Bhatt S, Cooke R, Shetty R, Jovin IS. Femoral vascular access-site complications in the cardiac catheterization laboratory: diagnosis and management. *Interventional Cardiology*. 2011;3(4):503.
2. Chiang A, Gada H, Kodali SK, Lee MS, Jeremias A, Pinto DS, et al. Procedural variation in the performance of primary percutaneous coronary intervention for ST-elevation myocardial infarction: A SCAI-based survey study of US interventional cardiologists. *Catheterization and Cardiovascular Interventions*. 2014;83(5):721-726.
3. Chen H-Z, Liang W-S, Yao W-F, Liu T-X. Compression methods after femoral artery puncture: A protocol for systematic review and network meta-analysis. *Medicine*. 2021;100(4).
4. Dahal K, Rijal J, Shahukhal R, Sharma S, Watt H, Azrin M, et al. Comparison of manual compression and vascular hemostasis devices after coronary angiography or percutaneous coronary intervention through femoral artery access: a meta-analysis of randomized controlled trials. *Cardiovascular Revascularization Medicine*. 2018;19(2):151-162.
5. Kronzon I, Tunick PA. Complications of Femoral Arterial Vascular Access. *Essentials of Vascular Laboratory Diagnosis*. 2005:143-159.
6. Patel MR, Jneid H, Derdeyn CP, Klein LW, Levine GN, Lookstein RA, et al. Arteriotomy closure devices for cardiovascular procedures: a scientific statement from the American Heart Association. *Circulation*. 2010;122(18):1882-1893.
7. Khoiriyati A, Ropi H, Kosasih CE. Incidence of Vascular Complications of Post Percutaneous Coronary Intervention Patients in General Hospital of Dr. Hasan Sadikin Bandung. *Journal of Yogyakarta Muhammadiyah Universtiy*. 2012:196-203.
8. Kordestani SS, Noohi F, Azarnik H, Basiri H, Hashemi M, Abdi S, et al. A randomized controlled trial on the hemostasis of femoral artery using topical hemostatic agent. *Clinical and Applied Thrombosis/Hemostasis*. 2012;18(5):501-505.
9. Gewalt SM, Helde SM, Ibrahim T, Mayer K, Schmidt R, Bott-Flügel L, et al. Comparison of vascular closure devices versus manual compression after femoral artery puncture in women: gender-based analysis of a large scale, randomized clinical trial. *Circulation: Cardiovascular Interventions*. 2018;11(8):e006074.
10. Levine, Glenn N., Eric RB, James CB, Steven RB, John AB, et al. 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary. *Journal of the American College of Cardiology*. 2011;58(24):255-2583.
11. Rajebi H, Rajebi MR. Optimizing common femoral artery access. *Techniques in Vascular and Interventional Radiology*. 2015;18(2):76-81.
12. Lechner G, Jantsch H, Waneck R, Kretschmer G. The relationship between the common femoral artery, the inguinal crease, and the inguinal ligament: a guide to accurate angiographic puncture. *Cardiovascular and interventional radiology*. 1988;11(3):165-169.

13. Sherev DA, Shaw RE, Brent BN. Angiographic predictors of femoral access site complications: implication for planned percutaneous coronary intervention. *Catheterization and cardiovascular interventions*. 2005;65(2):196-202.
14. Kosmidou I, Karpaliotis D. Vascular Complications after Percutaneous Coronary Intervention. *Cardiac Intensive Care*. 2010;2(23):270-274.
15. Wu P-J, Dai Y-T, Kao H-L, Chang C-H, Lou M-F. Access site complications following transfemoral coronary procedures: comparison between traditional compression and angioseal vascular closure devices for haemostasis. *BMC Cardiovascular Disorders*. 2015;15(1):1-8.
16. Lichtman JH, Wang Y, Jones SB, Leifheit-Limson EC, Shaw LJ, Vaccarino V, et al. Age and sex differences in inhospital complication rates and mortality after percutaneous coronary intervention procedures: evidence from the NCDR®. *American heart journal*. 2014;167(3):376-383.
17. Piper WD, Malenka DJ, Ryan Jr TJ, Shubrooks Jr SJ, T O'Connor G, Robb JF, et al. Predicting vascular complications in percutaneous coronary interventions. *American heart journal*. 2003;145(6):1022-1029.
18. Al Sadi AKA, Omeish AFY, Al-Zaru IM. Timing and predictors of femoral haematoma development after manual compression of femoral access sites. *JPMA The Journal of the Pakistan Medical Association*. 2010;60(8):620.
19. Wiley JM, White CJ, Uretsky BF. Noncoronary complications of coronary intervention. *Catheterization and cardiovascular interventions*. 2002;57(2):257-265.
20. Tu T, Tremmel J. Management of femoral arterial access: to close or hold pressure. *Endovascular Today*. 2007:38-42.
21. Tiroch K, Longo. B. Hemostasis: Can we do better than gold standar? Vascular closure devices can provide reliable and safe hemostasis at the arteriotomy site. *Endovascular Today*. 2008:25-29.
22. Kern, Morton J, Paul S, Lim. MJ. The interventional cardiac catheterization handbook: *Vascular Access*. 2018:80-81.
23. Baglin T, Barrowcliffe TW, Cohen A, Greaves. M. Guidelines on the use and monitoring of heparin. *British Society for Haematology*. 2006;133:19-34.
24. Alshehri AM, Elsharawy M. Comparison of Angioseal and manual compression in patients undergoing transfemoral coronary and peripheral vascular interventional procedures. *International Journal of Angiology*. 2015;24(02):133-136.
25. Behan M, Large J, Patel N, Lloyd G, Sulke A. A randomised controlled trial comparing the routine use of an Angio-Seal STS device strategy with conventional femoral haemostasis methods in a district general hospital. *International journal of clinical practice*. 2007;61(3):367-372.
26. Noori VJ, Eldrup-Jørgensen J. A systematic review of vascular closure devices for femoral artery puncture sites. *Journal of vascular surgery*. 2018;68(3):887-899.
27. Bechara CF, Annambhotla S, Lin PH. Access site management with vascular closure devices for percutaneous transarterial procedures. *Journal of vascular surgery*. 2010;52(6):1682-1696.

28. St. Jude Medical. Instructions for Use Angio-Seal Vascular Closure Device. 2016.
29. Kapadia SR, Raymond R, Knopf W, Jenkins S, Chapekis A, Ansel G, et al. The 6Fr Angio-Seal arterial closure device: results from a multimember prospective registry. *American Journal of Cardiology*. 2001;87(6):789-791.
30. Turi ZG. Overview of vascular closure. *Endovascular today*. 2008:28-37.
31. Bangalore S, Bhatt DL. Femoral arterial access and closure. *Circulation*. 2011;124(5):e147-e156.
32. Schulz-Schüpke S, Helde S, Gewalt S, Ibrahim T, Linhardt M, Haas K, et al. Comparison of vascular closure devices vs manual compression after femoral artery puncture: the ISAR-CLOSURE randomized clinical trial. *Jama*. 2014;312(19):1981-1987.
33. Holm NR, Sindberg B, Schou M, Maeng M, Kaltoft A, Bøttcher M, et al. Randomised comparison of manual compression and FemoSeal™ vascular closure device for closure after femoral artery access coronary angiography: the CLOSure dEVICES Used in everyday Practice (CLOSE-UP) study. *Eurointervention: Journal of Europcr in Collaboration with the Working Group on Interventional Cardiology of the European Society of Cardiology*. 2014;10(2):183-190.
34. Wong SC, Bachinsky W, Cambier P, Stoler R, Aji J, Rogers JH, et al. A randomized comparison of a novel bioabsorbable vascular closure device versus manual compression in the achievement of hemostasis after percutaneous femoral procedures: the ECLIPSE (Ensure's Vascular Closure Device Speeds Hemostasis Trial). *JACC: Cardiovascular Interventions*. 2009;2(8):785-793.
35. Yeni H, Axel M, Örnek A, Butz T, Maagh P, Plehn G. Clinical and subclinical femoral vascular complications after deployment of two different vascular closure devices or manual compression in the setting of coronary intervention. *International Journal of Medical Sciences*. 2016;13(4):255.
36. Duffin D, Muhlestein J, Allisson S, Horne B, Fowles R, Sorensen S, et al. Femoral arterial puncture management after percutaneous coronary procedures: a comparison of clinical outcomes and patient satisfaction between manual compression and two different vascular closure devices. *The Journal of invasive cardiology*. 2001;13(5):354-362.
37. Dahlan. S. Besar Sampel Dalam Penelitian Kedokteran dan Kesehatan. 2016;2(5):132-137.
38. Piepoli MF, Hoes AW, Agewall S, Albus C, Brotons C, Catapano AL, et al. European Guidelines on cardiovascular disease prevention in clinical practice. *European Heart Journal*. 2016;37:2315-2381.
39. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A, et al. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. PB PERKENI. 2015.
40. Kang MJ, Oh YM, Lee JC, Kim DG, Park MJ, Lee MG, et al. Lung matrix metalloproteinase-9 correlates with cigarette smoking and obstruction of airflow. *Journal of Korean medical science*. 2003;18(6):821-827.
41. Laki K. Our ancient heritage in blood clotting and some of its consequences. *Annals of the New York Academy of Sciences*. 1972;202(1):297-307.

42. Helou R. Should we continue to use the Cockcroft-Gault formula? *Nephron Clinical Practice*. 2010;116(3):c172-c186.
43. Urban P, Mehran R, Colleran R, Angiolillo DJ, Byrne RA, Capodanno D, et al. Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. *European heart journal*. 2019;40(31):2632-2653.
44. World Health Organization. The Asia-Pacific perspective: redefining obesity and its treatment. 2000.
45. Robertson L, Andras A, Colgan F, Jackson R. Vascular closure devices for femoral arterial puncture site haemostasis. *Cochrane database of systematic reviews*. 2016(3).
46. Al-Momani MS, AbuRuz ME. Incidence and predictors of groin complications early after coronary artery intervention: a prospective observational study. *BMC nursing*. 2019;18(1):1-10.
47. Machnik R, Pieniążek P, Musiałek P, Przewłocki T, Tekieli Ł, Trystuła M, et al. Control of local haemostasis with the AngioSeal® vascular closure device in peripheral endovascular interventions via 6-9 F femoral artery access. *Advances in Interventional Cardiology/Postępy w Kardiologii Interwencyjnej*. 2012;8(1):1-7.
48. Frenzel F, Fries P, Shayesteh-Kheslat R, Buecker A, Massmann A. Single Angio-Seal vascular closure device for transfemoral access exceeding 8F. *Journal of Cardiology*. 2020;76(2):211-216.
49. Stein BC, Teirstein PS. Nonsurgical removal of Angio-Seal device after intra-arterial deposition of collagen plug. *Catheterization and cardiovascular interventions*. 2000;50(3):340-342.
50. Chung J, Lee DW, Kwon OS, Kim B-S, Shin YS. Angio-Seal™ Evolution™ versus manual compression for common femoral artery puncture in neurovascular diagnostic angiography: a prospective, non-randomized study. *Journal of Korean Neurosurgical Society*. 2011;49(3):153.
51. Terumo Medical Corporation. Ambulation and Discharge Recommendations. 2019.