

DAFTAR PUSTAKA

- Abdou HM, 1989, *Dissolution Bioavailability and Bioequivalence*. Pennsylvania : Mach Publishing Company Easton.
- Ansel CH, 1989, *Pengantar Bentuk Sediaan Farmasi*, edisi IV, terjemahan Farida Ibrahim, University Indonesia Press, Jakarta.
- Ainley, W & PJ Weller, 1994, *HandBook of Pharmaceutical Excipient*, Second edition. The Pharmaceutical Press, London.
- Anonim, 2003. *United states pharmacopoeia XXVI (revision)*. Rockville : United State Pharmacopoeia Conventing Inc.
- Anonim, 2010. *Scanning electron microscopy*. West Lafayette : Radiological & Environmental Management, Purdue University.
- Anderson PO, Knoben JE & Troutman WG (eds) 2002, *Hanbook of Clinical Drug Data*, 10th ed McGraw-Hill Companies, New York.
- Banakar UV 1991, *Pharmaceutical Dissolution Testing*, New York : Marcel Dekker inc.
- Bazegar-Jalali M, Valizadeh H & Adibkia K. 2007. Enhancing dissolution rate of carbamazepine via co-grinding with crosspovidone and hydroxypropylmethylcellulose. *Iranian Journal of Pharmaceutical Research*, 6 (3), 159-165.
- Brittain HG, 1999. *Analytical profiles of drugs substances and excipients* (Volume 26). California : Academic Press.
- British Comission Secretariat, 2007. *British Pharmacopoeia* London : British Comission Secretariat : 1205
- Budavari S, 2001. *The Merck Index*, 13th ed Whitehouse Station, NJ : Merck Research Laboratories Division of Merck & Co., Inc, : 1036
- Chiou WL & Riegelman S, 1971. Pharmaceutical applications of solid dispersion system. *Journal of Pharmaceutical Science*, 60 (9), 1281-1302.
- David B. Troy, Remington, The Science and Practice of Pharmacy, ed. 21 ST, 2005.
- Departemen Kesehatan Republik Indonesia, 1995. *Farmakope Indonesia Edisi 4* Jakarta: Departemen Kesehatan Republik Indonesia.
- Dixit, RP. Singh, Stuti. S .2012, Solid Dispersions : a Strategy for Improving the Solubility of Poorly Soluble Drugs. *IJRPBS* 3 (2) : 960-966

- Frank SG. 1975. *Inclusion Compound*. J Pharm Sci, 64 (10), 1585-1601.
- Friedrich H, Nada A & Bodmeir R., 2005. Solid state and dissolution rate characterization of co-ground mixture of nifedipine and hydrophilic carriers. *Drug Development Industrial Pharmacy*, 31, 719-728.
- Grag A, Singh S, Rao VU, Bindu,K & Balasubramaniam J., 2009. Solid state interaction of raloxifene HCL with different hydrophilic carriers during co-grinding and its effect on dissolution rate, *Drug Development Industrial Pharmacy*, 35, 455-470.
- Gelone S and Gennaro A, 2005. *Remingtons The Sciences and Practice of Pharmacy* ed 21th. Lippincott Williams & Wilkins. Philadelphia : 1672
- Gunawan SG, Nafrinaldi RS & Elysabeth ed. 2009. *Farmakologi dan Terapi*, 5th edn, Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Ganiswara SG. 1995. *Farmakologi dan Terapi*, Edisi IV, Bagian Farmakologi Fakultas Kedikteran UI, Jakarta.
- Higuchi, T & KA Connors. 1965. *Phase Solubility Technique, Adv, Anal Chem Instrum*. Vol. 4. p: 117-210.
- James KC 1986 *Solubility and Related Properties*. Marcel Dekker, New York Inc, p: 36-59, 251-277.
- Kalyanwat R dan Patel S. 2010. Solid Dispersion : A Method for Enhancing Drug Dissolution, *International Journal of Drug Formulation & Research*, Vol 1 (iii) 1-14
- Lachman L, HA. Lieberman & JL. Kanig 1989, *Teori dan Praktek Industri Farmasi*, terjemahan Siti Suyatmi, edisi III , UI Press, Jakarta.
- Leuner C & Dressman J. 2000. Improving drug solubility for oral delivery using solid dispersions. *European Journal of Pharmaceutical and Biopharmaceutics*, 50, 47-60.
- Lullmann HMD, Mohr. KMD, Hein, LMD & Bieger, DMD. 2005. *Color atlas of Pharmacology*, Theime, New York.
- Martin A, J. Swarbrick & A. Cammarata. 1993. *Farmasi Fisik*, Edisi III, terjemahan Yoshita, UI Press, Jakarta.
- Martindale. 1982. *The Extra Pharmacopeia* ed 28th, The Pharmaceutical Press, London.

- Mohamed MB, Talari MK, Tripathy M & Majeed ABA. 2012. Pharmaceutical Applications Of Crospovidone: A Review, *Int. J. Drug. Form. and Res*, 3(1): 13-28
- Mudit D, Keshavarao KP, Selvam, P. 2011. Improvement Of Solubility and Dissolution Rate Of Mefenamic Acid By Solid Dispersions in PEG 4000. *IRJP 2 (4) : 207 -210.*
- Neha, Preeti C, Atin, K, Rajan P, Kumar, MR. Santanu, M. Pardeep, K. Munsab A & Shamin A. 2012. *Approaches to improve the solubility and bioavailability of poorly soluble drugs and different parameter to screen them*, *Novel Science International Journal of Pharmaceutical Science*, 1(4), 498-502.
- Patil RM, Ajim H. Maniyar, Mangesh T. Kale, Anup M. Akare, Dheeraj T. Baviskar. 2011. Solid Dispersions : Strategy to Enhance Solubility. *International Journal of Pharmaceutical Sciences Review and Research 8, (2) : 66-73.*
- Prasanthi NL, Manikiran SS, Sowmya S, Anusha B, Rama Rao. N. 2011. Effect of Poloxamer 188 On in Vitro Dissolution Properties of Antipsychotic Solid Dispersions, *International Journal of Pharmaceutical Sciences Review and Research 10, (1): 15-19*
- Rajesh A, Sangeteta A, HS. Lamba, Anil B, Sandeep K. 2011. Effect of The Preparation of Solid Dispersion Method on The Solubility and Crystallinity of Sulfasalazine, *IRJP2 (4) : 200-206*
- Racz I. *Drug formulation*. New York: Jhon Wiley and Sons; 1989.323-6
- Reimer L. 1998. *Scanning electron microscopy : physics of image formation and microanalysis (ed.2)*. London : Springer.
- Rosen JM. 1978. “ *Surfactan and Interfacial Phenomena*, A. Willer Interscience Publication, New York.
- Rowe RC, Sheskey PJ & Owen SC. 2006. *Handbook of Pharmaceutical Excipients*. (Edisi 6). London: Pharmaceutical Press.
- Sutriyo, Rosmaladewi dan Febrian H. 2005. Pengaruh PVP terhadap Laju Disolusi Furosemid dalam Sistem Dispersi Padat, *Majalah Ilmu Kefarmasian*, Vol. II, No. 1 : 30-42
- Shargel L. 2005. *Biofarmasetika dan Farmakokinetika Terapi ed. II*, Surabaya: Airlangga.
- Shargel L, Wu Pong, S & Yu ABC. 1999. *Applied Biopharmaceutics and Pharmacokinetics (5th ed)*, 85-86, Mc. Singapore : Graw and Hill.

Sweetman SC 2009, *Martindale : The Complete Drug Reference*, 36th ed, Pharmaceutical Press, London.

Sugimoto M, Okayagi T, Narisawa S, Koida Y, Nakajima K. Improvement of dissolution characteristics and bioavailability of poorly water soluble drugs by novel co-grinding method using water soluble polymer. 1998. 160: 11-9

Vadher AH, Parikh JR, Parikh RH & Solanki AB. 2009. Preparation and characterization of co-grinded mixture of aceclofenac and neusilin us₂ for enhancement of aceclofenac, *AAPS Pharmaceutical Sciences and Technology*, 10(2).

Voigt R. 1994. *Buku pelajaran teknologi farmasi*. (ed. V). Penerjemah: Noerono, S. Yogyakarta: Gajah Mada University Press.

Wade A & Paul JW. 1994. *Handbook of Pharmaceutical Excipient*, 2nd ed. London: The Pharmaceutical Press.

Well JL. 1988. *Pharmaceutical Preformulation; The Physicochemical Properties of Drug Substance*, Ellis Horwold Limitted, Jhon, New York.

West AR. 2001. *Basic solid state chemistry* (Edisi 2). Toronto : John Wiley & Sons.

