

DAFTAR PUSTAKA

- [1] E. Kamsiati, H. Herawati, and E. Y. Purwani, "POTENSI PENGEMBANGAN PLASTIK BIODEGRADABLE BERBASIS PATI SAGU DAN UBIKAYU DI INDONESIA / The Development Potential of Sago and Cassava Starch-Based Biodegradable Plastic in Indonesia," *J. Penelit. dan Pengemb. Pertan.*, vol. 36, no. 2, p. 67, Dec. 2017, doi: 10.21082/jp3.v36n2.2017.p67-76.
- [2] S. A. Riyajan, W. Sukhlaaied, and W. Keawmang, "Preparation and properties of a hydrogel of maleated poly(vinyl alcohol) (PVAM) grafted with cassava starch," *Carbohydr. Polym.*, vol. 122, pp. 301–307, May 2015, doi: 10.1016/j.carbpol.2014.12.012.
- [3] R. Reshmy *et al.*, "Development of an eco-friendly biodegradable plastic from jack fruit peel cellulose with different plasticizers and *Boswellia serrata* as filler," *Sci. Total Environ.*, vol. 767, May 2021, doi: 10.1016/j.scitotenv.2020.144285.
- [4] J. Yang, Y. C. Ching, C. H. Chuah, N. D. Hai, R. Singh, and A. R. M. Nor, "Preparation and characterization of starch-based bioplastic composites with treated oil palm empty fruit bunch fibers and citric acid," *Cellulose*, vol. 28, no. 7, pp. 4191–4210, May 2021, doi: 10.1007/s10570-021-03816-8.
- [5] H. Abrial *et al.*, "Highly transparent and antimicrobial PVA based bionanocomposites reinforced by ginger nanofiber," *Polym. Test.*, vol. 81, Jan. 2020, doi: 10.1016/j.polymertesting.2019.106186.
- [6] A. Isnawati *et al.*, "KARAKTERISASI TIGA JENIS EKSTRAK GAMBIR ((*Uncaria gambir* Roxb) DARI SUMATERA BARAT CHARACTERIZATION OF 3 TYPES GAMBIR EXTRACT ((*Uncaria gambir* Roxb) FROM SUMATERA BARAT," 2012.
- [7] H. Abrial *et al.*, "Anti-UV, antibacterial, strong, and high thermal resistant polyvinyl alcohol/*Uncaria gambir* extract biocomposite film," *J. Mater. Res. Technol.*, vol. 17, pp. 2193–2202, Mar. 2022, doi:

10.1016/j.jmrt.2022.01.120.

- [8] R. V. Gadhave, V. S.K, P. V. Dhawale, and P. T. Gadekar, "Effect of boric acid on poly vinyl alcohol- tannin blend and its application as water-based wood adhesive," *Des. Monomers Polym.*, vol. 23, no. 1, pp. 188–196, Jan. 2020, doi: 10.1080/15685551.2020.1826124.
- [9] Aminur, M. Hasbi, and Y. Gunawan, "Proses Pembuatan Biokomposit Polimer Serat Untuk Aplikasi Kampas Rem," *Semin. Nas. Sains dan Teknol.*, no. November 2015, pp. 1–7, 2015, [Online]. Available: <https://jurnal.umj.ac.id/index.php/semnastek/article/view/480>
- [10] A. K. Sharma, R. Bhandari, A. Aherwar, and R. Rimašauskiene, "Matrix materials used in composites: A comprehensive study," *Mater. Today Proc.*, vol. 21, no. xxxx, pp. 1559–1562, 2020, doi: 10.1016/j.matpr.2019.11.086.
- [11] R. M. Mehra, V. Agarwal, and P. C. Mathur, "Development and characterization of Porous Silicon (a review)," *Solid State Phenom.*, vol. 55, pp. 71–76, 1997, doi: 10.4028/www.scientific.net/ssp.55.71.
- [12] A. Berger, "Numerical Modelling of Composite Materials Based on a Combined Manufacturing-Crash Simulation," 2014.
- [13] H. Suryanto, E. Marsyahyo, Y. S. Irawan, and R. Soenoko, "Effect of alkali treatment on crystalline structure of cellulose fiber from mendong (*fimbristylis globulosa*) straw," *Key Eng. Mater.*, vol. 594–595, pp. 720–724, 2014, doi: 10.4028/www.scientific.net/KEM.594-595.720.
- [14] Ş. Yıldızhan, A. Çalık, M. Özcanlı, and H. Serin, "Bio-composite materials: a short review of recent trends, mechanical and chemical properties, and applications," *Eur. Mech. Sci.*, vol. 2, no. 3, pp. 83–91, 2018, doi: 10.26701/ems.369005.
- [15] O. Suparno, "Potensi Dan Masa Depan Serat Alam Indonesia Sebagai Bahan Baku Aneka Industri," *J. Teknol. Ind. Pertan.*, vol. 30, no. 2, pp. 221–227, 2020, doi: 10.24961/j.tek.ind.pert.2020.30.2.221.
- [16] T. S. Gaaz *et al.*, "Properties and applications of polyvinyl alcohol, halloysite nanotubes and their nanocomposites," *Molecules*, vol. 20, no. 12, pp. 22833–

22847, 2015, doi: 10.3390/molecules201219884.

- [17] R. A. Wiliastuti, “Studi Penumbuhan Membran Polyvinyl Alcohol dengan Variasi Konstentrasi PVA Menggunakan Metode Spin Coating di Atas Lapisan Elektroda Platinum,” *thesis*, 2006.
- [18] F. Nasrullah, “Pengembangan Komposit Polivinil Alkohol (PVA)-Alginat Dengan Perasan Daun Binahong Sebagai Wound Dressing Antibakteri,” *Theses*, pp. 1–83, 2015.
- [19] Sabarni, “Teknik Pembuatan,” *J. Islam. Sci. Technol.*, vol. 1, no. 1, pp. 105–112, 2015.
- [20] I. Dwynda and R. Zainul, “Boric Acid ($H_3(BO_3)$): Recognize The Molecular Interactions in Solutions,” *Chemo*, vol. 3, no. 39, pp. 1–28, 2018.
- [21] R. V. Gadhave, P. A. Mahanwar, P. T. Gadekar, and P. S. Kasbe, “A study on the effect of starch–polyvinyl alcohol blends by addition of citric acid and boric acid for enhancement in performance properties of polyvinyl acetate-based wood adhesive,” *J. Indian Acad. Wood Sci.*, vol. 17, no. 1, pp. 9–20, 2020, doi: 10.1007/s13196-019-00249-6.
- [22] D. C. William and D. G. Rethwisch, “Materials Science and Eng.,” *Mater. Sci. Eng. An Introd.*, 2013.
- [23] American Society for Testing and Materials, “ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens,” *ASTM Int.*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [24] A. Menyhárd *et al.*, “Direct correlation between modulus and the crystalline structure in isotactic polypropylene,” *Express Polym. Lett.*, vol. 9, no. 3, pp. 308–320, 2015, doi: 10.3144/expresspolymlett.2015.28.
- [25] R. S. Mohar, “Pengaruh Kadar Zat Penggabung PP-g-MA terhadap Karakteristik Komposit Polipropilena Berpengisi 10% Berat Serbuk Kayu Karet,” vol. 4, no. 1, pp. 1–23, 2016.