

REFERENCES

- Anaktototy, Y., Priawandiputra, W., Sayusti, T., Lamerkabel, J. S., & Raffiudin, R. 2021. Morfologi dan variasi morfometrik lebah tanpa sengat di Kepulauan Maluku, Indonesia. *Jurnal Entomologi Indonesia*, 18 (1), 10.
- Asiah, W. N., A. S. Sajap, N. A. Adam, & M. N. Hamid. 2015. Flight intensity of two species of stingless bees *Heterotrigona itama* and *Genotrigona thoracica* and its relationship with temperature, light intensity and relative humidity. *Serangga*. 20(1): 35-42.
- Bareke, T. & Addi, A. 2020. Bee flora resources and honey production calendar of Gera Forest in Ethiopia. *Asian Journal of Forestry*. 3(2) 69–74.
- Boontop, Y., S. Malaipan, K. Chareansom, & D. Wiwatwittaya. 2008. Diversity of stingless bees (Apidae: Meliponini) in Thong Pha Phum District, Kanchanaburi Province, Thailand. *Nat Sci*. 42:444-456.
- Ciar, R. R., L. S. Bonto, P. B. McHale, J. F. Rajabante, S. P. Lubag, A. C. Fajardo, C. R. Cervancia. 2013. Foraging Behavior of Stingless Bees (*Tetragonula biroi* Friese): Distance, Direction, and Height of Preferred Food Source. Los Banos: University of the Phillipines Los Banos.
- Contera, F. A. L., & J. C. Nieh. 2007. The effect of ambient temperature on forager sound production and thoracic temperature in the stingless bee, *Melipona panamica*. *Behav Ecol Sociobiol*. 61:887-897.
- Devanesan, S., M. M. Nisha, R. Bennet, & K. K. Shailaja. 2002. Foraging behaviour of stingless bees, *Trigona iridipennis* Smith. *Insect Environ.*, 8(3): 131-133.
- do Nascimento, D. L. & Nascimento, F. S. 2012. Extreme effects of season on the foraging activities and colony productivity of a Stingless Bee (*Melipona asilvai* Moure, 1971) in Northeast Brazil. *J Entomol* 2012: 1-6. DOI: 10.1155/2012/267361.
- Engel, M.S., Michener, C.D., Boontop, Y. 2017. Notes on Southeast Asian Stingless Bees of the Genus *Tetragonula* (Hymenoptera: Apidae), with the Description of a New Species from Thailand. *American Museum Novitates* (published 2017) (3886): 1–20. doi:10.1206/3886.1. S2CID 89701798. BHL
- Erniwati. 2013. Kajian biologi lebah tak bersengat (Apidae: Trigona) di Indonesia. *Fauna Indonesia* 12: 29-34.
- Free, J. B. 1982. *Bees and mankind*. George Allen & Unwin, London: xi + 455 pp.

- Grimaldi, D. and M.S. Engel. 2005. *Evolution of the Insects*. Cambridge University Press. New York. USA.
- Hasan, A.E.Z., Artika, I.M., Fatoni, A., & Haryanto, B. 2019. Antibacterial activity of propolis *Trigona* spp. From Bukittinggi West Sumatera against *Salmonella* sp. *Chemistry Progress*, 4(2), 55–59.
- Herwina, H., Salmah, S., Jasmi, Yazeb, Yaherwandi, Mairawita, Janra, M., Rusdimansyah, Rusdimansyah., Christy, B., Sari, D., Puteri, Gresia. 2021. West Sumatran Stingless Bees (Hymenoptera: Apidae: Meliponini): What can be told from its Local Distribution. IOP Conference Series: Earth and Environmental Science. 757. 012084. 10.1088/1755-1315/757/1/012084.
- Hilario, S. D., V. L. Imperatriz-Fonseca, & M. P. Kleinert A de. 2001. Responses to climatic factors by foragers of *Plebeia pugnax* Moure (In Litt.) (Apidae, Meliponinae). *Rev Bras Biol*. 61:191-196.
- Hirmarizqi, A. A., Sari, E., Fembriyanto, R., Hidayati, N., and Hertati, R. 2019. Identifikasi Lebah Kelulut Asal Bangka dan Pendataan Jenis Tumbuhan Penghasil Resin Bahan Baku Pembuatan Propolis. *Ekotonia: Jurnal Penelitian Biologi, Botani, Zoologi Dan Mikrobiologi*, 4(2), 37-42.
- Kahono, S., Chantawannakul, P. & Engel, M.S. 2018. Social bees and the current status of beekeeping in Indonesia. In P. Chantawannakul, G. Williams & P. Neumann, eds. *Asian Beekeeping in the 21st Century*. Springer Verlag: 287–306.
- Kelly, N., M. S. N. Farisya, T.K. Kumara, P. Marcela, P. 2014. Species Diversity and External Nest Characteristics of Stingless Bees in Meliponiculture. *Tropical Agricultural Science* 3: 293–298.
- LaSalle, J and I. D Gauld. 1993. *Hymenoptera: Their Diversity, and Their Impact on the Diversity of Other Organisms*. In: LaSalle, J., I. D. Gaul. (ed.), *Hymenoptera and Biodiversity*. London. CAB Int. P: 1-26.
- Macías-macías JO, Quezada-euan JJ, Contreras-escareno F, Tapiagonzales JM, Moonvalle H, Ayala R. 2011. Comparative temperature tolerance in stingless bee species from tropical highlands and lowlands of Mexico and implication for their conservation (Hymenoptera: Apidae: Meliponini). *Apidologie* 42: 679-689. DOI: 10.1007/s13592-011-0074-0.
- Magurran, A. E. 2004. *Measuring Biological Diversity*. Blackwell Publishing. Oxford.
- Maia-Silva, C., M. Hrcir, C. Inês da Silva, & V. L. Imperatriz-Fonseca. 2015. Survival strategies of stingless bees (*Melipona subnitida*) in an unpredictable environment, the Brazilian tropica dry forest. *Apidologie*. 46: 631-643.

- Mathiasson, M. E., P. K. Kwapong, D. A. Wubah, & J. A. Wubah. 2015. Early colondevelopment of an equatorial afrotropical stingless bee (*Hypotrigona* sp.) in a new habitat. *JYI*. 29(3): 11-17.
- Michener, C. D. 2000. *The bees of the world*. United Kingdom: JHU Press.
- Michener, C. D. 2007. *The Bees of The World*. The John Hopkins Univ Press. Baltimore (US).
- Michener, C.D. 2013. *The meliponini*. In: Pot-honey: a Legacy of Singless Bees (Eds. P. Vit, S. R. M. Pedro and D. W. Roubik). New York: Springer. pp. 1-17.
- Moorman, C. E. 2014. Managing urban wildlife at the local scale. PP. 303-322 in A. McCleery, C. E. Moorman, and M. N. Peterson (Eds.). *Urban Wildlife Conservation: Theory and Practice*. Springer.
- Moure, J. S. 1961. A Preliminary Supra-specific Classification of the Old World Meliponine Bees (Hymenoptera, Apoidea). *Studia Entomologica*. Editora Vozes. 4 (1-4): 181–242. ISSN 0585-5098. OCLC 430338837.
- Nunes-Silva, S. D. Hilário, S. F. Pérlio de Souza, & V. L. Imperatriz-Fonseca, Foraging activity in *Plebeia remota*, a stingless bee species, is influenced by the reproductive state of a colony. *Psyche*, vol. 1, pp. 1–17, 2010.
- Puteri, G. 2021. Jenis-Jenis Lebah Tanpa Sengat (Apidae: Meliponini) dan Aktivitas Harian *Tetragonula Laeviceps* (Smith, 1857) di Batusangkar, Sumatra Barat. Skripsi Sarjana Biologi FMIPA Universitas Andalas. Padang.
- Puteri, G. 2022. Diversity and Habitat Use Analysis of Stingless Bees (Apidae: Meliponini) in Sungkai Green Park, Padang. Tesis Pascasarjana Biologi FMIPA Universitas Andalas. Padang.
- Quezada-Euán, J. J. G. 2018. Stingless Bee of Mexico the Biology Management and Conservartion of an Ancient Heritage. Springer. Merida Yucatan Mexico.
- Rahman, A., P. K. Das, P. Rajkumari, J. Saikia, & D. Sharmah. 2015. Stingless bees (Hymenoptera: Apidae: Meliponini) diversity and distribution in India. *Inter. J. Sci. Res.* 4: 77-81.
- Rasmussen, C. & S. A. Cameron. 2007. A molecular phylogeny of the old world stingless bee (Hymenoptera: Apidae: Meliponini) and the nonmonophyly of the large genus *Trigona*. *Syst Entomol* 32:26-39.
- Rasmussen, C., Michener C. D. 2010. The identity and neotype of *Trigona laeviceps* Smith (Hymenoptera: Apidae). *J Kans Entomol Soc* 83: 129-133.

- Rasmussen, C., Thomas, J.C., Engel, M.S. 2017. A New Genus of Eastern Hemisphere Stingless Bees (Hymenoptera: Apidae), with a Key to the Supraspecific Groups of Indomalayan and Australasian Meliponini. *American Museum Novitates* (published 2017) (3888): 1–33. doi:10.1206/3888.1. S2CID 89696073. BHL
- Rasmussen, C; J.C. Thomas; M.S. Engel. 2017. A New Genus of Eastern Hemisphere Stingless Bees (Hymenoptera: Apidae) with a Key to the Supraspecific Groups of Indomalayan and Australasian Meliponini. *American Museum Novitates* No. 3888, 33p.
- Rassmusen, C. & S. A. Cameron. 2010. Global stingless bee phylogeny supports ancient divergence, vicariance, and long distance dispersal. *Biological Journal of the Linnean Society*. 99: 206–232.
- Rassmusen, C. 2008 Catalog of the Indo-Malayan/Australasian Stingless Bees (Hymenoptera: Apidae: Meliponini). *Zootaxa*. 1935: 1–80.
- Rodrigues, M., W. C. Santana, G. S. Freitas, & A. E. E. Soares. 2007. Flight activity of *Tetragona clavipes* (FABRICUS, 1804) (Hymenoptera, Apidae, Meliponini) at the Sao Paulo University Campus in Ribeirao Preto. *Biosci J*. 23:118-124.
- Roubik, D. W. 1989. *Ecology and Natural History of Tropical Bees, Cambridge Tropical Biology Series*. Cambridge University Press. Cambridge. UK.
- Roubik, D. W. 1989. Ecology and natural history of tropical bees. Cambridge University Press, Cambridge UK.
- Sakagami, S.F. 1978. Tetragonula stingless bees of the continental Asia and Sri Lanka (Hymenoptera, Apidae). *Journal of the Faculty of Science, Hokkaido University, Series VI, Zoology* 21: 165–247.
- Sakagami, S.F. and T. Inoue. 1985. Taxonomic Notes on Three Bicolorous *Tetragonula* Stingless Bees in Southeast Asia. *Kontyü*, Tokyo. 53 (1): 174-189.
- Sakagami, S.F., T. Inoue, and S. Salmah. 1990. Stingless bees of Central Sumatra. In: S.F. Sakagami, R.I. Ohgushi, and D.W. Roubik (Eds.), pp. 125-137. *Natural History of Social Wasps and Bees in Equatorial Sumatra*. Sapporo, Japan: Hokkaido University Press.
- Sakagami, Sh. F., S. Yamane, & G. G. Hambali. 1983. Nests of some Southeast Asian stingless bees. *Bull. Fac. Educat., Ibaraki Univ. (Nat. Sci.)* 32: 1–21.
- Samsudin S.F., Mamat M. R., & Hazmi I. R., 2018. Taxonomic Study on Selected Species of Stingless bee (Hymenoptera: Apidae: Meliponini) in Peninsular Malaysia. *Serangga* 2: 203- 258.

- Shahabuddin, P. Hidayat., W. A. Noerdjito. & S. Manuwoto. 2005. Penelitian Biodiversitas Serangga di Indonesia: Kumbang Tinja (Coleoptera: Scarabaeidae) dan Peran Ekosistemnya. *Biodiversitas*. 6 (2): 141-146.
- Sihombing, D.T.H. 2005. *Ilmu Ternak Lebah Madu*. Cetakan kedua. Gajah Mada University Press. Yogyakarta.
- Siregar, H.C.H., A.M. Fua., Y. Octaviany. 2011. *Propolis Madu Multikasiat*. Penebar Swadaya. Jakarta.
- Smith D. R. 2012. Key to workers of Indo-Malayan stingless bees. In: Smith DR (eds.). For Use in the Stingless Bees Workshop: 11th International Conference of the Asian Apiculture Association. Malaysia.
- Sung, I. H., S. Yamane, S. S. Lu, & K. K. Ho. 2011. Climatological influences on the flight activity of stingless bees (*Lepidotrigona boozana*) and honeybees (*Apis cerana*) in Taiwan (Hymenoptera, Apidae). *Sociobiology*. 58(3): 835-850
- Suriawanto N. 2016. Keanekaragaman dan Tempat Bersarang Lebah Tak Bersengat (Hymenoptera: Apidae) di Sulawesi Tengah. Tesis Pascasarjana Institut Pertanian Bogor. Bogor.
- Syafrizal Tarigan D. & Yusuf R. 2014. Biodiversity and habitatof trigona at secondary Tropical Rain Forest of Lempake Education Forest, Samarinda, Kalimantan Timur. *Jurnal Teknologi Pertanian* 9(1): 34–38.
- Syafrizal, R., Ramadhan, K. Shimizu, & M. Kanzaki. 2020. Diversity and honey properties of stingless bees from meliponiculture in East and North Kalimantan, Indonesia. *Biodiversitas*. 21 (4623-4630).
- Trianto, M & Purwanto, H. 2020. Morphological characteristics and morphometrics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas* 21: 2619-2628.
- Triplehorn CA, Johnson NF. 2004. Borror and DeLong's Introduction to the Study of Insect 7th Edition. Stamford (US): Cengage Learning.
- Watiniasih N.L, M. Suartini, N.S. Putra. 2016. Jenis Lebah Trigona (Apidae: Meliponinae) Pada Ketinggian Tempat Berbeda Di Bali. *Jurnal Simbiosis* IV(1): 6-9 I ISSN: 2337-7224.
- Wicaksono, A. 2017. Morfologi, Aktivitas Terbang, dan Musuh Alami Lebah Lepidotrigona terminata SMITH (Hymenoptera: Apidae: Melliponinae). Disertasi Doktoral Institut Pertanian Bandung.

Wratten SD, Gillespie M, Decourte A, Mader E, Desneux N. 2012. Pollinator habitat enhancement: Benefits to other ecosystem services. *Agric Ecosyst Environ* 159: 112-122. DOI: 10.1016/j.agee.2012.06.020.

Wu J, Jenerette GD, Buyantuyev A, Redman CL. 2011. Quantifying spatiotemporal patterns of urbanization: The case of the two fastest growing metropolitan regions in the United States. *Ecol Complex* 8 (1): 1-8. DOI: 10.1016/j.ecocom.2010.03.002.

