

## DAFTAR PUSTAKA

- Abadin, H. *et al.* (2020) *Toxicological Profile for Lead*. United States: National Center for Environmental Health and Agency for Toxic Substances and Disease Registry Centers for Disease Control and Prevention. Available at: <http://arxiv.org/abs/1011.1669%0Ahttp://www.ncbi.nlm.nih.gov/pubmed/24049859%0Ahttps://stacks.cdc.gov/view/cdc/95222>.
- Abdel, E. R. A. and Ahmed, E. A. (2021) ‘Ameliorative Effect of L-carnitine on Chronic Lead-Induced Reproductive Toxicity in Male Rats’, *Veterinary Medicine and Science*, 7(4), pp. 1426–1435. doi: 10.1002/vms3.473.
- Agarwal, A. *et al.* (2021) ‘Male Infertility’, *The Lancet*. Elsevier Ltd, 397(10271), pp. 319–333. doi: 10.1016/S0140-6736(20)32667-2.
- Agarwal, P. *et al.* (2019) ‘An Overview of Phytochemical, Therapeutic, Pharmacological and Traditional Importance of Syzygium cumini.’, *Asian Journal of Pharmacognosy*, 3(1), pp. 5–17.
- Asterina and Endrinaldi (2012) ‘Pengaruh Timbal Asetat Terhadap Aktivitas Enzim Katalase Hati Tikus Putih Jantan’, *Majalah Kedokteran Andalas*, 36(2), p. 179. doi: 10.22338/mka.v36.i2.p179-187.2012.
- Bianchi, E. *et al.* (2019) ‘Spermatozoal Large RNA Content is Associated with Semen Characteristics, Sociodemographic and Lifestyle Factors’, *PLoS ONE*, 14(5), pp. 1–13. doi: 10.1371/journal.pone.0216584.
- Bintang, M. (2010) *Biokimia-Teknik Penelitian*. Jakarta: Erlangga.
- California Department of Public Health (2009) *Medical Guidelines for the Lead-Exposed Worker*. California: California Department of Public Health.
- Calogero, A. E. *et al.* (2021) ‘Exposure to Multiple Metals/Metalloids and Human Semen Quality: A Cross-Sectional Study’, *Ecotoxicology and Environmental Safety*. Elsevier Inc., 215, p. 112165. doi: 10.1016/j.ecoenv.2021.112165.
- Charkiewicz, A. E. and Backstrand, J. R. (2020) ‘Lead Toxicity and Pollution in Poland’, *International Journal of Environmental Research and Public Health*, 17(12), pp. 1–16. doi: 10.3390/ijerph17124385.
- Chhikara, N. *et al.* (2018) ‘Bioactive Compounds and Pharmacological and Food Applications of: Syzygium cumini-a Review’, *Food and Function*. Royal Society of Chemistry, 9(12), pp. 6096–6115. doi: 10.1039/c8fo00654g.

Chobot, V. and Hadacek, F. (2011) ‘Exploration of Pro-oxidant and Antioxidant Activities of the Flavonoid Myricetin’, *Redox Report*, 16(6), pp. 242–247. doi: 10.1179/1351000211Y.0000000015.

Daley, G. M., Pretorius, C. J. and Ungerer, J. P. J. (2018) ‘Lead Toxicity: An Australian Perspective’, *Clinical Biochemist Reviews*, 39(4), pp. 91–98.

Dohle, G. R. *et al.* (2005) ‘EAU guidelines on male infertility’, *European Urology*, 48(5), pp. 703–711. doi: 10.1016/j.eururo.2005.06.002.

Dorland, W. N. (2002) *Kamus Kedokteran Dorland*. 29th edn. Edited by H. Hartanto *et al.* Jakarta: Penerbit Buku Kedokteran EGC.

Eghbaliferiz, S. and Iranshahi, M. (2016) ‘Prooxidant Activity of Polyphenols, Flavonoids, Anthocyanins and Carotenoids: Updated Review of Mechanisms and Catalyzing Metals’, *Phytotherapy Research*, 30(April), pp. 1379–1391. doi: 10.1002/ptr.5643.

El-Magd, M. *et al.* (2016) ‘A Potential Mechanism Associated with Lead-Induced Testicular Toxicity in Rats’, *Andrologia*, pp. 1–9. doi: 10.1111/and.12750.

Ercal, N., Orhan, H. G. and Burns, N. A. (2001) ‘Toxic Metals and Oxidative Stress Part I: Mechanisms Involved in Metal Induced Oxidative Damage’, *Current Topics in Medicinal Chemistry*, 1(6), pp. 529–539. doi: 10.2174/1568026013394831.

Ezejiofor, A. N. and Orisakwe, O. E. (2019) ‘The protective effect of costus afer ker gawl aqueous leaf extract on lead-induced reproductive changes in male albino wistar rats’, *Jornal Brasileiro de Reproducao Assistida*, 23(3), pp. 215–224. doi: 10.5935/1518-0557.20190019.

Famurewa, A. C. and Ugwuja, E. I. (2017) ‘Association of Blood and Seminal Plasma Cadmium and Lead Levels With Semen Quality in Non-Occupationally Exposed Infertile Men in Abakaliki, South East Nigeria.’, *Journal of family & reproductive health*, 11(2), pp. 97–103. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29282417%0Ahttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC5742670>.

Geidam, A. D. *et al.* (2008) ‘Hormonal Profile of Men Investigated for Infertility at the University of Maiduguri in Northern Nigeria’, *Singapore Medical Journal*, 49(7), pp. 538–541.

Ghafouri-Fard, S. *et al.* (2021) *Counteracting Effects of Heavy Metals and Antioxidants on Male Fertility*, *BioMetals*. Springer Netherlands. doi: 10.1007/s10534-021-00297-x.

Gidlow, D. A. (2015) 'Lead Toxicity', *Occupational Medicine*, 65(5), pp. 348–356. doi: 10.1093/occmed/kqv018.

Hall, J. E. (2016) *Guyton and Hall Textbook of Medical Physiology*. 13th edn. Philadelphia: Elsevier Inc.

Hamilton, J. A. M. et al. (2015) 'Total Motile Sperm Count: A Better Indicator for the Severity of Male Factor Infertility than the WHO Sperm Classification System', *Human Reproduction*, 30(5), pp. 1110–1121. doi: 10.1093/humrep/dev058.

Hassan, E. et al. (2019) 'Thymoquinone Attenuates Testicular and Spermotoxicity Following Subchronic Lead Exposure in Male Rats: Possible Mechanisms are Involved', *Life Sciences*. Elsevier, 230(May), pp. 132–140. doi: 10.1016/j.lfs.2019.05.067.

Hernberg, S. (2000) 'Lead Poisoning in a Historical Perspective', *American Journal of Industrial Medicine*, 38(3), pp. 244–254. doi: 10.1002/1097-0274(200009)38:3<244::AID-AJIM3>3.0.CO;2-F.

Hon, K. L., Fung, C. K. and Leung, A. K. C. (2017) 'Childhood lead poisoning: An overview', *Hong Kong Medical Journal*, 23(6), pp. 616–621. doi: 10.12809/hkmj176214.

Huang, C. et al. (2018) 'Is Male Infertility Associated with Increased Oxidative Stress in Seminal Plasma? A-Meta Analysis', *Oncotarget*, 9(36), pp. 24494–24513. doi: 10.18632/oncotarget.25075.

Jomová, K. et al. (2019) 'A Switch between Antioxidant and Prooxidant Properties of the Phenolic Compounds Myricetin, Damage Study', *Molecules*, 24(23), pp. 1–28.

Kathrins, M. and Niederberger, C. (2016) 'Diagnosis and Treatment of Infertility-Related Male Hormonal Dysfunction', *Nature Reviews Urology*. Nature Publishing Group, 13(6), pp. 309–323. doi: 10.1038/nrurol.2016.62.

Li, C. et al. (2018) 'Lead Exposure Reduces Sperm Quality and DNA Integrity in Mice', *Environmental Toxicology*, 33(5), pp. 594–602. doi: 10.1002/tox.22545.

Liu, J. et al. (2015) 'Mitochondria Defects are Involved in Lead-Acetate-Induced Adult Hematopoietic Stem Cell Decline', *Toxicology Letters*. Elsevier Ireland Ltd, 235(1), pp. 37–44. doi: 10.1016/j.toxlet.2015.03.007.

Margaret, E., Shailaja, A. M. and Rao, V. V. (2015) 'Evaluation of Antioxidant Activity in Different Parts of Syzygium cumini (Linn.)', *Int.J.Curr.Microbiol.App.Sci*, 4(9), pp. 372–379.

Marlian, L., Kusriani, H. and Sari, N. I. (2014) ‘Aktivitas antioksidan daun dan buah jamblang (*Syzygium cumini* L.) skeel’, *Prosiding SNaPP: Sains, Teknologi, dan Kesehatan*, 4(1), pp. 201–206.

Massanyi, P. et al. (2020) ‘Effects of Cadmium, Lead, and Mercury on the Structure and Function of Reproductive Organs’, *MDPI*, 8, pp. 1–31.

Mayans, L. (2019) ‘Lead poisoning in children.’, *American Family Physician*, 100(1), pp. 24–30.

Murray, R. K. et al. (2003) *Harper’s Illustrated Biochemistry*. 26th edn. USA: McGraw-Hill.

Naderi, N. et al. (2020) ‘Ferulago angulata extract ameliorates epididymal sperm toxicity in mice induced by lead and diazinon’, *Andrology*, 8(3), pp. 706–718. doi: 10.1111/andr.12730.

Ningrum, L. P., Salim, N. and Balqis, U. (2017) ‘Pengaruh Ekstrak Daun Jamblang (*Syzygium cumini* L) terhadap Histopatologi Hepar Tikus Putih (*Rattus norvegicus*) Diabetes Melitus’, *Jimvet*, 01(4), pp. 695–701.

Patel, A. S., Leong, J. Y. and Ramasamy, R. (2018) ‘Prediction of Male Infertility by the World Health Organization Laboratory Manual for Assessment of Semen Analysis: A Systematic Review’, *Arab Journal of Urology*. Arab Association of Urology, 16(1), pp. 96–102. doi: 10.1016/j.aju.2017.10.005.

Procházková, D., Boušová, I. and Wilhelmová, N. (2011) ‘Antioxidant and Prooxidant Properties of Flavonoids’, *Fitoterapia*, 82(4), pp. 513–523. doi: 10.1016/j.fitote.2011.01.018.

Purnomo, B. B. (2009) *Dasar-Dasar Urologi*. 2nd edn. Jakarta: CV. Sagung Seto.

Rajendran, S. and Selvaraj, A. D. (2018) ‘Lead Toxicity on Male Reproductive System and its Mechanism : A Review’, *Research Journal of Pharmacy and Technology*, 11(3), pp. 1228–1232. doi: 10.5958/0974-360X.2018.00228.7.

Ramya, S., Neethirajan, K. and Jayakumararaj, R. (2012) ‘Profile of Bioactive Compounds in *Syzygium Cumini*-a Review’, *Journal of Pharmacy Research*, 5(8), pp. 4548–4553.

Rattan, S. et al. (2017) ‘Exposure to Endocrine Disruptor During Adulthood: Consequences for Female Fertility’, *J Endocrinol*, 233(3), pp. 109–129. doi: 10.1530/JOE-17-0023.Exposure.

Rees, N. and Fuller, R. (2020) *The Toxic Truth Children's Exposure to Lead Pollution Undermines a Generation of Future Potential.*

Reuben, A. (2018) 'Childhood Lead Exposure and Adult Neurodegenerative Disease', *J Alzheimers Dis.*, 64(1), pp. 17–42. doi: 10.3233/JAD-180267.

Rita, R. S. and Sy, E. (2021) 'Syzygium cumini leaves extract from West Sumatra Indonesia alleviate oxidative stress by decreasing malondialdehyde level and enhancing catalase activity in rat induced by lead acetate', *Pharmacognosy Journal*, 13(6), pp. 1408–1412. doi: 10.5530/PJ.2021.13.178.

Sari, A. N. (2017) 'Potensi Antioksidan Alami pada Ekstrak Daun Jamblang (Syzygium cumini (l.) Skeels)', *Eksakta*, 18(2), pp. 107–112.

Sari, R. M., Rita, R. S. and Anas, E. (2018) 'Pengaruh Pemberian Isolat Katekin Gambir (Uncaria gambir Roxb) terhadap Kadar Hormon Testosteron dan Jumlah Spermatozoa Tikus Rattus Novergicus Jantan Hiperglikemia', *Jurnal Kesehatan Andalas*, 7(3), pp. 6–9.

Soleimanzadeh, A. et al. (2019) 'Carob (Ceratonia siliqua L.) Fruit Hydro-alcoholic Extract Alleviates Reproductive Toxicity of Lead in Male Mice: Evidence on Sperm Parameters, Sex Hormones, Oxidative Stress Biomarkers and Expression of Nrf2 and iNOS', *Avicenna Journal of Phytomedicine*, 10(1), pp. 35–49.

Sotler, R. et al. (2019) 'Prooxidant Activities of Antioxidants and Their Impact on Health', *Acta clinica Croatica*, 58(4), pp. 726–736. doi: 10.20471/acc.2019.58.04.20.

Sun, H. et al. (2019) 'Global, Regional, and National Prevalence and Disability-Adjusted Life- Years for Infertility in 195 Countries and Territories, 1990-2017: Results from a Global Burden of Disease Study, 2017', *Aging*, 11(23), pp. 10952–10991.

Tutkun, L. et al. (2018) 'Effects of Occupational Lead Exposure on Testosterone Secretion', *Medicine Science / International Medical Journal*, 7(4), pp. 886–890. doi: 10.5455/medscience.2018.07.8880.

US EPA (2013) *Integrated Science Assessment (ISA) for Lead*, United State Environmental Protection Agency. Research Triang Park, NC: USEPA.

Wani, A. L., Ara, A. and Usmani, J. A. (2015) 'Lead toxicity: A review', *Interdisciplinary Toxicology*, 8(2), pp. 55–64. doi: 10.1515/intox-2015-0009.

WHO (2000) *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*.

[http://apps.who.int/iris/bitstream/handle/10665/66783/WHO\\_EDM\\_TRM\\_2000.1.pdf;jsessionid=1CDC91C239A583EB33BC02E30F14A844?sequence=1](http://apps.who.int/iris/bitstream/handle/10665/66783/WHO_EDM_TRM_2000.1.pdf;jsessionid=1CDC91C239A583EB33BC02E30F14A844?sequence=1).

WHO (2010) *WHO Laboratory Manual for the Examination and Processing of Human Semen (5th edition)*. 5th edn. Edited by T. G. Cooper et al. Switzerland: WHO Press.

WHO (2019) ‘Exposure to Lead: A Major Public Health Concern’, *World Health Organization*, p. 6.

Zarwin, A. O., Rita, R. S. and Desmawati (2020) ‘Efek Proteksi Pemberian Ekstrak Daun Jamblang (*Syzygium cumini*) pada Tikus yang Diinduksi Timbal Asetat’, *Jurnal Ilmu Kesehatan Indonesia*, 1(2), pp. 228–233.

