

REFERENCES

- Abrahams, A. P., Bateman, M., Beale, T., Clottey, V., Cock, M., Colmenarez, Y., Witt, A. (2017). Fall Armyworm : Impacts and Implications for Africa. *Outlooks on Pest Management*, 5, 196-201.
- Arrigoni-Blank, M. D. F., Dmitrieva, E. G., Franzotti, E. M., Antonioli, A. R., Andrade, M. R., & Marchioro, M. (2004). Anti-inflammatory and analgesic activity of *Peperomia pellucida* (L.) HBK (Piperaceae). *Journal of Ethnopharmacology*, 91, 215-218. doi:10.1016/j.jep.2003.12.030.
- Arroyo-Acevedo, J., Chávez-Asmat, R. J., Anampa-Guzmán, A., Donaires, R., & Ráez-González, J. (2015). Protective effect of *piper aduncum* capsule on DMBA-induced breast cancer in rats. *Breast Cancer: Basic and Clinical Research*, 9, 41-48. doi:10.4137/BCBCR.S24420.
- Baudron, F., Zaman-Allah, M. A., Chaipa, I., Chari, N., & Chinwada, P. (2019). Understanding the factors influencing fall armyworm (*Spodoptera frugiperda* J.E. Smith) damage in African smallholder maize fields and quantifying its impact on yield. A case study in Eastern Zimbabwe. *Crop Protection*, 120, 141-150. doi:10.1016/j.cropro.2019.01.028.
- Bernard CB, K. H., Chauret D, Durst T., & BJR, P. (1995). Insecticidal defenses of piperaceae from the neotropics.
- Chimweta, M., Nyakudya, I. W., Jimu, L., & Bray Mashingaidze, A. (2020). Fall armyworm [*Spodoptera frugiperda* (J.E. Smith)] damage in maize: management options for flood-recession cropping smallholder farmers. *International Journal of Pest Management*, 66, 142-154. doi:10.1080/09670874.2019.1577514.
- Chiou Mee, K., Sulaiman, S., & Othman, H. (2009). Efficacy of *Piper aduncum* Extract against the Adult Housefly (*Musca domestica*). Paper presented at the J Trop Med Parasitol.
- Chou, T.-C., & Talalay, P. (1984). Quantitative analysis of dose-effect relationships: the combined effects of multiple drugs or enzyme inhibitors.
- De Almeida, R. R. P., Souto, R. N. P., Bastos, C. N., Da Silva, M. H. L., & Maia, J. G. S. (2009). Chemical variation in *Piper aduncum* and biological properties of its

- dillapiole-rich essential oil. *Chemistry and Biodiversity*, 6, 1427-1434. doi:10.1002/cbdv.200800212.
- Delfel, N. E., Tallent, W. H., Carlson, G., & Wolff, I. A. (1970). Distribution of Rotenone and Deguelin in *Tephrosia vogelii* and Separation of Rotenoid-Rich Fractions. Paper presented at the J. AGR. FOOD CHEM.
- Duhan, J. S., Kumar, R., Kumar, N., Kaur, P., Nehra, K., & Duhan, S. (2017). Nanotechnology: The new perspective in precision agriculture. *Biotechnology Reports*, 15, 11-23. doi:10.1016/j.btre.2017.03.002.
- Erlina, L. H., Lina, E. C., Reflinaldon, Djamaan, A., & Arneti. (2020). Insecticidal activity of nanoemulsion of *Piper aduncum* extract against cabbage head cartepillar *Crocidolomia pavonana* F. (Lepidoptera: Crambidae). *IOP Conference Series: Earth and Environmental Science*: Institute of Physics Publishing.
- FAO. (2018a). Briefing Note on FAO Actions on Fall Armyworm in Africa. 16 February 2018, 7pp. <http://www.fao.org/3/a-bt415e.pdf>. 1-7.
- FAO. (2018b). Faw Guidance Note 2: Fall Armyworm Scouting. 3, 2.
- FAO. (2019). Regional Workshop for Asia Sustainable Management of Fall Armyworm. 4-5.
- FAO, & CABI. (2019). Community-based fall armyworm (*Spodoptera frugiperda*) monitoring, early warning and management. 112.
- Fraceto, L. F., Grillo, R., de Medeiros, G. A., Scognamiglio, V., Rea, G., & Bartolucci, C. (2016). *Nanotechnology in agriculture: Which innovation potential does it have?* *Frontiers in Environmental Science*, 4. doi:10.3389/fenvs.2016.00020.
- Ghormade, V., Deshpande, M. V., & Paknikar, K. M. (2011). Perspectives for nano-biotechnology enabled protection and nutrition of plants. *Biotechnology Advances*, 29, 792-803. doi:10.1016/j.biotechadv.2011.06.007.
- Agro-ecological options for fall armyworm (*Spodoptera frugiperda* JE Smith)management: Providing low-cost, smallholder friendly solutions to an invasive pest, 243, Academic Press 318-330 (2019).
- Hartemink, A. E. (2010). The invasive shrub *piper aduncum* in papua new Guinea: A Review. *Journal of Tropical Forest Science*, 22, 202-213.
- Hidalgo, J. R., Murúa, M. G., & Neske, A. (2021). A Semi-Field Approach to Testing Botanical Insecticides. Effects of Natural and Analogues Annonaceous

- Acetogenins on *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae). *Journal of Agricultural Chemistry and Environment*, 10, 458-468. doi:10.4236/jacen.2021.104031.
- Hollingworth, R. M. 2001. Inhibitors and uncouplers of mitochondrial oxidative phosphorylation. Di dalam: Krieger R, Doull J, Ecobichon D, Gammon D, Hodgson et al., editor. *Handbook of Pesticide Toxicology*. San Diego (US): Academic Press. 2: 1169-1227.
- Hooker Dan Ekstrak Buah Piper Cubeba L, J. D., Abizar, M., & Prijono, D. (2010). Aktivitas insektisida ekstrak daun dan biji *tephrosia vogelii* (piperaceae) terhadap larva *crocidolomia pavonana* (f.) (lepidoptera: Crambidae).
- Hruska, A. J., & Gould, F. (1997). Fall Armyworm (Lepidoptera: Noctuidae) and *Diatraea lineolata* (Lepidoptera: Pyralidae): Impact of Larval Population Level and Temporal Occurrence on Maize Yield in Nicaragua. *Journal of Economic Entomology*, 90, 611-622. doi:10.1093/jee/90.2.611.
- Ian M. Scott, H. R. J., & Arnason, B. J. R. P. n. Æ. J. T. (2008). A review of Piper spp. (Piperaceae) phytochemistry, insecticidal activity and mode of action.
- Iavicoli, I., Leso, V., Beezhold, D. H., & Shvedova, A. A. (2017). Nanotechnology in agriculture: Opportunities, toxicological implications, and occupational risks. *Toxicology and Applied Pharmacology*, 329, 96-111. doi:10.1016/j.taap.2017.05.025.
- Jaswandi, Rustam, R., & Laoh, J. H. (2011). Uji beberapa konsentrasi tepung daun sirih hutan (*piper aduncum* L.) untuk mengendalikan keong emas (*pomacea* sp.) pada tanaman padi (*oryzae sativa* l).
- Kariuki, D. K., & Njiru, S. N. (2018). Spectrophotometric evaluation of rotenone extraction from leaves and seeds of mature *Tephrosia vogelii* plant. *African Journal of Pure and Applied Chemistry*, 12, 50-53. doi:10.5897/ajpac2018.0760.
- Karsidi, J., Rustam, R., Hennie Laoh, J., & Pembimbing, D. (2013). Test of Some Concentrations of *Piper aduncum* L. Leaf Extract To Control *Leptocorisa oratorius Fabricius* (Hemiptera; Alydidae) in Rice Plant (*Oryza sativa* L.).
- Kosman, E., & Cohen, Y. (1996). Procedures for calculating and differentiating synergism and antagonism in action of fungicide mixtures Genetic differentiation of Puccinia

- triticina Erikss. in Russia View project Grape powdery mildew View project. Paper presented at the Article in Phytopathology.
- Kravchuk, O. I., Lyupina, Y. V., Erokhov, P. A., Finoshin, A. D., Adameyko, K. I., Mishyna, M. Y., . . . Mikhailov, V. S. (2019). Characterization of the 20S proteasome of the lepidopteran, *Spodoptera frugiperda*. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1867, 840-853. doi:10.1016/j.bbapap.2019.06.010.
- Nano-based smart pesticide formulations: Emerging opportunities for agriculture, 294, Elsevier B.V. 131-153 (2019).
- Kuntashula, E., Sileshi, G., Mafongoya, P. L., & Banda, J. (2006). Farmer participatory evaluation of the potential for organic vegetable production in the wetlands of Zambia. *Outlook on Agriculture*, 35, 299-305. doi:10.5367/000000006779398290.
- Liang, J. Y., Xu, J., Yang, Y. Y., Shao, Y. Z., Zhou, F., & Wang, J. L. (2020). Toxicity and synergistic effect of *Elsholtzia ciliata* essential oil and its main components against the adult and larval stages of *Tribolium castaneum*. *Foods*, 9. doi:10.3390/foods9030345.
- Lina, E., Dadang, D., Manuwoto, S., & Syahbirin, G. (2015). Gangguan fisiologi dan biokimia *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae) akibat perlakuan ekstrak campuran *Tephrosia vogelii* Hook. dan *Piper aduncum* L. *Jurnal Entomologi Indonesia*, 12, 100-107. doi:10.5994/jei.12.2.100.
- Lina, E. C., Marleni, S., Nurbailis, I., & Nelly, N. (2019). The safety of mixed extracts of *piper aduncum* fruit and *tephrosia vogelii* leaf against parasitoid diadegma semiclausum. *International Journal of Innovative Technology and Exploring Engineering*, 8, 262-266.
- Lina, E. C., Reflin, Erlina, L. H., & Tama, D. P. (2021). Nanoemulation of mixed *Tephrosia vogelii* and *Piper aduncum* as an alternative control of cabbage pest *Crocidolomia pavonana*. *IOP Conference Series: Earth and Environmental Science*, 819. doi:10.1088/1755-1315/819/1/012085
- Lina, E. C., Widhianingrum, I., Putri, M. E., Evalia, N. F., & Makky, M. (2018). Insecticide activity to *Plutella xylostella* Insecticidal activity of *Piper aduncum* fruit and *Tephrosia vogelii* leaf mixed formulations against *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). Paper presented at the JBiopest.

- Lucena, D. C., Bertholdo-Vargas, L. R., Silva, W. C., Machado, A. F., Lopes, T. S., Moura, S., & de Barros, N. M. (2017). Biological activity of *Piper aduncum* extracts on *Anticarsia gemmatalis* (Hübner) (Lepidoptera: Erebidiae) and *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). *Anais da Academia Brasileira de Ciencias*, 89, 1869-1879. doi:10.1590/0001-3765201720170194
- Maredia, K. M., Segura, O. L., & Mihm, J. A. (1992). Effects of neem, *azadirachta indica* on six species of maize insect pests. *Tropical Pest Management*, 38, 190-195. doi:10.1080/09670879209371682
- Miller, S. (1984). Aktivitas insektisida sediaan nanoemulsi *Piper aduncum* dan.
- Mohanraj, V. J., & Chen, Y. (2007). Nanoparticles - A review. *Tropical Journal of Pharmaceutical Research*, 5, 561-573. doi:10.4314/tjpr.v5i1.14634
- Molina-Ochoa, J., Carpenter, J. E., Heinrichs, E. A., & Foster, J. E. (2003). Parasitoids and parasites of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in the Americas and Caribbean Basin: An inventory. *Florida Entomologist*, 86, 254-289. doi:10.1653/0015-4040(2003)086[0254:PAPOSF]2.0.CO;2
- Montezano, D., Specht, A., Sosa, D., Roque, V., Sousa, J., Paula, S., . . . Hunt, T. (2018). Host Plants of *Spodoptera frugiperda* (Lepidoptera : Noctuidae) in the Americas
Published By : *Entomological Society of Southern Africa African Entomology*, 26, 286-300.
- Monzote, L., Scull, R., Cos, P., & Setzer, W. (2017). Essential Oil from *Piper aduncum*: Chemical Analysis, Antimicrobial Assessment, and Literature Review. *Medicines*, 4, 49. doi:10.3390/medicines4030049
- Nadrawati, Ginting, S., & Zarkani, A. (2019). Identifikasi Hama Baru Dan Musuh Alaminya Pada Tanaman Jagung, Di Kelurahan Sidomulyo, Kecamatan Seluma, Bengkulu. *UNIB Scholar Repository*, 22, 184-206.
- Nboyine, J. A., Kusi, F., Abudulai, M., Badii, B. K., Zakaria, M., Adu, G. B., . . . Yahaya, A. (2020). A new pest, *Spodoptera frugiperda* (J.E. Smith), in tropical Africa: Its seasonal dynamics and damage in maize fields in northern Ghana. *Crop Protection*, 127. doi:10.1016/j.cropro.2019.104960.
- Orav, A., Stulova, I., Kailas, T., & Müürisepp, M. (2004). Effect of Storage on the Essential Oil Composition of *Piper nigrum* L. Fruits of Different Ripening States. *Journal of Agricultural and Food Chemistry*, 52, 2582-2586. doi:10.1021/jf030635s.

- Perry A. S., Yamamoto I, Ishaaya I, Perry R. Y. 1998. Insecticides in Agriculture and Environment: Retrospects and Prospects. Berlin: Springer-Verlag. Natural Products Chemistry. Vol 8:264-364. Amsterdam (NL): Elsevier.
- Putri Tama, D., Nelly, N., Djamaan, A., a, R., & Candra Lina, E. (2020). Botanical insecticide nanoemulsion made by *tephrosia vogelii* j. D. Hooker (leguminosae) and trial to cabbage *crocidolomia pavonana* f. (lepidoptera : Crambidae). *International Journal of Advanced Research*, 8, 1044-1052. doi:10.21474/IJAR01/10401
- Russell, L. (2005). Essential Nutrients Food or Supplements.
- Sahayaraj, K., Subash, N., Allingham, R. W., Kumar, V., Avery, P. B., Mehra, L. K., . . . Osborne, L. S. (2018). Lethal and sublethal effects of three microbial biocontrol agents on *spodoptera litura* and its natural predator *rhynocoris kumarii*. *Insects*, 9. doi:10.3390/insects9030101
- Schoonhoven, L. M., Loon, J. J. A. v., & Dicke, M. (2005). *Insect Plant Biology*.
- Shakeel, F., Baboota, S. Ahuja, A. Ali, J. Faisal, M. S. Shafiq. 2008. Stability evaluation of celecoxib nanoemulsion containing tween 80. *Thai Journal Pharm. Sci* 32 (1): 4-9.
- Siazemo, M. K., & Simfukwe, P. (2020). An Evaluation of the Efficacy of Botanical Pesticides for Fall Armyworm Control in Maize Production. *OALib*, 07, 1-12. doi:10.4236/oalib.1106746
- Silva, S. T., Pacheco, F. V., Alvarenga, I. C. A., Pinto, J. E. B. P., Bertolucci, S. K. V., & Ferreira, C. P. (2014). Optimization of the Protocol for the in Vitro Cultivation of *Piper aduncum*; *L. American Journal of Plant Sciences*, 05, 3474-3482. doi:10.4236/ajps.2014.523363
- Simanjuntak, sumiartha, yuliadhi, & supartha. (2022). Insidensi Serangan dan Perkembangan Populasi Hama Invasif, *Spodoptera frugiperda* (J. E Smith) (Lepidoptera: Noctuidae) pada Tanaman Jagung dan Sorgum di Bali. *Agrotrop : Journal on Agriculture Science*, 12, 1. doi:10.24843/ajoas.2022.v12.i01.p01
- Sisay, B., Simiyu, J., Mendesil, E., Likhayo, P., Ayalew, G., Mohamed, S., . . . Tefera, T. (2019). Fall armyworm, *spodoptera frugiperda* infestations in East Africa: Assessment of damage and parasitism. *Insects*, 10. doi:10.3390/insects10070195

- Sisay, B., Tefera, T., Wakgari, M., Ayalew, G., & Mendesil, E. (2019). The efficacy of selected synthetic insecticides and botanicals against fall armyworm, *spodoptera frugiperda*, in maize. *Insects*, 10. doi:10.3390/insects10020045
- Sparks, T. C., Hahn, D. R., & Garizi, N. V. (2017). Natural products, their derivatives, mimics and synthetic equivalents: role in agrochemical discovery. *Pest Management Science*, 73, 700-715. doi:10.1002/ps.4458
- Stevenson, P. C., Kite, G. C., Lewis, G. P., Forest, F., Nyirenda, S. P., Belmain, S. R., . . . Veitch, N. C. (2012). Distinct chemotypes of *Tephrosia vogelii* and implications for their use in pest control and soil enrichment. *Phytochemistry*, 78, 135-146. doi:10.1016/j.phytochem.2012.02.025
- Syahroni, Y., & Prijono, D. (2013). Aktivitas insektisida ekstrak buah *Piper aduncum* L. (Piperaceae) dan Sapindus rarak DC. (Sapindaceae) serta campurannya terhadap larva *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae). *Jurnal Entomologi Indonesia*, 10, 39-50. doi:10.5994/jei.10.1.39
- Vila, R., Tomi, F., Mundina, M., Santana, A. I., Solís, P. N., López Arce, J. B., . . . Cañigüeral, S. (2005). Unusual composition of the essential oils from the leaves of *Piper aduncum*. *Flavour and Fragrance Journal*, 20, 67-69. doi:10.1002/ffj.1369
- Waldbauer, G. P. (1968). The Consumption and Utilization of Food by Insects. *Advances in Insect Physiology*, 5, 229-288. doi:10.1016/S0065-2806(08)60230-1
- Wang, L., Li, X., Zhang, G., Dong, J., & Eastoe, J. (2007). Oil-in-water nanoemulsions for pesticide formulations. *Journal of Colloid and Interface Science*, 314, 230-235. doi:10.1016/j.jcis.2007.04.079
- Wulan. (2008). Aktivitas insektisida ekstrak daun *Tephrosia vogelii* Hook. f. (Leguminosae) terhadap larva *Crocidolomia pavonana* (F.) (Lepidoptera: Pyralidae): Plants in the genus tephrosia: Valuable resources for botanical insecticides, 11, MDPI AG 1-18 (2020).
- Zhao, X., Cui, H., Wang, Y., Sun, C., Cui, B., & Zeng, Z. (2017). Development strategies and prospects of nano-based smart pesticide formulation. *Journal of agricultural and food chemistry*, 66(26), 6504-6512.

