

DAFTAR PUSTAKA

1. M Richard, P Jonny et al, Comparison of same day diagnostic tools including Gene Xpert and unstimulated IFN- γ for the evaluation of pleural tuberculosis: a prospective cohort study, BMC Pulmonary Medicine; p.2014: 1-10.
2. A. Trajman, M. Pai et al, Novel tests for diagnosing tuberculous pleural effusion: what works and what does not?, Eur Respir Journal;2008; 31:p. 1098–1106.
3. M Losi, A Bossink et al, Use of a T-cell interferon-c release assay for the diagnosis of tuberculous pleurisy, Eur Respir Journal 2007; 30: p.1173–79.
4. S.Febrianti, ZS Priyanti. Diagnosis dan penata laksanaan Efusi pleura Tuberkulosis dalam Jurnal Respirologi Indonesia , Vol 17 no 4; 1997:p. 206-209.
5. Light RW , Clinical manifestations and useful tests, Pleural Diseases, Ed 5th; 2007: 7: p.74-80.
6. Hariadi S, Efusi pleura, dalam : Wibisono MJ, Winariani, Hariadi S editors. Buku ajar ilmu penyakit paru FK Unair; 2010:hal.111-19
7. Light RW, Update on Tuberculous Pleural Effusion, Invited Review Series: Tuberculosis, Respirology; 2010.15; p. 451-8.
8. G Arun, Sethu M et al, Diagnosis and Treatment of Tuberculous Pleural Effusion in 2006 ,Chest Journal; 2007;131; p.880-89.
9. J Ferrer, Pleural Tuberculosis, Eur Respir Journal; 1997; 10:p.942–47
10. V Villena, A Lopez-Encuentra et al, Interferon- γ in 388 immunocompromised and immunocompetent patients for diagnosing pleural tuberculosis, Eur Respir J; 1996: 9:p.2635–39.
11. Rahajoe NN,Setyanto DB, Patogenesis dan perjalanan alamiah infeksi tuberculosis, dalam : Rahajoe NN, Supriyatno B, Setyanto DB, eds. Buku ajar respirologi anak, Edisi I, Badan penerbit IDAI, Jakarta; 2008: hal.169-77.
12. Dheda K, Booth H, Hugget JF et al, Lung remodeling in Pulmonary Tuberculosis, The journal of infect dis, 2005; 192: p.1201-10.
13. Pieters J, Mycobacterium tuberculosis and the macrophage: maintaining a balance. Cell Host and Microbe-Elsevier, 2008; 10: p.399-406.
14. Zuniga J, Garcia DT et al, Cellular and humoral mechanim involved in the control of tuberculosis. Clinical and developmental immunology, 2012: p.1-18.
15. Harding C. Regulation of antigen presentation by *Mycobacterium tuberculosis* : a role for Toll-like receptors. Nature reviews microbiology,2010 ; 8 (3):p.296-307.
16. Rubin EJ, The granuloma in tuberculosis, Eng J Med; 2009: 360 (23):p.2471-73.
17. Ramakrishnan L, Revisiting the role of the granuloma in tuberculosis. Nature Immunol J; 2012;12:p.352-66.
18. F Wolfgang, Tuberculous Pleural Effusion, Intech Journal; 2013: 14: p.267-87.

19. M Adane, A Markos, Cytokines and Chemokines as Biomarkers of Tuberculosis, J Mycobac Dis; 2013: p.1-4.
20. M. Losi, A. Bossink et al, Use of a T-cell interferon- γ release assay for the diagnosis of tuberculous pleurisy, Eur Respir J; 2007: 30: p.1173–1179.
21. S Mohamed, L Abdel et al, Interferon gamma (IFN- γ) and soluble interleukin-2, International Journal of Immunology; 2013: 1(1): p.7-13.
22. C Dong-sheng, R Michael, Vascular Endothelial Growth Factor in Pleural Fluid, Chest Journal; 1999: p.760-63.
23. Light RW , Pleural Effusions Related to Metastatic Malignancies, Pleural Diseases, Ed 5th; 2007: 10: p.134-6.
24. Light RW, Parapneumonic Effusions and Empyema, Proc Am Thorac Soc; 2006: Vol 3: p.75–80.
25. Garna K.B., Reangganis I. Sitokin. Edisi ke-8. Balai penerbit Fakultas Kedokteran Universitas Indonesia. Jakarta. 2009: hal.217-47.
26. Abbas AK, Licht man AH, Pober JS. Cellular and molecular immunology. Philadelphia:WB Saunders Company; 1994:p.325-6.
27. Kauffman SHE. Immunity to intracellular bacteria. Ann Rev Immunol 1993;11:p.12963
28. P Baris, A Kaya, Diagnostic significance of gamaa-interferon in tuberculosis pleurisy, Tuberculosis of Thorax journal; 2004: 52(3): p.211-17.
29. Kim YK, Lee SY et al. Gamma-interferon and soluble interleukin 2 receptor in tuberculous pleural effusion.Lung 200;179:p.1759-84.
30. Sharma SK,Mitra FK, Balamurugan A et al.cytokine polarization in military and pleural tuberculous. J clin Immunol 2002;22:p.345-52.
31. Khan FY, H Maha et al, Diagnostic value of pleural fluid interferon-gamma and adenosine deaminase in patients with pleural tuberculosis in Qatar, International Journal of General Medicine; 2013: 6: p.13–18.
32. Victoria V, Lopez A et al, Interferon gamma levels in pleural fluid for diagnosis of tuberculosis , Am J Med; 2003: 115: p.365-370
33. Lee KS, Kim HR, Association between Elevated Pleural Interleukin-33 Levels and Tuberculous Pleurisy, Ann Lab Med; 2013;33: p.45-51.
34. B Kamaldeen, S Steinar et al, Evaluation of immune responses in HIV infected patients with pleural tuberculosis by the QuantiFERON® TB-Gold interferon-gamma assay, BMC Infectious Diseases; 2008: p.1-8.
35. H Matthias, R Pernille et al, The Use of Interferon-gamma Release Assays in HIV-positive Individuals, European Infectious Disease; 2010: 4(1): p.23–29.
36. L. Aaron, D Saadoun et al, Tuberculosis in HIV-infected patients: a comprehensive review, Clin Microbiol Infect; 2004: 10: p.388–98.
37. Akio Y, Katoh O et al, A Comparison Study of IFN- γ , ADA and CA125 as The Diagnostic Parameters in Tuberculous Pleuritis, Respir Med 1994; 88:p.139-43.
38. Gerogianni I,Papala M et al,Could IFN- γ PredictThe Development of Residual Pleural Thickening in Tuberculous Pleurisy?,Monaldi Arch Chest Dis 2008; 699:p.18-23.

39. Losi M, Bossink et al, Use of a T-cell Interferon- γ Release Assay For The Diagnostic of Tuberculous Pleurisy. Eur Respir J 2007; 30:p.1173-79.
40. Khatami K, Pleural Tuberculosis, SEMJ 2002; 3: p.1-10.
41. Pedoman Nasional Penanggulangan Tuberkulosis, Eds 2, Jakarta, Departemen Kesehatan Republik Indonesia, 2015.
42. Aoe K, Hiraki A et al, Diagnostic Significance of IFN- γ in Tuberculous Pleural Effusions, Chest 2003; 123: p.740.

