

REFERENCE

- Agrios, G. N. (2005). How plants defend themselves against pathogens. *Plant pathology*, 93-114.
- Almagro, L., Gómez Ros, L. V., Belchi-Navarro, S., Bru, R., Ros Barceló, A., & Pedreño, M. A. (2009). Class III peroxidases in plant defence reactions. *Journal of experimental botany*, 60(2), 377-390.
- Almeida, R. R., Souto, R. N., Bastos, C. N., da Silva, M. H., & Maia, J. G. (2009). Chemical variation in *Piper aduncum* and biological properties of its dillapiole-rich essential oil. *Chemistry & biodiversity*, 6(9), 1427-1434.
- Aloo, B. N., Makumba, B. A., & Mbega, E. R. (2019). The potential of Bacilli rhizobacteria for sustainable crop production and environmental sustainability. *Microbiological Research*, 219, 26-39.
- Bardin, M., Ajouz, S., Comby, M., Lopez-Ferber, M., Graillot, B., Siegwart, M., & Nicot, P. C. (2015). Is the efficacy of biological control against plant diseases likely to be more durable than that of chemical pesticides?. *Frontiers in Plant Science*, 6, 566.
- Borriss, R. (2011). Use of plant-associated *Bacillus* strains as biofertilizers and biocontrol agents in agriculture. In *Bacteria in agrobiolgy: Plant growth responses* (pp. 41-76). Springer, Berlin, Heidelberg.
- Cerpa, M. G., Mato, R. B., Cocero, M. J., Ceriani, R., Meirelles, A. J. A., Prado, J. M., & Meireles, M. A. A. (2009). *Steam distillation applied to the food industry*. CRC Press: Boca Raton, FL.
- Chaiana, F. M., Ezequias, P. D. S., Elaine, A. D. O., Carlos, L. Z., Rodrigo, L. P., Knia, V. D. S., & Anderson, A. A. (2016). Antimicrobial activity of *Piper aduncum* leaf extracts against the dental plaque bacteria *Streptococcus mutans* and *Streptococcus sanguinis*. *Journal of Medicinal Plants Research*, 10(23), 331-337.
- Chaman, M. E., Copaja, S. V., & Argandoña, V. H. (2003). Relationships between salicylic acid content, phenylalanine ammonia-lyase (PAL) activity, and resistance of barley to aphid infestation. *Journal of Agricultural and Food Chemistry*, 51(8), 2227-2231.

- Chunhua, S., Ya, D., Bingle, X., Xiao, L., Yonshu, X., & Qinguang, L. (2001). The purification and spectral properties of PPO I from *Nicotiana glauca*. *Plant Mol Biol*, *19*, 301-314.
- Conn, K. E., Lutton, J. S., & Rosenberger, S. A. (2012). Onion disease guide: a practical guide for seedsmen, growers and agricultural advisors. *Senminis Vegetable Seeds*. Woodland.
- Erlina, L. H., Lina, E. C., & Djamaan, A. (2020, March). Insecticidal activity of nanoemulsion of *Piper aduncum* extract against cabbage head cartepillar *Crociodolomia pavonana* F.(Lepidoptera: Crambidae). In *IOP Conference Series: Earth and Environmental Science* (Vol. 468, No. 1, p. 012001).
- Ferreira, O. O., Cruz, J. N., de Moraes, A. A. B., de Jesus Pereira Franco, C., Lima, R. R., Anjos, T. O. D., ... & Andrade, E. H. D. A. (2022). Essential oil of the plants growing in the Brazilian Amazon: Chemical composition, antioxidants, and biological applications. *Molecules*, *27*(14), 4373.
- Fryd, M. M., & Mason, T. G. (2012). Advanced nanoemulsions. *Annual review of physical chemistry*, *63*, 493-518.
- Gandía-Herrero, F., Escribano, J., & García-Carmona, F. (2005). Betaxanthins as substrates for tyrosinase. An approach to the role of tyrosinase in the biosynthetic pathway of betalains. *Plant Physiology*, *138*(1), 421-432.
- Gent, D. H., & Schwartz, H. F. (2005). Management of *Xanthomonas* leaf blight of onion with a plant activator, biological control agents, and copper bactericides. *Plant disease*, *89*(6), 631-639.
- Guerrini, A., Sacchetti, G., Rossi, D., Paganetto, G., Muzzoli, M., Andreotti, E., & Bruni, R. (2009). Bioactivities of *Piper aduncum* L. and *Piper obliquum* Ruiz & Pavon (Piperaceae) essential oils from eastern Ecuador. *Environmental toxicology and pharmacology*, *27*(1), 39-48.
- Huang, J. S. (2013). *Plant pathogenesis and resistance: biochemistry and physiology of plant-microbe interactions*. Springer Science & Business Media.
- Huang, M., Lai, Z., Fan, B., Shi, K., Zhou, Y. H., & Chen, Z. (2010). Functional analysis of the Arabidopsis PAL gene family in plant growth, development, and response to environmental stress. *Plant Physiology*, *153*(4), 1526-1538.

- Illum, L. (2007). Nanoparticulate systems for nasal delivery of drugs: a real improvement over simple systems. *Journal of pharmaceutical sciences*, 96(3), 473-483.
- Jafari, B., Ebadi, A., Aghdam, B. M., & Hassanzade, Z. (2012). Antibacterial activities of lemon grass methanol extract and essence on pathogenic bacteria. *American-Eurasian J Agric and Environ Sci*, 2, 1042-6.
- Jones, J. D., & Dangl, J. L. (2006). The plant immune system. *nature*, 444(7117), 323-329.
- Julian McClements, D., Henson, L., Popplewell, L. M., Decker, E. A., & Jun Choi, S. (2012). Inhibition of Ostwald ripening in model beverage emulsions by addition of poorly water soluble triglyceride oils. *Journal of food science*, 77(1), C33-C38.
- Li, L., & Steffens, J. C. (2002). Overexpression of polyphenol oxidase in transgenic tomato plants results in enhanced bacterial disease resistance. *Planta*, 215(2), 239-247.
- Lina, E. C. (2014). Pengembangan Formulasi Insektisida Nabati Berbahan Ekstrak *Brucea javanica*, *Piper aduncum*, dan *Tephrosia vogelii* Untuk Pengendalian Hama Kubis *Crociodolomia pavonana*.
- Mahalwal, V. S., & Ali, M. (2003). Volatile constituents of *Cymbopogon nardus* (Linn.) Rendle. *Flavour and fragrance journal*, 18(1), 73-76.
- Mahidol, C. (2004). Malaria: integrated approaches for prevention and treatment. *Acta Tropica*, 3(89), 265-269.
- Mason, T. G., Wilking, J. N., Meleson, K., Chang, C. B., & Graves, S. M. (2006). Nanoemulsions: formation, structure, and physical properties. *Journal of Physics: condensed matter*, 18(41), R635.
- McSpadden Gardener, B. B. (2004). Ecology of *Bacillus* and *Paenibacillus* spp. in agricultural systems. *Phytopathology*, 94(11), 1252-1258.
- Monzote, L., Scull, R., Cos, P., & Setzer, W. N. (2017). Essential oil from *Piper aduncum*: Chemical analysis, antimicrobial assessment, and literature review. *Medicines*, 4(3), 49.
- Mutlu-Ingok, A., Devecioglu, D., Dikmetas, D. N., Karbancioglu-Guler, F., & Capanoglu, E. (2020). Antibacterial, antifungal, antimycotoxigenic, and

antioxidant activities of essential oils: An updated review. *Molecules*, 25(20), 4711.

Niazi, A., Manzoor, S., Asari, S., Bejai, S., Meijer, J., & Bongcam-Rudloff, E. (2014). Genome analysis of *Bacillus amyloliquefaciens* subsp. *plantarum* UCMB5113: a rhizobacterium that improves plant growth and stress management. *PLoS One*, 9(8), e104651.

Nunez, J. J., Gilbertson, R. L., & Davis, R. M. (2002). First report of *Xanthomonas* leaf blight of onion in California. *Plant Disease*, 86(3), 330-330.

Oscariz, J. C., & Pisabarro, A. G. (2000). Characterization and mechanism of action of cerein 7, a bacteriocin produced by *Bacillus cereus* Bc7. *Journal of Applied Microbiology*, 89(2), 361-369.

Paulkumar, K., Gnanajobitha, G., Vanaja, M., Rajeshkumar, S., Pandian, K., & Annadurai, G. (2014). Piper nigrum leaf and stem assisted green synthesis of silver nanoparticles and evaluation of its antibacterial activity against agricultural plant pathogens. *The Scientific World Journal*, 2014.

Pauzi, Y. S., Lestari, S. M., & Hidayat, S. H. (2018). Variations of garlic common latent virus and shallot latent virus concentration on shallot and garlic In *IOP Conference Series: Earth and Environmental Science* (Vol. 197, No. 1, p. 012045). IOP Publishing.

Picard, Y., Roumagnac, P., Legrand, D., Humeau, L., Robène-Soustrade, I., Chiroleu, F., & Pruvost, O. (2008). Polyphasic characterization of *Xanthomonas axonopodis* pv. *allii* associated with outbreaks of bacterial blight on three *Allium* species in the Mascarene archipelago. *Phytopathology*, 98(8), 919-925.

Prakash, A., & Rao, J. (2018). *Botanical pesticides in agriculture*. CRC press.

Prasannath, K., De Costa, D. M., & Hemachandra, K. S. (2014). Quantification of Peroxidase activity in Chilli tissues Grown under Two Crop Protection Systems across a Temperature Gradient. In *Proceedings of the HETC Symposium*.

Roberts, P. D., Momol, M. T., Ritchie, L., Olson, S. M., Jones, J. B., & Balogh, B. (2008). Evaluation of spray programs containing famoxadone plus cymoxanil, acibenzolar-S-methyl, and *Bacillus subtilis* compared to copper

- sprays for management of bacterial spot on tomato. *Crop Protection*, 27(12), 1519-1526.
- Roslani, R., Palupi, E. R., & Hilman, Y. (2013). Pengaruh benzilaminopurin dan boron terhadap pembungaan, viabilitas serbuk sari, produksi, dan mutu benih bawang merah di dataran rendah.
- Roumagnac, P., Gagnevin, L., Gardan, L., Sutra, L., Manceau, C., Dickstein, E. R., & Pruvost, O. (2004). Polyphasic characterization of xanthomonads isolated from onion, garlic and Welsh onion (*Allium* spp.) and their relatedness to different *Xanthomonas* species. *International Journal of Systematic and Evolutionary Microbiology*, 54(1), 15-24.
- Sansinenea, E. (2012). *Bacillus thuringiensis biotechnology* (Vol. 528). Netherlands: Springer.
- Serfontein, J. J. (2001). Xanthomonas blight of onion in South Africa. *Plant Disease*, 85(4), 442-442.
- Sharma, S., Barkauskaite, S., Jaiswal, A. K., & Jaiswal, S. (2021). Essential oils as additives in active food packaging. *Food Chemistry*, 343, 128403.
- Siagian, T. E. N., Sasmita, E. R., & Irawati, E. B. (2022, April). The Growth and Yield Responses of Shallot (*Allium Ascalonicum* L.) to Plant Spacing and Tuber Cutting by NFT Hydroponic. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1018, No. 1, p. 012020). IOP Publishing.
- Silva, M. R., Ximenes, R. M., da Costa, J. G. M., Leal, L. K. A. M., de Lopes, A. A., & de Barros Viana, G. S. (2010). Comparative anticonvulsant activities of the essential oils (EOs) from *Cymbopogon winterianus* Jowitt and *Cymbopogon citratus* (DC) Stapf. in mice. *Naunyn-Schmiedeberg's archives of pharmacology*, 381(5), 415-426.
- Singh, D. (2014). *Advances in plant biopesticides*: Springer.
- Smith, D., Lee, K. D., Gray, E., Souleimanov, A., & Zhou, X. (2008). *U.S. Patent Application No. 12/093,779*.
- Stein, T. (2005). *Bacillus subtilis* antibiotics: structures, syntheses and specific functions. *Molecular microbiology*, 56(4), 845-857.
- Sullivan, M. L., & Hatfield, R. D. (2006). Polyphenol oxidase and o-diphenols inhibit postharvest proteolysis in red clover. *Crop science*, 46(2), 662-670.

- Thakker, J. N., Patel, N., & Kothari, I. L. (2007). Fusarium oxysporum derived elicitor-induced changes in enzymes of banana leaves against wilt disease. *J Mycol Plant Pathol*, 37, 510-513.
- Thipyapong, P., Hunt, M. D., & Steffens, J. C. (2004). Antisense downregulation of polyphenol oxidase results in enhanced disease susceptibility. *Planta*, 220(1), 105-117.
- Tkachenko, A. G., Xie, H., Coleman, D., Glomm, W., Ryan, J., & Feldheim, D. L. (2003). Multifunctional gold nanoparticle– peptide complexes for nuclear targeting. *Journal of the American Chemical Society*, 125(16), 4700-4701.
- Van Hop, D., Hoa, P., Quang, D., Ton, P. H., Van Hung, N., & Thom, V. T. (2014). Biological control of *Xanthomonas oryzae* pv. *oryzae* causing rice bacterial blight disease by *Streptomyces toxytricini* VN08-A-12, isolated from soil and leaf-litter samples in Vietnam. *Biocontrol Science*, 19(3), 103-111.
- Varshosaz, J., Ghaffari, S., Khoshayand, M. R., Atyabi, F., Azarmi, S., & Kobarfard, F. (2010). Development and optimization of solid lipid nanoparticles of amikacin by central composite design. *Journal of liposome research*, 20(2), 97-104.
- Vogt, T. (2010). Phenylpropanoid biosynthesis. *Molecular plant*, 3(1), 2-20.
- Vos, P., Garrity, G., Jones, D., Krieg, N. R., Ludwig, W., Rainey, F. A., & Whitman, W. B. (2011). *Bergey's manual of systematic bacteriology: Volume 3: The Firmicutes* (Vol. 3). Springer Science & Business Media.
- Wandschneider, T., Gniffke, P., Boga, K., & Kristedy, T. (2013). Indonesia agribusiness development opportunities: Analysis of shallot value chains in Sampang, East Java, and Bima and Great Sumbawa, NTB. *Canberra: Collins Higgins Consulting Group-ACIAR*.
- Yanti, Y., Hamid, H., Nurbailis, N., & Tanjung, M. P. (2022). Potensi Plant Growth Promoting Bacteria untuk Meningkatkan Ketahanan Bawang Merah Terhadap *Xanthomonas axonopodis* pv. *alii*. *National Multidisciplinary Sciences*, 1(2), 204-210.
- Yanti, Y., Warnita, W., Reflin, R., & Hamid, H. (2018). Development of selected PGPR consortium to control *Ralstonia syzygii* subsp. *indonesiensis* and

promote the growth of tomato. Short Communication: *Biodiversitas Journal of Biological Diversity*, 19(6), 2073-2078.

Yuliani, F. (2017). *Respon Morfologi dan Fisiologi Tanaman Bawang Merah (Allium cepa L.) Terhadap Cekaman Salinitas* (Doctoral dissertation, Bogor Agricultural University (IPB)).

Yanti, Y., Hamid, H., Reflin, Y. F. Y. C., Yaherwandi, Y., & Chrismont, F. Y. (2021). Formula padat *Bacillus cereus* untuk pengendalian penyakit busuk pangkal batang pada tanaman tomat solid formula of *bacillus cereus* for the control of stem rot disease in tomato plants. *Jurnal Agro*, 8(2), 226-236

