

DAFTAR PUSTAKA

1. Nocini R, Molteni G, Mattiuzzi C, Lippi G. Updates on larynx cancer epidemiology. Chin. J. Cancer. 2020;32(1):18–25.
2. Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin. 2018;68(6):394–424.
3. Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, et al. Global Cancer Statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 Countries. CA Cancer J Clin. 2021;71(3):209–49.
4. Nahavandipour A, Jakobsen KK, Grønhøj C, Hebbelstrup Jensen D, Kim Schmidt Karnov K, Klitmøller Agander T, et al. Incidence and survival of laryngeal cancer in Denmark: a nation-wide study from 1980 to 2014. Acta Oncol (Madr). 2019;58(7):977–82.
5. National Cancer Institute (2018). SEER cancer statistics review. <https://seer.cancer.gov/statfacts/html/laryn.html>. Diakses Maret 2022.
6. Globocan. WHO South-East Asia region (SEARO). International Agency for Research on Cancer. 2020;1–2. <https://gco.iarc.fr/today/data/factsheets/populations/995-who-south-east-asia-region-searo-fact-sheets.pdf>. Diakses Maret 2022.
7. The Global Cancer Observatory. Cancer incident in Indonesia. International Agency for Research on Cancer. 2020;1–2. <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf>. Diakses Maret 2022.
8. Cahyadi I, Permana AD, Dewi YA, Aroeman NA. Karakteristik penderita karsinoma laring di departemen ilmu kesehatan telinga hidung tenggorok bedah kepala leher rumah sakit dr Hasan Sadikin Bandung periode Januari 2013 – Juli 2015. Tunas Med J Kedokt Kesehat. 2016;3(1):1–4.
9. Singh RKAJ. Gambaran penderita karsinoma laring di departemen THT-KL RSUP Haji Adam Malik Medan. Skripsi. 2016; <https://repository.usu.ac.id/handle/123456789/19947>. Diakses Maret 2022.
10. Arsyad N. Karakteristik penderita karsinoma laring di departemen THT-KL RSUP Dr. Mohammad Hoesin Palembang periode 2015-2019. Skripsi. 2021; <https://repository.unsri.ac.id/23714/>. Diakses Maret 2022.
11. Rahmi A. Karakteristik klinis dan patologis karsinoma laring di bagian THT-KL RSUP Dr. M. Djamil Padang periode 1 Januari 2010 - 31 Desember

2014. Skripsi. 2016; <http://scholar.unand.ac.id/3906/>. Diakses Maret 2022
12. Indah PP. Gambaran pasien karsinoma laring di bagian Tht-Kl RSUP Dr. M. Djamil Padang periode 1 Januari 2015 – 31 Desember 2017. Skripsi. 2019; <http://scholar.unand.ac.id/47178/>. Diakses Januari 2022.
 13. Zuo JJ, Tao ZZ, Chen C, Hu ZW, Xu YX, Zheng AY, et al. Characteristics of cigarette smoking without alcohol consumption and laryngeal cancer: overall and time-risk relation. A meta-analysis of observational studies. European Archives of Oto-Rhino-Laryngology. 2017;274(3):1617–31.
 14. Garden AS, Beadle BM, Morrison WH. Larynx and hypopharynx cancer. Fourth Ed. Clinical Radiation Oncology. Elsevier Inc.; 2015. 649-672.e4 p.
 15. Chen WC, Chuang HC, Lin YT, Huang CC, Chien CY. Clinical impact of human papillomavirus in laryngeal squamous cell carcinoma: A retrospective study. PeerJ. 2017;2017(5):1–13.
 16. Chen M, Tse LA. Laryngeal cancer and silica dust exposure: A systematic review and meta-analysis. Am J Ind Med. 2012;55(8):669–76.
 17. Anis MM, Razavi MM, Xiao X, Soliman AMS. Association of gastroesophageal reflux disease and laryngeal cancer. World J Otorhinolaryngol - Head Neck Surg. 2018;4(4):278–81.
 18. Garavello W, Turati F, Bosetti C, Talamini R, Levi F, Lucenteforte E, et al. Family history of cancer and the risk of laryngeal cancer: A case-control study from Italy and Switzerland. Int J Cancer. 2012;130(3):665–70.
 19. Zuniga SA, Lango MN. Effect of rural and urban geography on larynx cancer incidence and survival. Laryngoscope. 2018;128(8):1874–80.
 20. Doğan S, Vural A, Kahriman G, İmamoğlu H, Abdülrezzak Ü, Öztürk M. Non-squamous cell carcinoma diseases of the larynx: clinical and imaging findings. Braz J Otorhinolaryngol. 2020;86(4):468–82.
 21. Markou K, Christoforidou A, Karasmanis I, Tsiroopoulos G, Triaridis S, Constantinidis I, et al. Laryngeal cancer: Epidemiological data from Northern Greece and review of the literature. Hippokratia. 2013;17(4):313–8.
 22. American Cancer Society's (2017). Laryngeal and hypopharyngeal cancer early detection , diagnosis , and staging. <https://www.cancer.org/cancer/laryngeal-and-hypopharyngeal-cancer/detection-diagnosis-staging/detection>. Diakses Januari 2022.
 23. Soepardi EA, Iskandar N, Bashiruddin J RR. Buku ajar ilmu kesehatan THT-KL FK UI. Dalam: Tumor Laring. Edisi VII. Jakarta: Badan Penerbit FKUI;

2012. 176–80 p.
24. Obid R, Redlich M, Tomeh C. The treatment of laryngeal cancer. *Oral Maxillofac Surg Clin North Am*. 2019;31(1):1–11.
 25. WHO (2021). WHO report on the global tobacco epidemic 2021. <https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2021>. Diakses Januari 2022.
 26. Riskesdas. Riset kesehatan dasar provinsi Sumatera Barat tahun 2018. Laporan Riskesdas Nasional 2018. 2018. 230–45 p.
 27. Badan Pusat Statistik. Persentase merokok pada penduduk umur > 15 tahun provinsi (persen). <https://www.bps.go.id/indicator/30/1435/1/persentase-merokok-pada-penduduk-umur-15-tahun-menurut-provinsi.html>. Diakses Maret 2022.
 28. Thiagarajan B. Anatomy of larynx a review. *Online j. otolaryngol. rhinol*. 2015;5(1.5):1–12.
 29. Mor N, Blitzer A. Functional anatomy and oncologic barriers of the larynx. *Otolaryngol Clin North Am*. 2015;48(4):533–45.
 30. Maqbool M, Maqbool S. Textbook of ear, nose and throat diseases. 11th ed. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd; 2007. 307–15 p.
 31. Snow J, Ballenger J. Ballenger's otorhinolaryngology head and neck surgery. 16th ed. Hamilton: BC Decker; 2003. 1090–1104 p.
 32. Snell RS. Clinical anatomy by regions. 9th ed. Two Commerce Square, editor. Philadelphia; 2014. 644–51 p.
 33. Mathieson L, Carding P. Scott-Brown's otorhinolaryngology head and neck surgery. 8th ed. Watkinson J, Clarke R, editors. Boca raton: Taylor & Francis Group, LLC; 2019. 891–903 p.
 34. Anniko M, Sprekelsen M, Bonkowsky V, Bradley P. Otorhinolaryngology head and neck surgery. 1st ed. Arnold W, Ganzer U, editors. Berlin: Springer; 2010. 461–71 p.
 35. Adams GL, Boeis LR, Higler PA. Buku ajar penyakit THT. Edisi ke 6. Jakarta: EGC; 2012. 369–76 p.
 36. Drake R, Vogl A, Mitchell A. Gray's anatomy for students. 4th ed. Philadelphia: Elsevier Inc.; 2020. 1041–1058 p.

37. Flint P, Haughey B, Francis H, Lesperance M, Lund V, Robbins K, et al. Cummings Otolaryngology head & neck surgery. 7th ed. Philadelphia: Elsevier Inc.; 2021. 6061–127 p.
38. Shen Z, Li J, Luo L, Han L. The global, regional, and national burden of laryngeal cancer and the attributable risk factors in all countries and territories during 2007–2017. *Front Biosci - Landmark*. 2021;26(11):1097–105.
39. Koirala K. Epidemiological study of laryngeal carcinoma in Western Nepal. *Asian Pacific J Cancer Prev*. 2015;16(15):6541–4.
40. WHO. Malaysia Globocan 2020. International Agent for Research on Cancer - WHO. 2020;1–2. <https://gco.iarc.fr/today/data/factsheets/populations/458-malaysia-fact-sheets.pdf>. Diakses Maret 2022.
41. WHO. Vietnam Globocan 2020. International Agent for Research on Cancer - WHO. 2020;1–2. <https://gco.iarc.fr/today/data/factsheets/populations/900-world-fact-sheets.pdf>. Diakses Maret 2022.
42. Menezes RF De, Bergmann A, Claudio L, Thuler S. Alcohol consumption and risk of cancer : a Systematic Literature Review. *APJCP*. 2013;14:4965–72.
43. Bayer O, Cámaras R, Zeissig SR, Ressing M, Dietz A, Locati LD, et al. Occupation and cancer of the larynx: a systematic review and meta-analysis. *Eur Arch Oto-Rhino-Laryngology*. 2016;273(1):9–20.
44. Drole J, Schluger N, Chan Z, Drole J, Hamill S, Islami F, et al. The tobacco atlas. 6th ed. Drole J, Schluger N, editors. Atlanta: American Cancer Society, Inc; 2018. 1–56 p.
45. Menach P, Oburra HO, Patel A. Cigarette smoking and alcohol ingestion as risk factors for laryngeal squamous cell carcinoma at Kenyatta National Hospital, Kenya. *Clin Med Insights Ear, Nose Throat*. 2012;5:1–7.
46. Di Credico G, Polesel J, Dal Maso L, Pauli F, Torelli N, Luce D, et al. Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. *Br J Cancer*. 2020;123(9):1456–63.
47. Ndiaye C, Mena M, Alemany L, Arbyn M, Castellsagué X, Laporte L, et al. HPV DNA, E6/E7 mRNA, and p16INK4a detection in head and neck cancers : a systematic review and meta-analysis. *Lancet Oncol*. 2014;15:1319–31.
48. de Miguel-Lukan MJ, Chaves-Conde M, Carnero A. A genetic view of laryngeal cancer heterogeneity. *Cell Cycle*. 2016;15(9):1202–12.

49. Al-Otaibi SS, Al Zaher YN, Al Zaher NN, Khoja HA. Laryngeal carcinoma in a father and son: Possible familial risk? *Saudi Med J*. 2018;39(4):424–5.
50. Riley CA, Wu EL, Hsieh M chin, Marino MJ, Wu X cheng, Mccoul ED. Association of gastroesophageal reflux with malignancy of the upper aerodigestive tract in elderly patients. *JAMA Otolaryngol Head Neck Surg*. 2018;144(2):140–8.
51. Wagner M, Bolm-Audorff U, Hegewald J, Fishta A, Schlattmann P, Schmitt J, et al. Occupational polycyclic aromatic hydrocarbon exposure and risk of larynx cancer: A systematic review and meta-analysis. *Occup Environ Med*. 2015;72(3):226–33.
52. Barul C, Matrat M, Auguste A, Dugas J, Radoï L, Menvielle G, et al. Welding and the risk of head and neck cancer: The ICARE study. *Occup Environ Med*. 2020;77(5):293–300.
53. De Vito A, Hao SP, Vicini C. Laryngeal cancer: Risk factors, symptoms and treatment. *J otolaryngol rhinol*. 2018;6:1–197.
54. Vlastarakos P V, Vassileiou A, Delicha E, Kikidis D, Protopapas D, Nikolopoulos TP. Dietary consumption patterns and laryngeal cancer risk. *NT-Ear, Nose Throat J*. 2016;95(6):32–8.
55. Joury E, Naja F, Nour A, Itani L, Rafii B, Nakhleh K, et al. Dietary patterns and the risk of oral, pharyngeal and laryngeal cancer in Syria: A case control study. *BMC Nutr*. 2016;2(1):1–11.
56. Kawakita D, Lee Y chin A, Turati F, Parpinel M, Serraino D, Matsuo K, et al. Dietary fiber intake and head and neck cancer risk: a pooled analysis in the International Head and Neck Cancer Epidemiology consortium. *Int J Cancer*. 2017;141(9):1811–21.
57. Carbone M, Amelio I, Affar EB, Brugarolas J, Cannon-Albright LA, Cantley LC, et al. Consensus report of the 8 and 9th Weinman Symposia on Gene x Environment Interaction in carcinogenesis: novel opportunities for precision medicine. *Cell Death Differ*. 2018;25(11):1885–904.
58. Schottenfeld D, Beebe-Dimmer JL, Buffler PA, Omenn GS. Current perspective on the global and United States cancer burden attributable to lifestyle and environmental risk factors. *Annu Rev Public Health*. 2013;34:97–117.
59. Riehn M, Klopocki E, Molkentin M, Reinhardt R, Burmeister T. Cytogenetic alterations and their molecular genetic correlates in head and neck squamous cell carcinoma: A next generation window to the biology of disease. *Gene Chromosomes Canc*. 2014;53(12):972–90.

60. Odell E, Gale N, Thavaraj S, Nadal A, Zidar N, Gnepp DR. Precursor lesions for squamous carcinoma in the upper aerodigestive tract. Third Edit. Gnepp's diagnostic surgical pathology of the head and neck. Elsevier; 2021. 1–62 p.
61. Mastronikolis N, Papadas T, Goumas P, Triantaphyllidou I, Theocharis D, Papageorgakopoulou N, et al. Head and neck: Laryngeal tumors: an overview. *Atlas Genet Cytogenet Oncol Haematol*. 2011;13(11):888–93.
62. Hansen AR, Siu LL. Epidermal growth factor receptor targeting in head and neck cancer: Have we been just skimming the surface? *J Clin Oncol*. 2013;31(11):1381–3.
63. Rettig E, Chung C, Bishop J, Howard J, Sharma J, Li R, et al. Cleaved NOTCH1 expression pattern in head and neck squamous cell carcinoma is associated with NOTCH1 mutation, HPV status and high-risk features. *Cancer Prev Res*. 2015;8(4):287–95.
64. Elicin O, Mahmut Ozsahin E. Head and neck cancer. *Med Radiol*. 2018;91–126.
65. Wagner MM, Curé JK, Caudell JJ, Spencer SA, Nabell LM, Carroll WR, et al. Prognostic significance of thyroid or cricoid cartilage invasion in laryngeal or hypopharyngeal cancer treated with organ preserving strategies. *Radiat Oncol*. 2012;7(1):2–7.
66. Chew CS, Mohamad I, Nik Hassan NFH, Ramasundram S, Mazlan MZ. Laryngeal carcinoma presented with thyroid mass symptoms: The importance of early onset hoarseness and absent of laryngeal crepitus. *Egypt J Ear, Nose, Throat Allied Sci*. 2017;18(1):71–3.
67. Granell J, Garrido L, Millas T, Gutierrez-Fonseca R. Management of oropharyngeal dysphagia in laryngeal and hypopharyngeal cancer. *Int J Otolaryngol*. 2012;2012:1–9.
68. Mutlu V, Ucuncu H, Altas E, Aktan B. The relationship between the localization, size, stage and histopathology of the primary laryngeal tumor with neck metastasis. *Eurasian J Med*. 2014;46(1):1–7.
69. Barroso Ribeiro R, Ribeiro Breda E, Fernandes Monteiro E. Significado pronóstico de las metástasis cervicales en tumores avanzados de laringe e hipofaringe. *Acta Otorrinolaringol Esp*. 2012;63(4):292–8.
70. Saraf A, Begh RA, Jyoti D, Kalsotra P. Causes of referred otalgia: a hospital-based study. *Int J Otorhinolaryngol Head Neck Surg*. 2020;6(5):944.
71. Taboo ZA alkader, Buraa MF. Etiology of referred otalgia. *IRAQI Postgrad Med J*. 2013;12(3):436–42.

72. Ding W, Liu T, Liang J, Hu T, Cui S, Zou G, et al. Supraglottic squamous cell carcinomas have distinctive clinical features and prognosis based on subregion. *PLoS One*. 2017;12(11):1–13.
73. Marchiano E, Patel DM, Patel TD, Patel AA, Xue YE, Eloy JA, et al. Subglottic squamous cell carcinoma. *Otolaryngol - Head Neck Surg (United States)*. 2016;154(2):315–21.
74. Goldenberg V, Goldstein B. *Handbook of otolaryngology head and neck surgery*. 1st ed. New York: Thieme Medical Publishers, Inc; 2010. 388–98 p.
75. Steuer CE, El-Deiry M, Parks JR, Higgins KA, Saba NF. An update on larynx cancer. *CA Cancer J Clin*. 2017;67(1):31–50.
76. Cioloșan MS, Vlăescu AN, Mogoantă CA, Ioniță E, Ioniță I, Căpitănescu AN, et al. Clinical, histological and immunohistochemical evaluation of larynx cancer. *Curr Health Sci J*. 2017;43(4):367–75.
77. Amin M, Edge S, Greene F, Schilsky R, Gaspar L, Washington M, et al. *AJCC cancer staging manual*. 8 th. *AJCC cancer staging manual*. Chicago: Springer; 2017. 149–61 p.
78. Indriyana M, Kentjono W. Postoperative rehabilitation of total laryngectomy. *J Unair*. 2016;9(3):106–16.
79. Salvador-Coloma C, Cohen E. Multidisciplinary care of laryngeal cancer. *J Oncol Pract*. 2016;12(8):717–24.
80. Yücel B. Treatment results, side effects and prognostic factors affecting survival in patients with larynx cancer. *J Med Updat*. 2013;3(2):69–76.
81. Bradford CR, Ferlito A, Devaney KO, Mäkitie AA, Rinaldo A. Prognostic factors in laryngeal squamous cell carcinoma. *Laryngoscope Investig Otolaryngol*. 2020;5(1):74–81.
82. Fararouei M, Daneshi N, Mohammadianpanah M, Tabatabaei HR, Zare-Bandamiri M, Dianatinasab M. Factors predicting survival in patients with early stage laryngeal cancer: A cohort study between 2000 to 2015. *J BUON*. 2017;22(4):996–1003.
83. Fletcher KT, Gal TJ, Ebelhar AJ, Valentino J, Brill YM, Dressler E V., et al. Prognostic indicators and survival in salvage surgery for laryngeal cancer. *Head Neck*. 2017;39(10):2021–6.
84. Engbang JP, Mpessa M, Essama L, Mohamadou SA, Njock LR. Prognostic factors and survival of laryngeal cancer in Cameroon. *Int J Otolaryngol Head & Neck Surg*. 2021;10(01):30–42.

85. Nachalon Y, Cohen O, Alkan U, Shvero J, Popovtzer A. Characteristics and outcome of laryngeal squamous cell carcinoma in young adults. *Oncol Lett.* 2017;13(3):1393–7.
86. Issa MR, Samuels SE, Bellile E, Shalabi FL, Eisbruch A, Wolf G. Tumor volumes and prognosis in laryngeal cancer. *Cancers (Basel).* 2015;7(4):2236–61.
87. Megwali UC, Sikora AG. Survival outcomes in advanced laryngeal cancer. *JAMA Otolaryngol - Head Neck Surg.* 2014;140(9):855–60.
88. National Cancer Institute. <https://www.cancer.gov/dictionary>. Diakses Februari 2022.
89. Mosby. *Mosby's Medical Dictionary*. 9th ed. O'toole M, Britain A, Davis B, Koernerzer T, Neil J, Brien J, et al., editors. Missouri: Elsevier Inc.; 2013. 1727 p.
90. El-Naggar A, Chan J, Rubin G, Takata T, Slootweg P. WHO classification of head and neck tumours. Lyon: International Agency for Research on Cancer (IARC); 2017. 81–90 p.
91. Sabaa MAE, Algarf TM. Impact of COVID-19 on management of laryngeal/oropharyngeal neoplasms. *Craniomaxillofac Trauma Reconstr.* 2021 Jun;14(2):157–61.
92. Zhang Q, Wang H, Zhao Q, Zhang Y, Zheng Z, Liu S, et al. Evaluation of risk factors for laryngeal squamous cell carcinoma: A Single-Center Retrospective Study. *Front Oncol.* 2021;11:1–10.
93. Ali MQ, Raji A, Abdulameer MS. Patterns of laryngeal cancer presentation of Iraqi patients. *Rev Latinoam Hipertens.* 2021;16(4):298–303.
94. Gong H, Zhou L, Hsueh CY, Wu H, Tao L, Zhang M, et al. Prognostic value of pathological tumor size in patients with supraglottic carcinoma. *Am J Otolaryngol - Head Neck Med Surg.* 2021 Jan 1;42(1).
95. Qi H, Chen W, Zhang C, Zheng X, Peng C, Zhao Q, et al. Epidemiological analysis of 1234 cases of laryngeal cancer in Shanxi Province, China. *Cancer Control.* 2021;28:1–10.
96. Gugić J, Strojan P. Squamous cell carcinoma of the head and neck in the elderly. *Reports Pract Oncol Radiother.* 2013;18(1):16–25.
97. Eytan DF, Blackford AL, Eisele DW, Fakhry C. Prevalence of comorbidities among older head and neck cancer survivors in the United States. *Otolaryngol - Head Neck Surg (United States).* 2019 Jan 1;160(1):85–92.

98. Riley CA, Marino MJ, Hsieh MC, Wu EL, Wu XC, McCoul ED. Detection of laryngeal carcinoma in the U.S. elderly population with gastroesophageal reflux disease. *Head Neck.* 2019 May 1;41(5):1434–40.
99. Majszyk D, Bruzgiewicz A, Osuch-Wójcikiewicz E, Rzepakowska A, Niemczyk K. Gender-related incidence, risk factors exposure and survival rates of laryngeal cancers – the 10-years analysis of trends from one institution. *Otolaryngol Pol.* 2019;73(3):6–10.
100. Park JO, Nam IC, Kim CS, Park SJ, Lee DH, Kim HB, et al. Sex differences in the prevalence of head and neck cancers: A 10-year follow-up study of 10 million healthy people. *Cancers (Basel).* 2022 May 20;14(10):2521.
101. Pavlovska I, Taushanova B, Zafirova B. Risk for occurrence of laryngeal cancer among current cigarette smokers. *J Glob Oncol.* 2018 Sep 28;4(2):13.
102. Innocentini LMAR, Teixeira AH, Casemiro LA, Andrade MC, Ferrari TC, Ricz HMA, et al. Laryngeal cancer attributable factors and the influence on survival rates: A single Brazilian institution experience. *Int Arch Otorhinolaryngol.* 2019;23(3):299–304.
103. Yang D, Shi Y, Tang Y, Yin H, Guo Y, Wen S, et al. Effect of HPV infection on the occurrence and development of laryngeal cancer: A review. *J Cancer.* 2019;10(19):4455–62.
104. Onerci Celebi O, Sener E, Hosal S, Cengiz M, Gullu I, Guler Tezel G. Human papillomavirus infection in patients with laryngeal carcinoma. *BMC Cancer.* 2018 Oct 20;18(1).
105. Brown T, Darnton A, Fortunato L, Rushton L. Occupational cancer in Britain: Respiratory cancer sites: Larynx, lung and mesothelioma. *Br J Cancer.* 2012 Jun 19;107:S56–70.
106. Roh S, Park S, Tae G, Song J. A case of laryngeal cancer induced by exposure to asbestos in a construction site supervisor. *Ann Occup Environ Med.* 2016;28(1).
107. Shaikh MAAN, Kumar KP, Walli AK, Kannan R, Pradhan SA. A review on early glottic cancer. *Int J Head Neck Surg.* 2022 May 25;13(1):41–6.
108. Chauhan JPS, Bharti B, Bhadouriya SS, Kumar A, Narain P, Singh J. Laryngeal cancer: a clinicopathological study of 65 cases. *Int J Otorhinolaryngol Head Neck Surg.* 2017 Dec 22;4(1):163.
109. Jones TM, De M, Foran B, Harrington K, Mortimore S. Laryngeal cancer: United Kingdom National multidisciplinary guidelines. *J Laryngol Otol.* 2016 May 1;130(2):75–82.

110. Chen L, Deng W, Li C, Lau H, Tao L, Wang S, et al. Clinical outcome and comparison between squamous and non-squamous cell carcinoma of the larynx. *Acta Otolaryngol*. 2020 Feb 1;140(2):195–201.
111. Sharma DK, Sohal BS, Bal MS, Aggarwal S. Clinico-pathological study of 50 cases of tumours of larynx. *Indian J Otolaryngol Head Neck Surg*. 2013;65(1):29–35.
112. Moser SE. Laryngeal problems. Vol. 41, Primary Care - Clinics in office practice. 2014. p. 99–107. <https://www.elsevier.com/books/primary-care-ent-an-issue-of-primary-care-clinics-in-office-practice/978-0-323-28716-6>. Diakses September 2022.
113. Queenan JA, Gottlieb BH, Feldman-Stewart D, Hall SF, Irish J, Groome PA. Symptom appraisal, help seeking, and lay consultancy for symptoms of head and neck cancer. *Psycho-oncol*. 2018 Jan 1;27(1):286–94.
114. Damani A, Ghoshal A, Salins N, Deodhar J, Muckaden M. Prevalence and intensity of dyspnea in advanced cancer and its impact on quality of life. *Indian J Palliat Care*. 2018 Jan 1;24(1):44–50.
115. Denaro N, Merlano MC, Russi EG. Dysphagia in head and neck cancer patients: Pretreatment evaluation, predictive factors, and assessment during radio-chemotherapy, recommendations. Vol. 6, *Clin. Exp. Otorhinolaryngol*. 2013. p. 117–26.
116. Mootassim-Billah S, Van Nuffelen G, Schoentgen J, De Bodt M, Dragan T, Digonnet A, et al. Assessment of cough in head and neck cancer patients at risk for dysphagia—An overview. Vol. 4, *Cancer Reports*. John Wiley and Sons Inc; 2021.
117. Kürten CHL, Zioga E, Gauler T, Stuschke M, Guberina M, Ludwig JM, et al. Patterns of cervical lymph node metastasis in supraglottic laryngeal cancer and therapeutic implications of surgical staging of the neck. *Eur Arch Oto-Rhino-Laryngology*. 2021 Dec 1;278(12):5021–7.
118. Chen LY, Weng W Bin, Wang W, Chen JF. Analyses of high-risk factors for cervical lymph node metastasis in laryngeal squamous cell carcinoma and establishment of nomogram prediction model. *Ear, Nose Throat J*. 2021 Sep 1;100(5_suppl):657S-662S.
119. Langius JAE, Bakker S, Rietveld DHF, Kruizenga HM, Langendijk JA, Weijns PJM, et al. Critical weight loss is a major prognostic indicator for disease-specific survival in patients with head and neck cancer receiving radiotherapy. *Br J Cancer*. 2013 Sep;109(5):1093–9.
120. Jaipuria B, Dosemane D, Kamath PM, Sreedharan SS, Shenoy VS. Staging of laryngeal and hypopharyngeal cancer: Computed tomography versus

- histopathology. Vol. 30, Iran. J. Otorhinolaryngol. 2018.
121. Contrera KJ, Hair BB, Prendes B, Reddy CA, Zimmer DI, Burkey BB, et al. Clinical versus pathologic laryngeal cancer staging and the impact of stage change on outcomes. *Laryngoscope*. 2021 Mar 1;131(3):559–65.
 122. Sheahan P. Management of advanced laryngeal cancer. *Rambam Maimonides Med J*. 2014 Apr 28;5(2):15.
 123. Thompson LDR. Laryngeal dysplasia, squamous cell carcinoma, and variants. Vol. 10, *Surgical Pathology Clinics*. W.B. Saunders; 2017. p. 15–33.
 124. Li ZQ, Zou L, Liu TR, Yang AK. Prognostic value of body mass index before treatment for laryngeal squamous cell carcinoma. *Cancer Biol Med*. 2015;12(4):394–400.
 125. García Lorenzo J, Montoro Martínez V, Rigo Quera A, Codina Aroca A, López Vilas M, Quer Agustí M, et al. Modifications in the treatment of advanced laryngeal cancer throughout the last 30 years. *Eur Arch Oto-Rhino-Laryngology*. 2017;274(9):3449–55.
 126. Haddad R, O'Neill A, Rabinowitz G, Tishler R, Khuri F, Adkins D, et al. Induction chemotherapy followed by concurrent chemoradiotherapy (sequential chemoradiotherapy) versus concurrent chemoradiotherapy alone in locally advanced head and neck cancer : A randomised phase 3 trial. *Lancet Oncol*. 2013 Mar;14(3):257–64.
 127. Wakisaka N, Kondo S, Endo K, Murono S, Yoshizaki T, John M. Adjuvant chemotherapy with an oral fluoropyrimidine,S-1, following reduced RADPLAT in advanced laryngeal cancer. *Ann Otol Rhinol Laryngol*. 2012;121(8):555–62.
 128. Grover S, Swisher-McClure S, Mitra N, Li J, Cohen RB, Ahn PH, et al. Total laryngectomy versus larynx preservation for T4a larynx cancer: Patterns of care and survival outcomes. *Int J Radiat Oncol Biol Phys*. 2015 Jul 1;92(3):594–601.
 129. Akil F, Yollu U, Toprak SF, Ayral M. Laringectomia; qual è l'impatto del tipo di chirurgia sulla qualità di vita e sulla sessualità? *Acta Otorhinolaryngol Ital*. 2017;37(4):276–80.
 130. Gourin CG, Starmer HM, Herbert RJ, Frick KD, Forastiere AA, Eisele DW, et al. Short-and long-term outcomes of laryngeal cancer care in the elderly. *Laryngoscope*. 2015 Apr 1;125(4):924–33.
 131. Anderson G, Ebadi M, Vo K, Novak J, Govindarajan A, Amini A. An updated review on head and neck cancer treatment with radiation therapy.

Vol. 13, Cancers. MDPI; 2021.

132. Dey P, Arnold D, Wight R, Kelly CG, McKenzie K. Radiotherapy versus open surgery versus endolaryngeal surgery (with or without laser) for early laryngeal squamous cell cancer. In: Cochrane Database of Systematic Reviews. John Wiley & Sons, Ltd; 2014.
133. Anschuetz L, Shelan M, Dematté M, Schubert AD, Giger R, Elicin O. Long-term functional outcome after laryngeal cancer treatment. Radiat Oncol. 2019 Jun 11;14(1).

