


DAFTAR PUSTAKA

- Aarab, S., Ollero, F. J., Megías, M., Laglaoui, A., Bakkali, M., & Arakrak, A. (2013). Isolation and identification of potential phosphate solubilizing bacteria from the rhizosphere of *Lupinus hirsutus* L. in the north of Morocco. *Moroccan Journal of Biology*, 10, 7-13.
- Achmadi dan I. Las. (2007). Inovasi teknologi pengembangan pertanian lahan Rawa Lebak. Balai Penelitian Pertanian Lahan Rawa (Balittra)
- Alam, S., Khalil, S., Ayub, N., & Rashid, M. (2002). In vitro solubilization of inorganic phosphate by phosphate solubilizing microorganisms (PSM) from maize rhizosphere. *International Journal Agriculture and Biology*, 4(4), 454-458.
- Alexander, M. (1977). *Introduction to Soil Microbiology*. Wiley New York.
- Alihamsyah, T. (2004). Potensi dan pendayagunaan lahan rawa untuk peningkatan produksi padi; ekonomi padi dan beras Indonesia *Dalam Faisil Kasrino, Effendi Pasandaran dan A.M. Fagi (Penyunting)*. Balitbang Pertanian Jakarta.
- American Society for Microbiology. (2016). Colony Morphology Protocol
- Anas. (1989). Petunjuk Laboratorium Biologi Tanah dalam Praktek. Pusat Antar Universitas, Bioteknologi Institut Pertanian Bogor. Bogor, 161 halaman.
- Antoun, H., & Prévost, D. (2005). Ecology of plant growth promoting rhizobacteria. In *PGPR: Biocontrol and Biofertilization* (pp. 1-38). Springer, Dordrecht.
- Arcand, M. M., & Schneider, K. D. (2006). Plant-and microbial-based mechanisms to improve the agronomic effectiveness of phosphate rock: a review. *Andita da Academia Brasileira de Ciências*, 78(9), 807.
- Archana, G., Buch, A., & Kumar, C. N. (2012). Pivotal role of organic acid secretion by rhizobacteria in plant growth promotion. In *Microorganisms in sustainable agriculture and biotechnology* (pp. 35-53). Springer, Dordrecht.
- Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G., Smith, J. A., & Struhl, K. (1992). Short protocols in molecular biology. *New York*, 275, 28764-28773.

- Acevedo, E., Galindo-Castañeda, T., Prada, F., Navia, M., & Romero, H. M. (2014). Phosphate-solubilizing microorganisms associated with the rhizosphere of oil palm (*Elaeis guineensis* Jacq.) in Colombia. *Applied Soil Ecology*, 80, 26-33.
- Avellaneda-Torres, L. M., Pulido, C. P. G., & Rojas, E. T. (2014). Assessment of cellulolytic microorganisms in soils of Nevados Park, Colombia. *Brazilian Journal of Microbiology*, 45, 1211-1220.
- Babana, A. H., & Antoun, H. (2006). Biological system for improving the availability of Tilemsi phosphate rock for wheat (*Triticum aestivum* L.) cultivated in Mali. *Nutrient Cycling in Agroecosystems*, 76(2), 285-295.
- Balai Informasi Peranian Riau. (1991). *Budidaya Kacang Hijau*. Departemen Peranian, Liptan.
- Badan pusat Statistik. (2016). *Laporan Kinerja Badan Pusat Statistik*.
- Barea, J. M., Navarro, E., & Montoya, E. (1976). Production of plant growth regulators by rhizosphere phosphate-solubilizing bacteria. *Journal of Applied Bacteriology*, 40(2), 129-134.
- Behera, B. C., Singdevsachan, S. K., Mishra, R. R., Dutta, S. K., & Thatoi, H. N. (2014). Diversity, mechanism and biotechnology of phosphate solubilising microorganism in mangrove—a review. *Biocatalysis and Agricultural Biotechnology*, 3(2), 97-110.
- Behera, B. C., Yadav, H., Singh, S. K., Mishra, R. R., Sethi, B. K., Dutta, S. K., & Thatoi, H. N. (2017). Phosphate solubilization and acid phosphatase activity of *Serratia* sp. isolated from mangrove soil of Mahanadi River Delta, Odisha, India. *Journal of Genetic Engineering and Biotechnology*, 15(1), 169-178.
- Bhattacharyya, P., Das, S., & Acharya, J. K. (2013). Root exudates of rice cultivars affect rhizospheric phosphorus dynamics in soils with different phosphorus statuses. *Communications in Soil Science and Plant Analysis*, 44(10), 1643-1658.
- Bholay, A. D., Borkhataria, B. V., Jadhav, P. U., Palekar, K. S., Dhalkari, M. V., & Nalawade, P. M. (2012). Bacterial lignin peroxidase: a tool for biobleaching and biodegradation of industrial effluents. *Universal Journal of Environmental Research & Technology*, 2(1).
- Blanco, F. F., & Folegatti, M. V. (2003). A new method for estimating the leaf area index of cucumber and tomato plants. *Horticultura Brasileira*, 21, 666-669.



- Bojinova, D., TivatTeodosieva, R. D., & Nedialkova, K. (2008). Solubilization of mechanical activated Tunisian phosphorite with soil bacteria. *Journal of University of Chemical Technology and Metallurgy*, 43(4), 383-387.
- Buletin Konsumsi Pangan. (2015). Pusat Data dan Sistem Informasi Pertanian.<http://epublikasi.setjen.pertanian.go.id/>
- Buresh, R. J., Smithson, P. C., & Hellums, D. T. (1997). Building soil phosphorus capital in Africa. *Replenishing Soil Fertility in Africa*, 51, 111-149.
- Čepl, J., Blahůšková, A., Neubauer, Z., & Markoš, A. (2016). Variations and heredity in bacterial colonies. *Communicative & Integrative Biology*, 9(6), e1261228.
- Chabot, R., Antoun, H., & Cescas, M. P. (1996). Growth promotion of maize and lettuce by phosphate solubilizing *Rhizobium leguminosarum* biovar *phaseoli*. *Plant Science*, 184: 311-321.
- Chaiharn, M., & Lumyong, S. (2009). Phosphate solubilization potential and stress tolerance of rhizobacteria from rice soil in Northern Thailand. *World Journal of Microbiology and Biotechnology*, 25(2), 305-314.
- Chaudhary, M. I., & Fujita, K. (1998). Comparison of phosphorus deficiency effects on the growth parameters of mashbean, mungbean, and soybean. *Soil Science and Plant Nutrition*, 44(1), 19-30.
- Chen, Z., Mi, S., & Liu, L. L. (2008). Studies on phosphorus solubilizing activity of a strain of phosphobacteria isolated from chestnut type soil in China. *Bioresour Technol*, 99(14), 6702-6707.
- Chien, S. H., & Van Kauwenbergh, S. J. (1992). Chemical and mineralogical characteristics of phosphate rock for direct application. *Serie Carillanca-Instituto de Investigaciones Agropecuarias. Estacion Experimental Carillanca (Chile)*.
- Cleland, R. E. (1987). Auxin and cell elongation. In *Plant hormones and their role in plant growth and development* (pp. 132-148). Springer, Dordrecht.
- Condrón, L. M., & Goh, K. M. (1989). Effects of long-term phosphatic fertilizer applications on amounts and forms of phosphorus in soils under irrigated pasture in New Zealand. *Journal of Soil Science*, 40(2), 383-395.
- Crozier, A., Arruda, P., Jasmim, J. M., Monteiro, A. M., & Sandberg, G. (1988). Analysis of indole-3-acetic acid and related indoles in culture medium from *Azospirillum lipoferum* and *Azospirillum brasilense*. *Applied and Environmental Microbiology*, 54(11), 2833-2837.



- Darmawan, B. Sumawinata, dan B. Mulyanto. (2002). A new approach of tropical peat characterization. *International symposium on land management and biodiversity in South East Asia*. Hokkaido University Japan and Research Center for Biology. Indonesia Institute of Science.
- Dakora, F. D., & Phillips, D. A. (2013). *Root Exudates as Mediators of Mineral Acquisition in Low-Nutrient* (Vol. 95, pp. 201-213). Springer: Dordrecht.
- Deepshikha, T., Mohinder, K., & Vineet, S. (2014). Optimization of best cultural conditions for high production of phosphate solubilizing activity by fluorescent *Pseudomonas* isolated from normal and replant sites of apple and pear. *The Bioscan*, 9(1), 143-150.
- Delgado, M., Mende, J., Rodríguez-Herrera, R., Aguilar, C. N., Cruz-Hernández, M., & Balagurusamy, N. (2014). Characterization of phosphate-solubilizing bacteria isolated from the arid soils of a semi-desert region of North-east Mexico. *Biological Agriculture & Horticulture*, 30(3), 211-217.
- Deng, S., Kahn, M. L., & McDermott, T. R. (1998). Characterization and transposon mutagenesis of a non-specific acid phosphatase cloned from *Rhizobium meliloti*. *Archives of Microbiology*, 170, 18-26.
- Departemen Pertanian. (2008). Produktivitas tanaman pangan nasional tahun 2000-2007. //http://www.Deptan.go.id.
- Dey, R. K. K. P., Pal, K. K., Bhatt, D. M., & Chauhan, S. M. (2004). Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth-promoting rhizobacteria. *Microbiological Research*, 159(4), 371-394.
- Dinas Pertanian Tanaman Pangan Propinsi Riau. 2002. Luas, potensi, pemanfaatan lahan dan peluang pengembangan tanaman pangan dan hortikultura di lahan gambut Provinsi Riau.
- Dobermann, A., & Fairhurst, T. H., (2000). Rice. Nutrient disorders and Nutrient Management. Handbook series. Potash & Phosphate Institute (PPI), Potash & Phosphate Institute of Canada (PPIC) and International Rice Research Institute, Los Banos.
- Dotaniya, M. L., Pingoliya, K. K., Lata, M., Verma, R., Regar, K. L., Deewan, P., & Dotaniya, C. K. (2014). Role of phosphorus in chickpea (*Cicer arietinum* L.) production. *African Journal of Agricultural Research*, 9(51), 3736-3743.
- Fang, R., Lin, J., Yao, S., Wang, Y., Wang, J., Zhou, C., & Xiao, M. (2013). Promotion of plant growth, biological control and induced systemic resistance in maize by *Pseudomonas aurantiaca* JD37. *Annals of Microbiology*, 63(3), 1177-1185.

Fankem, H., Nwaga, D., Deubel, A., Dieng, L., Merbach, W., & Etoa, F. X. (2006). Occurrence and functioning of phosphate solubilizing microorganisms from oil palm tree (*Elaeis guineensis*) rhizosphere in Cameroon. *African Journal of Biotechnology*, 5(24).

Fankem, H., Tchakounte, G. T., Nkot, L. N., Mafokoua, H. L., Dondjou, D. T., Simo, C., Nwaga, N., & Etoa, F. X. (2015). Common bean (*Phaseolus vulgaris* L.) and soya bean (*Glycine max*) growth and nodulation as influenced by rock phosphate solubilising bacteria under pot grown conditions. *International Journal of Agriculture Policy and Research*, 3(5), 242-250.

Frankenberger, Jr., V. T., & Ashida, M. (1995). *Phytohormones in soils: microbial production and function*. CRC Press.

Garcia, C., Hernández, T., Costa, F., Ceccanti, B., & Masciandaro, G. (1993). Kinetics of phosphatase activity in organic wastes. *Soil Biology and Biochemistry*, 25(5), 561-565.

Gaur, A. C. (1981). Phospho Microorganisms and Various Transformations In Compost Technology, Project Field Document No. 13.

Glick, B. R., Todorovic, B., Czarny, J., Cheng, Z., Duan, J., & McConkey, B. (2007). Promotion of plant growth by bacterial ACC deaminase. *Critical Reviews in Plant Sciences*, 26(5-6), 227-242.

Gobat, J. M., Aragno, M., & Matthey, W. (2004). *The living soil: fundamentals of soil science and soil biology*. Science Publishers.

Goenadi, D. H., Saraswati, R., & Lestari, Y. (1993). Kemampuan melarutkan fosfat dari beberapa isolat bakteri asal tanah dan pupuk kandang sapi. *Menara Perkebunan*, 61(2), 44-49.

George, T. S., Gregory, P. J., Woodham, J. Read, D., & Buresh, R. J. (2002). Phosphatase activity and organic acids in the rhizosphere of potential agroforestry species and maize. *Soil Biology and Biochemistry*, 34(10), 1487-1494.

Gordon, S. A., & Weber, R. P. (1951). Colorimetric estimation of indoleacetic acid. *Plant physiology*, 26(1), 192.

Gupta, M., Kiran, S., Gulati, A., Singh, B., & Tewari, R. (2012). Isolation and identification of phosphate solubilizing bacteria able to enhance the growth and aloin-A biosynthesis of *Aloe barbadensis* Miller. *Microbiological Research*, 167(6), 358-363.

- Gupta, R. P., Vyas, M. K., & Pandher, M. S. (1998). Role of phosphorus solubilizing microorganisms in P-economy and crop yield. *Soil-Plant-Microbe Interaction in Relation to Nutrient Management*, 95-101.
- Gyaneshwar, P., Naresh Kumar, G., Parekh, L. J., & Poole, P. S. (2002). Role of soil microorganisms in improving P nutrition of plants. *Plant and Soil*, 245(1), 83-93.
- Halim, E. H. (2007). Ancaman Krisis Pangan Riau. Majalah Bulanan Teraju No. 06 edisi 9 September-17 Oktober 2007. Forum Komunikasi Pemuka Masyarakat Riau. Hal. 22-24.
- Hairiah, K., & Herdayanto, E. (2007). Biologi Tanah Landasan Pengelolaan Tanah Sehat. Adipura Yogyakarta.
- Hameeda, B., Rupela, O. P., Reddy, G., & Satyavani, K. (2006). Application of plant growth-promoting bacteria associated with composts and macrofauna for growth promotion of pearl millet (*Pennisetum glaucum* L.). *Biology and Fertility of Soils*, 43(2), 221-227.
- Hamzah, A., Effendi, A., dan Adriansyah, F. (2006). Peran Inokulan mikoriza dan rhizobium terhadap pertumbuhan dan produksi kacang hijau (*Phaseolus radiatus* L.). *Jurnal Penelitian Universitas Riau*. Edisi Januari-Juni 2006, Volume XV, Nomor 1. Hal. 46-50.
- Hamzah, A., Rosmimi dan Syamsuardi. (2005a). Pertumbuhan dan produksi tiga varietas kacang hijau (*Phaseolus radiatus* L) pada beberapa jarak tanam di lahan gambut. *Jurnal Sagu*, 4(01).
- Hamzah, A., Tabrani, G., dan Wijonarko, B. (2005b). Pertumbuhan dan produksi tanaman kacang hijau pada beberapa tingkat intensitas cahaya. *Jurnal Sagu*, 4(02).
- Hardjowigeno, S. (1986). Sumberdaya Biji-bijian Wilayah dan Tata Guna Lahan. Fakultas Pertanian. Institut Pertanian Bogor.
- Hardjowigeno, S. (1996). Klasifikasi Tanah dan Pedogenesis. Akademika Pressindo. Jakarta. 273 halaman.
- Harinathan, B., Sankaralingam, S., Prabhu, D., & Shankar, T. (2014). Screening and characterization of phosphate solubilizing bacterium *Enterobacter cancerogenus* isolated from rhizosphere soil of local weed plants. *International Journal Advanced Science and Technology Research*, 1, 721-735.
- Hartatik, W., Idris, K., & Sabiham, S. (2008). Kelarutan fosfat alam dan SP-36 dalam gambut yang diberi bahan amelioran tanah mineral. *Jurnal Tanah dan Iklim*, 10, 45-56.

- Hartono, A. (2000). Pengaruh pupuk fosfor, bahan organik, dan kapur terhadap pertumbuhan jerapan P pada tanah masam latosol Darmaga. *J. Ilmiah Pert. Gakuryoku*, 73-78.
- Hendricks, C. W., Doyle, J. D., & Hugley, B. (1995). A new solid medium for enumerating cellulose-utilizing bacteria in soil. *Applied and Environmental Microbiology*, 61(5), 2016-2019.
- Illmer, P., Barbato, A., & Schinner, F. (1995). Solubilization of hardly-soluble $AlPO_4$ with P-solubilizing microorganisms. *Soil Biology and Biochemistry*, 27(3), 265-270.
- Irfan, M., Sefder, A., Syed, Q., & Nadeem, M. (2012). Isolation and screening of cellulolytic bacteria from soil and optimization of cellulase production and activity. *Turkish Journal of Biochemistry/Turk Biyokimya Dergisi*, 37(3).
- Islam, Md. Tofazzal, Deora, A., Hashidako, Y., Rahman, A., Ito, T., and Tahara, S. 2007. Isolation and identification of potential phosphate solubilizing bacteria from rhizoplane of *Oriza sativa* L. cv. BR29 of Bangladesh. *Z. Naturforsch.* 62c. 103-110. <http://www.znaturforch.com>
- Ivanova E., Bojinova, D., & Nedialkova, K. (2006). Rock phosphate solubilization by bacteria. *Journal of University of Chemical Technology and Metallurgy*. 41.3. 2006: 297-302.
- Izaguirre-Mayoral, M., Flores, S., & Carballo, O. (2002). Determination of acid phosphatase and dehydrogenase activities in the rhizosphere of nodulated legume species native to two contrasting savanna sites in Venezuela. *Biology and Fertility of Soils*, 35(6), 470-472.
- Jackson, M. L. (ed). (1967). *Soil Chemical Analysis*. Prentice Hall, Inc., Engle Wood Cliff. USA
- Jena, S. K., & Rath, C. C. (2013). Optimization of culture conditions of phosphate solubilizing activity of bacterial sp. isolated from terrestrial biosphere reserve in solid state cultivation by response surface methodology. *International Journal of Current Microbiology and Applied Sciences*, 2(5), 47-59.
- Johnson, J. F., Vance, C. P., & Allan, D. L. (1996). Phosphorus deficiency in *Lupinus albus* (altered lateral root development and enhanced expression of phosphoenolpyruvate carboxylase). *Plant Physiology*, 112(1), 31-41.
- Joner, E. J., Van Aarle, I. M., & Vosatka, M. (2000). Phosphatase activity of extra-radical arbuscular mycorrhizal hyphae: a review. *Plant and Soil*, 226(2), 199-210.

- Junkazayama. (2009). Effect of solvent phosphate bacteria on soybean crop production (*Glycine max* L. Merr) "Willis". [http:// one.indoskripsi.com/node/7833](http://one.indoskripsi.com/node/7833) [October 12, 2013]
- Kannahi, M., & Umaragini, N. (2013). Isolation, characterization and antagonistic effect of phosphate solubilizing microorganisms from *Vigna radiata* L. rhizospheric soil. *International Journal of Current Microbiology and Applied Sciences*, 2(5), 83-88.
- Kang, B. G., Kim, W. T., Yun, H. S., & Chang, S. C. (2010). Use of plant growth-promoting rhizobacteria to control stress responses of plant roots. *Plant Biotechnology Reports*, 4(3), 179-183.
- Karnwal, A. (2009). Production of indole acetic acid by fluorescent *Pseudomonas* in the presence of L-tryptophan and rice root exudates. *Journal of plant Pathology*, 61-63.
- Khalid, A., Arshad, M., & Zahir, Z. A. (2004). Screening plant growth promoting rhizobacteria for improving growth and yield of wheat. *Journal of Applied Microbiology*, 96(3), 473-480.
- Kresnawati, I., & Andanawarih, S. (2008). Optimisasi dan pemurnian IAA yang dihasilkan *Rhizobium* sp. dalam medium serum lateks dengan suplementasi triptofan dari pupuk kandang. *Menara perkebunan*, 76(2), 74-81.
- Kucey, R. M. N., Janzen, H. H., & Leggett, M. E. (1989). Microbially mediated increases in plant-available phosphorus. *Advances in Agronomy*, 42, 199-228.
- Kuo, G. C. (1998). Growth, development, and physiological aspects of mungbean yield. Asia Vegetable Research and Development Center. PO Box 42, Taiwan 74199, Taiwan, Republic of China.
- Li, S. M., Li, J., Zhang, F. S., & Tang, C. (2004). Acid phosphatase role in chickpea/maize intercropping. *Annals of Botany*, 94(2), 297-303.
- Liang, Y. L., Zhang, Z., Wu, M., Wu, Y., & Feng, J. X. (2014). Isolation, screening, and identification of cellulolytic bacteria from natural reserves in the subtropical region of China and optimization of cellulase production by *Paenibacillus terrae* ME27-1. *BioMed Research International*, 2014.
- López-Ortega, M. D. P., Criollo-Campos, P. J., Gómez-Vargas, R. M., Camelo-Rusinque, M., Estrada-Bonilla, G., Garrido-Rubiano, M. F., & Bonilla-Buitrago, R. (2013). Characterization of diazotrophic phosphate solubilizing bacteria as growth promoters of maize plants. *Revista Colombiana de Biotecnología*, 15(2), 115-123.



- Lorion, R. M. (2004). *Rock phosphate, manure and compost use in garlic and potato systems in a high intermontane valley in Bolivia* (Doctoral dissertation, Washington State University).
- Lupwayi, N. Z., Rice, W. A., & Clayton, G. W. (1998). Soil microbial diversity and community structure under wheat as influenced by tillage and crop rotation. *Soil Biology and Biochemistry*, 30(13), 1733-1741.
- Lynch, J.M. 1983. *Soil Biotechnology*: Blackwell Sci. Pub. Co. London, pp:191
- Magnavaca, R., Gardner, C. O., & Clark, R. B. (1987). Evaluation of inbred maize lines for aluminum tolerance in nutrient solution. In *Genetic aspects of plant mineral nutrition* (pp. 215-265). Springer, Dordrecht.
- Mahesh M., Neha G., Rajesh T. S., Somashekhar R. and Puttaiah E. T. (2010) Isolation and characterization of extracellular thermostable alkaline phosphatase enzyme from *Bacillus* spp. *International Journal of Applied Biology and Pharmaceutical Technology* 1(1): 21-33.
- Margaretha, A., Husin, E. F., & Hakim, N. (1999). Kontribusi bakteri pelarut Fosfat pada Andisol terhadap ketersediaan dan serapan P serta hasil jagung dengan pemakaian fosfat alam. *Jurnal Studi Pertanian*, 17-24.
- Marista, E., Khotimah, S., & Linda, R. (2013). Bakteri pelarut fosfat hasil isolasi dari tiga jenis tanah rizosfer tanaman pisang nipah (*Musa paradisiaca* var. nipah) di Kota Singkawang. *Jurnal Protobiont*, 2(2)
- Marra, L. M., Oliveira-Longatti, S. M. D., Soares, C. R., Lima, J. M. D., Olivares, F. L., & Moreira, F. (2015). Initial pH of medium affects organic acids production but do not affect phosphate solubilization. *Brazilian Journal of Microbiology*, 46, 367-375.
- Masganti, T. N., Maas, A., & Radjagukguk, B. (2002). Efektivitas pemupukan P pada tanah gambut. *Jurnal Ilmu Tanah dan Lingkungan*, 3(2002).
- Messaoud, B. B., Aboumerieme, L., Nassiri, L., El Fallouj, E., & Ibijbjen, J. (2015). Phenotypic and genotypic characterization of phosphate solubilizing bacteria isolated from the Errachidia Province, Morocco. *British Biotechnology Journal*, 6(1), 23-24.
- Moghimi, A., Tate, M. E., & Oades, J. M. (1978). Characterization of rhizosphere products especially 2-ketogluconic acid. *Soil Biology and Biochemistry*, 10(4), 283-287.

- Moinuddin, D. T., Hussain, S., Khan, M. M. A., Hashmi, N., Idrees, M., Naeem, M., & Ali, A. (2014). Use of N and P biofertilizers together with phosphorus fertilizer Improves growth and physiological attributes of chickpea. *Global Journal of Agriculture and Agricultural Sciences*, 2(3), 168-174.
- Mubekti, M. (2011). Studi pewilayahan dalam rangka pengelolaan lahan gambut berkelanjutan di Provinsi Riau. *Jurnal Sains dan Teknologi Indonesia*, 13(2).
- Mullen, M. D. (1998). Transformation of Other Elements. In: Sylvia, DM, JJ Fuhrmann, PG Hartel & DA Zuberger (Eds), Principles and Applications of Soil Microbiology.
- Murdiyasa, D., & Suryadiputra, I. N. (2004). Tropical peatlands management and climate change: a case study in Sumatra, Indonesia. In *Proceedings of the 12th International Peat Congress on Wise Use of Peatlands, 6-11 June 2004, Tampere, Finland: vol. 1-oral presentations*. International Peat Society, Jyvaskyla, Finland.
- Mutalib, A. A. (1992). Characterization, distribution and utilization of peat in Malaysia. In *Proceedings of the International Symposium on Tropical Peatland, Kuching, Sarawak, Malaysia, 6-10 May 1991*.
- Najiyati, S., Muslihat, L., dan Suryadiputra, I. N. N. 2005. Panduan pengelolaan lahan gambut untuk pertanian berkelanjutan. Proyek Climate change, Forest and Peatlands in Indonesia. Wetlands International-Indonesia Programme dan Wildlife Habitat Canada. Bogor. Indonesia.
- Narsian, V., & Patel, H. H. (2000). *Aspergillus aculeatus* as a rock phosphate solubilizer. *Soil Biology and Biochemistry*, 32(4), 559-565.
- Nasrul, B., Anom, E., & Hamzah, A. (2006). Survei dan pemetaan tanah Laboratorium Lapangan Rimba Panjang Fakultas Pertanian Universitas Riau. *Jurnal Sagu*, 5(01).
- Naveed, M., Qureshi, M. A., Zakir, Z. A., Hussain, M. B., Sessitsch, A., & Mitter, B. (2015). L-Tryptophan-dependent biosynthesis of indole-3-acetic acid (IAA) improves plant growth and colonization of maize by *Burkholderia phytofirmans* PsJN. *Annals of Microbiology*, 65(3), 1381-1389.
- Neumann, G., Massonneau, A., Martinoia, E., & Römheld, V. (1999). Physiological adaptations to phosphorus deficiency during proteoid root development in white lupin. *Planta*, 208(3), 373-382.
- Niswati, A., Yusnaini, S., & Arif, M. A. S. (2008). Populasi mikroba pelarut fosfat dan P-tersedia pada rizosfir beberapa umur dan jarak dari pusat perakaran jagung (*Zea mays* L.). *Journal of Tropical Soils*, 13(2), 123-130.

- Noor, A. (2003). Pengaruh fosfat alam dan kombinasi bakteri pelarut fosfat dengan pupuk kandang terhadap P tersedia dan pertumbuhan kedelai pada ultisol. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 31(3).
- Noor, M. (2001). Pertanian lahan Gambut: Potensi dan Kendala. Penerbit Kanisius, Yogyakarta. 137 halaman.
- Notohadiprawiro, T. (1986). A conceptual approach to peat and peatlands for development. In *Symposium on Tropical peat and peatlands for development. Yogyakarta. Indonesia*.
- Nurkanto, A. (2007). Identifikasi Aktivitas Aedes tanah hutan pasca kebakaran Bukit Bangkirai Kalimantan Timur dan potensinya sebagai pendegradasi selulosa dan pelarut fosfat. *Biodiversitas*, 8(4), 314-319.
- Ormeño, E., Torres, R., Mayo, J., Rivas, R., Peix, A., Velázquez, E., & Zuñiga, D. (2007). Phaseolus lunatus is nodulated by a phosphate solubilizing strain of *Sinorhizobium meliloti* in a Peruvian soil. In *First International Meeting on Microbial Phosphate Solubilization* (pp. 143-147). Springer, Dordrecht.
- Panhwar, Q. A., Radziah, O., Sariah, M., & Ismail, M. R. (2009). Solubilization of different phosphate forms by phosphate solubilizing bacteria isolated from aerobic rice. *International Journal of Agriculture & Biology*, 11(6), 667-673.
- Panhwar, Q. A., Radziah, O., Zaharah, A. R., Sariah, M., & Razi, I. M. (2011). Role of phosphate solubilizing bacteria on rock phosphate solubility and growth of aerobic rice. *Journal of Environmental Biology*, 32(5), 607.
- Parhamfar, M., Badoei-Dalfard, A., Parhamfar, M., & Fahimi Rad, S. (2016). Purification and Characterization of an Extracellular Phosphatase Enzyme From *Bacillus* spp. *Journal of Cell and Molecular Research*, 8(2), 90-97.
- Park, J. H., Lee, H. H., Han, C. H., Yoo, J. A., & Yoon, M. H. (2010). Synergistic effect of co-inoculation with phosphate-solubilizing bacteria. *Korean Journal of Agricultural Science*, 43(3), 401-414.
- Patagundi, B. I., Shivasharan, C. T., & Kaliwal, B. B. (2014). Isolation and characterization of cellulase producing bacteria from soil. *International Journal of Current Microbiology and Applied Sciences*, 3(5), 59-69.
- Pathak, R., Paudel, V., Shrestha, A., Lamichhane, J., & Gauchan, D. P. (2017). Isolation of phosphate solubilizing bacteria and their use for plant growth promotion in tomato seedling and plant. *Kathmandu University Journal of Science, Engineering and Technology*, 13(2), 61-70.

- Patten, CL., and Glick, B. R. (1996). Bacterial biosynthesis of indole-3-acetic acid. *Canadian Journal of Microbiology*. 42:207-220.
- Patten, C. L., & Glick, B. R. (2002). Role of *Pseudomonas putida* indole acetic acid in development of the host plant root system. *Applied and Environmental Microbiology*, 68(8), 3795-3801.
- Paul, D., & Sinha, S. N. (2017). Isolation and characterization of phosphate solubilizing bacterium *Pseudomonas aeruginosa* KUPSB12 with antibacterial potential from river Ganga, India. *Annals of Agrarian Science*, 15(1), 130-136.
- Paul, E. A., & Clark, F. E. (1989). *Soil Microbiology and Biochemistry*. Academic Press, Inc. New York, USA.
- Perez, E., Salbaran, M., Ball, M. M., & Yarzabal, L. A. (2007). Isolation and characterization of mineral phosphate-solubilizing bacteria naturally colonizing a limonitic crust in the south-eastern Venezuelan region. *Soil Biology and Biochemistry*, 39(11), 2905-2914.
- Premono, M. E., Moawad, A. M., & Vlek, P. L. G. (1996). Effect of phosphate-solubilizing *Pseudomonas putida* on the growth of maize and its survival in the rhizosphere. *Indian Journal of Crop Science*, 5, 371-379.
- Purwaningsih, S. (2004). Pengujian mikroba sebagai pupuk hayati terhadap pertumbuhan tanaman *Acacia mangium* pada pasir steril di rumah kaca. *Biodiversitas*, 5(2), 85-88.
- Purwono dan H. Purnamawati. 2007. *Budidaya 8 jenis tanaman pangan unggulan*. Penerbit Swadaya. Jakarta.
- Pusat Penelitian Tanah Bogor. (1983). *Jenis dan macam tanah di Indonesia untuk keperluan survey dan pemetaan tanah daerah transmigrasi*. Terms of Reference Proyek Penelitian Pertanian Menunjang Transmigrasi. Pusat Penelitian Tanah Bogor.
- Pusat Penelitian Tanah dan Agroklimat. (2000). *Atlas sumberdaya tanah eksplorasi Indonesia, skala 1:1.000.000*. Puslittanak, Badan Litbang Pertanian. Deptan.
- Radiansyah, A.D., I. Bonilasombu., T. Pandjaitan, Warsito., B. Sukmananto., R. Haryadi, H. B. Simbolon., B. Sumawinata., M. Fakhruddin dan H. Agustina. (2006). *Strategi nasional pengelolaan lahan gambut berkelanjutan di Indonesia*. Kementerian Lingkungan Hidup Indonesia.
- Rahman, A., Sitepu, I. R., Tang, S. Y., & Hashidoko, Y. (2010). Salkowski's reagent test as a primary screening index for functionalities of rhizobacteria isolated from wild dipterocarp saplings growing naturally on

medium-strongly acidic tropical peat soil. *Bioscience, Biotechnology, and Biochemistry*, 74(11), 2202-2208.

Rahman, M. M., Adan, M. J., Chowdhury, M. S. N., Ali, M. S., & Mahabub, T. S. (2015). Effects of phosphorus and zinc on the growth and yield of mungbean (BARI mug 6). *International Journal of Scientific and Research Publications*, 5(2), 1-4.

Rani, M., Prakash, V., & Khan, K. (2016). Response of mungbean [*Vigna radiata* (L.) Wilczek] to phosphorus, sulphur and PSB during summer season. *Agricultural Science Digest-A Research Journal*, 36, 146-148.

Ranjan, A., Moholkshmi, M., & Saideh, M. (2013). Isolation and characterization of phosphate solubilizing bacterial species from different crop fields of Salem, Tamil Nadu, India. *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 3(1), 29.

Reddy, K. R., Diaz, O. A., Scinto, L. J., & Agami, M. (1995). Phosphorus dynamics in selected wetlands and streams of the Lake Okeechobee Basin. *Ecological Engineering*, 5(2-3), 183-207.

Richardson, A. E., Hadobas, P. A., & Hayes, J. E. (2001). Extracellular secretion of *Aspergillus* phytase from *Arabidopsis* roots enables plants to obtain phosphorus from phytate. *The Plant Journal*, 25(6), 641-649.

Rodríguez, L., & Fraga, R. (1999). Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnology Advances*, 17(4-5), 319-339.

Rodríguez, H., Fraga, R., Gonzalez, T., & Bashan, Y. (2006). Genetics of phosphate solubilization and its potential applications for improving plant growth-promoting bacteria. *Plant and Soil*, 287(1), 15-21.

Sagervanshi, A., Kumari, P., Nagee, A., and Kumar, A. (2012). Media optimization for inorganic phosphate solubilizing bacteria isolated from Anand agriculture soil. *International Journal of Life Science & Pharma Research*, 2(3), 245-255.

Salehi, B., & Aminpanah, H. (2015). Effects of phosphorus fertilizer rate and *Pseudomonas fluorescens* strain on field pea (*Pisum sativum* subsp. arvense (L.) Asch.) growth and yield. *Acta Agriculturae Slovenica*, 105(2), 213-224.

Sangrila, S., & Maiti, T. K. (2013). Cellulase production by bacteria: A review. *British Microbiology Research Journal*, 3(3), 235-258.

Santoso, B. B., & Hariyadi. (2008). Metode pengukuran luas daun jarak pagar (*Jatropha curcas* L.). *Magrobis Jurnal Ilmu-ilmu Pertanian*, 8(1), 17-22.

- Shahab, S., & Ahmed, N. (2008). Effect of various parameters on the efficiency of zinc phosphate solubilization by indigenous bacterial isolates. *African Journal of Biotechnology*, 7(10), 1543-1549
- Shakoor, S., Aftab, S., & Rehman, A. (2013). Characterization of cellulose degrading bacterium, *Bacillus megaterium* S3, isolated from indigenous environment. *Pak. J. Zool*, 45(6), 1655-1662.
- Sharma, S. B., Sayyed, R. Z., Trivedi, M. H., & Gobi, T. A. (2013). Phosphate solubilizing microbes: sustainable approach for managing phosphorus deficiency in agricultural soils. *SpringerPlus*, 2(1), 1-14.
- Sharma, S. N., Prasad, R., Shivaraj, S., Swathi, M. K., Kumar, S., Davari, M. R., Ram, M., & Kumar, D. (2010). Relative efficiency of ammonium phosphate and mussoorie rock phosphate on productivity and phosphorus balance in a rice-rapeseed-mungbean cropping system. *Nutrient Cycling in Agroecosystems*, 86(2), 199-209.
- Shahid, M., Hameed, S., Tariq, M., Zafar, M., Ali, A., & Ahmad, N. (2015). Characterization of mineral phosphate-solubilizing bacteria for enhanced sunflower growth and yield-attributing traits. *Annals of Microbiology*, 65(3), 1525-1536.
- Sharon, J. A., Hathwaik, L. T., Glenn, G. M., Imam, S. H., & Lee, C. C. (2016). Isolation of efficient phosphate solubilizing bacteria capable of enhancing tomato plant growth. *Journal of Soil Science and Plant Nutrition*, 16(2), 525-536.
- Sharpley, A. N. (1995). Soil phosphorus dynamics: agronomic and environmental impacts. *Ecological Engineering*, 5(2-3), 261-279.
- Shobharani, P., Yogesh, D., Halami, P. M., & Sachindra, N. M. (2014). Potential of cellulase from *Bacillus megaterium* for hydrolysis of Sargassum. *Journal of Aquatic Food Product Technology*, 22(5), 520-535.
- Shon, T. K., Haryanto, T. A. D., & Yoshida, T. (1997). DM matter production and utilization of solar energy in one year old *Bupleurum falcatum*. *Journal Faculty of Agriculture Kyushu University*, 41, 133-140
- Sinar Tani, (2007). RUU Pengelolaan Lahan Pertanian Pangan Abadi. Sinar Tani 10 Juli 2007 halaman 10.
- Sinsabaugh, R. L., Saiya-Cork, K., Long, T., Osgood, M. P., Neher, D. A., Zak, D. R., & Norby, R. J. (2003). Soil microbial activity in a Liquidambar plantation unresponsive to CO₂-driven increases in primary production. *Applied Soil Ecology*, 24(3), 263-271.

Sitepu, I. R., Hashidoko, Y., Santoso, E., & Tahara, S. (2007). Potent phosphate-solubilizing bacteria isolated from dipterocarps grown in peat swamp forest in Central Kalimantan and their possible utilization for biorehabilitation of degraded peatland. In *Proceedings of the International Symposium and Workshop on Tropical Peatland, Yogyakarta* (pp. 27-29).

Situmorang, E. C., Prameswara, A., Sinthya, H. C., Toruan-Mathius, N., & Liwang, T. (2015). Indigenous phosphate solubilizing bacteria from peat soil for an eco-friendly biofertilizer in oil palm plantation. *KnE Energy*, 65-72.

Soil Survey Staff. (1990). *Keys to soil taxonomy*. Agency for International Development, United States Department of Agriculture, Soil management

Song, O. R., Lee, S. J., Lee, Y. S., Lee, S. C., Kim, K. K., & Choi, Y. L. (2008). Solubilization of insoluble inorganic phosphate by *Burkholderia cepacia* DA21 isolated from cultivated soil. *Brazilian Journal of Microbiology*, 39, 151-156.

Subagyo, M. (2003). Penyebaran dan potensi tanah gambut di Indonesia untuk pengembangan pertanian. Dalam *CCFPI 2003. Sebaran Gambut di Indonesia. Seri prosiding 02. Wetlands International Indonesia Programmed and Wildlife Habitat Canada*. Hal. 197-227.

Subba Rao, N. S. (1994). Mikroorganisme tanah dan pertumbuhan tanaman. *Persebit Universitas Indonesia*. Jakarta, 353.

Suliasih, R. (2006). Aktivitas fosfatase dan pelarutan kalsium fosfat oleh beberapa bakteri pelarut fosfat. *Biodiversitas*, 8(1), 23-26.

Sukmasari, M. D., Hamdani, J. S., Waluyo, B., & Karuniawan, A. (2016a). Efek Kombinasi Pupuk Fosfat dan Bakteri Pelarut Fosfat terhadap Indeks Pertumbuhan Fisiologi Lima Varietas Ubi Jalar [*Ipomoea batatas* (L.) Lam]. *Jurnal Pangan, Kesehatan dan Pangan*, 2(3), 204-210.

Sukmasari, M. D., Waluyo, B., & Karuniawan, A. (2016). Pengaruh bakteri pelarut fosfat terhadap efisiensi pemupukan p, serapan p dan hasil ubi jalar. In *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi* (pp. 567-573).

Suriadikarta, D.A., & R.D.M. Simanungkalit. (2007). *Dasar-dasar Ilmu Tanah*. PT. Raja Grafindo Persada. Jakarta. 358 halaman.

Suryantini, S. (2016). Effect of phosphorus, organic and biological fertilizer on yield of mungbean (*Vigna radiata*) under two cropping patterns. *Nusantara Bioscience*, 8(2), 273-277.

- Suryanto. (1991). The Behaviour of Phosphorus Fertilizers in Tropical Peat Towards pH and Availability of P, Ca and K. In *Proceeding of The International Symposium on Tropical Peatland. Kuching Sarawak, Malaysia* (pp. 410-416).
- Susanti, D., & Safrina, D. (2018). Identifikasi luas daun spesifik dan indeks luas daun pegangan (*Centella asiatica* (L.) Urb.) di Karangpandan, Karanganyar, Jawa Tengah. *Jurnal Tumbuhan Obat Indonesia*, 11(1), 11-17.
- Syamsiyah, J., Minardi, S., & Winoto, B. (2013). Efisiensi serapan P dan hasil tanaman padi (*Oryza sativa* L.) pada berbagai imbalanced pupuk kandang puyuh dan pupuk anorganik di Lahan Sayah Palu, Sukoharjo (Musim Tanam II). *Soils-Tanah Journal of Soil Science and Agronomy*, 7(2), 65-72.
- Talboys, P. J., Owen, D. W., Healey, J. R., Withers, P. J., & Jones, D. L. (2014). Auxin secretion by *Bacillus amyloliquefaciens* FZB42 both stimulates root exudation and limits phosphorus uptake in *Triticum aestivum*. *BMC Plant Biology*, 14(1), 1-9.
- Tan, S., Yang, C., Mei, X., Shen, S., Raza, W., Shen, Q., & Xu, Y. (2013). The effect of organic acids from tomato root exudates on rhizosphere colonization of *Bacillus amyloliquefaciens* T-5. *Applied Soil Ecology*, 64, 15-21.
- Tanimoto, H. (2005). Regulation of root growth by plant hormones—roles for auxin and gibberellin. *Critical Reviews in Plant Sciences*, 24(4), 249-265.
- Tarafder, H. K., Dey, A., & Dasgupta, S. (2016). Co-inoculation of phosphate solubilizing bacteria and rhizobia for improving growth and yield of mungbean (*Vigna radiata* L.). *Asian Journal of Soil Science*, 14, 207-212.
- Teather, R. M., & Wood, P. E. (1982). Use of Congo red polysaccharide interactions in enumeration and characterization of cellulolytic bacteria from the bovine rumen. *Applied and Environmental Microbiology*, 43(4), 777-780.
- Thakuria, D., Talukdar, N. C., Goswami, C., Hazarika, S., Boro, R. C., & Khan, M. R. (2004). Characterization and screening of bacteria from rhizosphere of rice grown in acidic soils of Assam. *Current Science*, 978-985.
- Tilak, K. V. B. R., Ranganayaki, N., Pal, K. K., De, R., Saxena, A. K., Nautiyal, C. S., Mittal, S., Tripathi, A. K. & Johri, B. N. (2005). Diversity of plant growth and soil health supporting bacteria. *Current science*, 136-150.
- Tim Fakultas Pertanian IPB. (1992). Potensi, kendala dan alternatif pengembangan kawasan rawa pasang surut di Indonesia. *Prosiding*

Seminar Pengembangan Terpadu Kawasan Rawa Pasang Surut di Indonesia.

- Ullah, A., Ali, A., Waseem, M., Nadeem, M. A., Tahir, M., Iqbal, A., & Haseeb, R. (2010). Response of two mung bean cultivars with different phosphorus levels under Faisalabad condition. *International Journal Applied Agricultural Research*, 5(5), 621-628.
- Vance, C. P., Uhde-Stone, C., & Allan, D. L. (2003). Phosphorus acquisition and use: critical adaptations by plants for securing a nonrenewable resource. *New Phytologist*, 157(3), 423-447.
- Van Straaten, P. (2002). Rocks For Drops: Agro minerals on sub-Saharan Africa. ICRAF, Nairobi, 338.
- Vazquez, E., Holguin, G., Puente, M. E., Lopez-Cortes, A., & Bashan, Y. (2000). Phosphate-solubilizing microorganisms associated with the rhizosphere of mangroves in a semiarid coastal lagoon. *Biology and Fertility of Soils*, 30(5), 460-468.
- Vessey, J. (2003). Plant growth promoting rhizobacteria as biofertilizers. *Plant and Soil*. 255:571-586.
- Vikram, A., & Hamzehzarghani, H. (2008). Effect of phosphate solubilizing bacteria on nodulation and growth parameters of greengram (*Vigna radiata* L. Wilczek). *Research Journal of Microbiology*, 3(2), 51-72.
- Vijay, N., Kumar, A., & Bhoite, A. (2009). Influence of nitrogen, phosphorus and potassium fertilizer on biochemical contents of *Asparagus racemosus* (Willd.) root tubers. *Research Journal of Environmental Sciences*, 3(3), 283-291.
- Vikram, A., & Hamzehzarghani, H. (2008). Effect of phosphate solubilizing bacteria on nodulation and growth parameters of greengram (*Vigna radiata* L. Wilczek). *Research Journal of Microbiology*, 3(2), 62-72.
- Vikram, A., Hamzehzarghani, H., Alagawadi, A. R., Krishnaraj, P. U., & Chandrashekar, B. S. (2007). Production of plant growth promoting substances by phosphate solubilizing bacteria isolated from vertisols. *Journal of Plant Science*, 2(3), 326-333.
- Viruel, E., Erazzú, L. E., Martínez Calsina, L., Ferrero, M. A., Lucca, M. E., & Siñeriz, F. (2014). Inoculation of maize with phosphate solubilizing bacteria: effect on plant growth and yield. *Journal of Soil Science and Plant Nutrition*, 14(4), 819-831.

- Wahyunto, S., Ritung, Suparto dan H. Subagjo. (2005). Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan. Proyek *Climate change, Forest and Peatlands in Indonesia*. Wetlands International-Indonesia Programme and Wildlife Habitat Canada.
- Walker, T. S., Bais, H. P., Grotewold, E., & Vivanco, J. M. (2003). Root exudation and rhizosphere biology. *Plant Physiology*, 132(1), 44-51.
- Walpola, B. C., & Yoon, M. H. (2013). Phosphate solubilizing bacteria: Assessment of their effect on growth promotion and phosphorous uptake of mung bean (*Vigna radiata* [L.] R. Wilczek). *Chilean Journal of Agricultural Research*, 72(3), 275.
- Whitelaw, M. A. (1999). Growth promotion of plants inoculated with phosphate-solubilizing fungi. *Advances in Agronomy*, 69, 99-151.
- Widawati, S., & Suliasih, S. (2006a). The population of phosphate solubilizing bacteria (PSB) from Cikaniki, Botol Mountain, and Ciptarasa Area, and the ability of PSB to solubilize insoluble P in solid pikovskaya medium. *Biodiversitas Journal of Biological Diversity*, 7(2).
- Widawati, S., & Suliasih. (2006b). Augmentasi Bakteri Pelarut Fosfat (BPF) potensial sebagai pemacu pertumbuhan caysin (*Brasica cavensis* Oed.) di Tanah Marginal. *Biodiversitas*, 7(1), 10-14.
- Widjaja Achi, I. P. G. (1988). Physical and Chemical Characteristics of Peat Soils of Indonesia. Paper Presented at Third Meeting of The Cooperative Research on Problem Soils. On August 22-26. 1988, at CRIFC, Bogor.
- Woo, H. L., Hazen, T. C., Simmons, B. A., & DeAngelis, K. M. (2014). Enzyme activities of aerobic lignocellulolytic bacteria isolated from wet tropical forest soils. *Systematic and Applied Microbiology*, 37(1), 60-67.
- Wulandari, S. (2001). Efektifitas bakteri pelarut fosfat *Pseudomonas* sp. pada pertumbuhan tanaman kedelai pada tanah podsolik merah-kuning. *Jurnal Nature Indonesia*, 4(1) : 1-5.
- Yadav, H., Gothwal, R. K., Nigam, V. K., Sinha-Roy, S., & Ghosh, P. (2013). Optimization of culture conditions for phosphate solubilization by a thermo-tolerant phosphate-solubilizing bacterium *Brevibacillus* sp. BISR-HY65 isolated from phosphate mines. *Biocatalysis and Agricultural Biotechnology*, 2(3), 217-225.
- Yadav, R., & Tarafdar, J. (2001). Influence of organic and inorganic phosphorus supply on the maximum secretion of acid phosphatase by plants. *Biology and Fertility of Soils*, 34(3), 140-143.

- Yang, C. H., & Crowley, D. E. (2000). Rhizosphere microbial community structure in relation to root location and plant iron nutritional status. *Applied and Environmental Microbiology*, 66(1), 345-351.
- Yu, X., Liu, X., Zhu, T. H., Liu, G. H., & Mao, C. (2012). Co-inoculation with phosphate-solubilizing and nitrogen-fixing bacteria on solubilization of rock phosphate and their effect on growth promotion and nutrient uptake by walnut. *European Journal of Soil Biology*, 50, 112-117.
- Zaidi, A., & S., Khan. (2006). Co-inoculation Effect of phosphate solubilizing microorganisms and *Glomus fasciculatum* on Green Gram-*Bradyrhizobium Symbiosis*. *Turkey Journal Agriculture*. 30:223-230.
- Zapata, F., & Roy, R. N. (2004). Use of phosphate rocks for sustainable agriculture. *FAO Fertilizer and Plant Nutrition Bulletin*, 1-148.
- Zeng, Q., Wu, X., & Wen, X. (2016). Identification and characterization of the rhizosphere phosphate-solubilizing bacterium *Pseudomonas frederiksbergensis* JW-SD2, and its plant growth-promoting effects on poplar seedlings. *Annals of Microbiology*, 66(4), 1343-1354.

