

DAFTAR PUSTAKA

- Agosti, D., J. D. Majer, L. E. Alonso dan T. R. Schultz. 2000. *Ants Standard Methods For Measuring and Monitoring Biodiversity*. Smithsonian Institution Press. Washington, U. S. A.
- Andersen A.N., 2010. Functional groups in ant community ecology. In: *Ant Ecology* (Lach L, Parr CL and Abbott KL, eds), Oxford University Press, Oxford: p142-144.
- Andersen AN, 1995. Measuring more of biodiversity: Genus richness as a surrogate for species richness in Australian ant faunas. *Biological Conservation* 73: 39-44.
- Andersen AN, 2000. A global ecology of rainforest ants: Functional groups in relation to environmental stress and disturbance. In: *Ants: Standard Methods for Measuring and Monitoring Biodiversity* (Agosti D, Majer JD, Alonso EL and Schultz TR, eds), Smithsonian Institute Press, Washington, DC p25-34.
- Andersen AN, 2010. Functional groups in ant community ecology. In: *Ant Ecology* (Lach L, Parr CL and Abbott KL, eds), Oxford University Press, Oxford pp 142-144.
- Andersen AN, Fisher A, Hoffmann BD, Read JL, Richards R. 2004. Use of terrestrial invertebrates for biodiversity monitoring in Australian rangelands, with particular reference to ants. *Austral Ecol* 29(1): pp87–92.
- Andersen AN, Hoffmann BD, Muller WJ, Griffiths AD. 2002. Using ants as bioindicators in land management: simplifying assessment of ant community responses. *J Appl Ecol* 39(1): pp8–17.
- Andersen AN, Majer JD. 2004. Ants show the way Down Under: invertebrates as bioindicators in land management. *Front Ecol Environ* 2(6): pp291–298.
- Andersen, A. N. 2000. *Global ecology of rainforest ants: functional groups in relation to environmental stress and disturbance*. In: Agosti D, Majer JD, Alonso LE, Schultz TR (ed.), *Ants: Standard Methods for Measuring and Monitoring Biodiversity*. Washington: Smithsonian Institution Press Pr. pp 25-34.
- Antsmap. 2020. *Antsmap*. <http://www.antsmap.org/Discothyrea/Indonesia>. Diakses tanggal 28 Januari 2020.
- Antweb. 2019. *Antsweb*. <http://www.antweb.org>. Diakses tanggal 20 Maret 2021.
- Antwiki. 2020. Method of the ants of the world. Available from <http://antwiki.org/>. Diakses tanggal 20 Februari 2020.

- Araujo, M. L and G. W. Fernandes. 2003. Altitudinal Patterns in a Tropical Ant Assemblage and Variation in Species Richness between Habitats. *Lundiana* 4: pp103-109.
- Arinal I, Septiana T, Suparto A. 2007. Buku informasi: kawasan konservasi Sumatera Barat. Balai Konservasi Sumber Daya Alam Sumatera Barat, Padang. 48 hal.
- Bergmann, C. 1847. Ueber die Verhältnisse der Wärmeökonomie der Thiere zu ihrer Grösse. *Göttinger Studien* 3: pp595-708.
- Bernstein, R. A. 1979. Schedules of foraging activity in species of ants. *J Anim Ecol* 48: pp921-930.
- Bharti, H., Y. P. Sharma., M. Bharti and M. Pfeiffer. 2013. Ant Species Richness, Endemicity and Functional Groups, Along an *Elevational* Gradient in The Himalayas. *Asian Myrmecology* 5: pp79–101.
- BKSDA Sumbar. 2017. Buku Informasi Kawasan Konservasi. BKSDA Sumatera Barat. Padang.
- Blackburn, T.M. and Ruggerio, A. 2001. Latitude, *elevation* and body mass variation in Andean passerine birds. *Global Ecology and Biogeography* 10: pp245-259.
- Blackburn, T.M., Gaston, K.J. and Loder, N. 1999. Geographic gradients in body size: a clarification of Bergmann's rule. *Diversity and Distributions* 5: pp165-174.
- Bolton B. 1973. The ant genera of West Africa: a synonymic synopsis with keys. *Bulletin of the British Museum (Natural History) (Entomology)*. 27(6): pp317–368.
- Bolton, B. 2003. Synopsis and Classification of Formicidae. *Memoirs of the American Entomological Institute* 71: pp1-370.
- Bolton, B. 2016. AntCat.org: An Online Catalog Of The Ants Of The World. <http://antwiki.org>. Diakses tanggal 26 Oktober 2020.
- Bolton, B. O. 1994. *Identification guide to the ant genera of the world*. Harvard University Press, Cambridge, MA. 222 pp.
- Bolton, B. 2020. An online catalog of the ants of the world. Available from <http://antcat.org/>. Diakses tanggal 20 January 2020.
- Borror, J. D., A. C. Triplehorn and F. N. Johnson. 2005. *Pengenalan Pelajaran Serangga, Edisi ketujuh*. Gadjah Mada University Press. Yogyakarta.
- Brehm, G. and Fiedler, K. 2004. Bergmann's rule does not apply to geometrid moths along an *elevational* gradient in an Andean montane rain forest. *Global Ecology and Biogeography* 13: 7-14.

- Brown Jr., W. L. 2000. Diversity of ants. In: Agosti, D., J.D. Majer, L.E. Alonso and T.R. Schultz (eds). *Ants: standard methods for measuring and monitoring biodiversity*. Smithsonian Institution Press, Washington and London.
- Brown Jr., W. L. 1979. A remarkable new species of Proceratium, with dietary and other notes on the genus (Hymenoptera: Formicidae). *Psyche* 86: pp337-346.
- Brown W.L. Jr. 1958. Contributions toward a reclassification of the Formicidae. II. Tribe Ectatommini (Hymenoptera). *Bulletin of the Museum Comparative Zoology at Harvard College* 118: pp173–362.
- Brown, J.H. 1988. Species diversity. *Analytical biogeography: an integrated approach to the study of animal and plant distribution* (ed. by A.A. Myers & P.S. Giller), pp57–89. Chapman & Hall, New York.
- Brown, J.H., Gillooly, J.F., Allen, A.P.P., Savage, V.M. and West, G.B. 2004. Toward a metabolic theory of ecology. *Ecology* 85: pp1771-1789.
- Brown, W. L. 1973. A Comparison of the Hylean and Congo-East African Rain Forest ant Faunas. Smithsonian Intituation Press. Washington pp161-185.
- Brown, W.L. 1953. Revisionary studies in the ant tribe Dacetini. *American Midland Naturalist* 50: pp1-137.
- Brühl, C.A., Mohamed. M, Linsenmair, K.E. 1999. Altitudinal distribution of leaf litter ants along a transect in primary forest on Mount Kinabalu, Sabah Malaysia. *Trop Ecol* 15: pp265-277.
- Cardoso, P. 2009. Standarization and Optimalization of Arthropod Inventories-The Case of Iberian Spider. *Biodivers Conserv* 18: pp3949-3962
- Cherian, M.C. 1933. Pests of ganja (*Cannabis sativa*). *Madras Agricultural Journal* 20 (7): pp259-265.
- Christian, K.D. & Morton, S. R. 1992. Extreme thermophilia in a Central Australian ant, *Melophorus bagoti*. *Physiol. Zool* 65: pp885-905.
- Christian, K.D. and Morton, S.R. 1992. Extreme thermophilia in a Central Australian ant, *Melophorus bagoti*. *Physiol. Zool* 65: pp885-905.
- Cushman, J.H. Lawton, J. H and Manly, B.F.J. 1993. Latitudinal patterns in European ant assemblages: variation in species richness and body size. *Oecologia* 95: pp30-37.
- D'Auria L and Covin. 2009. The seismicity of Marapi volcano, West Sumatra. *Geophysical Research Abstracts* pp11.
- Dassou AG, Tixier P. 2016. Response of pest control by generalist predators to local-scale plant diversity: a meta-analysis. *Ecol Evol* 6 (4): pp1143-1153.

- Dejean, A., and A. Dejean. 1998. How a ponerine ant acquired the most evolved mode of colony foundation. *Insect Soc* 45: pp343–346.
- Dejean, A., B. Schatz, J. Orivel, G. Beugnon, J. P. Lachaud, and B. Corbara. 1999. Feeding preferences in African ponerine ants: a cafeteria experiment (Hymenoptera: Formicidae). *Sociobiology* 34: pp555–568.
- D'emmerez De Charmoy, D. 1930. Insect pests in Mauritius in 1928 (summary). *Review of Applied Entomology* 18: pp559.
- Diaz, M. 1992. Spatial And Temporal Patterns Of Granivorous Ant Seed Predation In Pathy Cereal Crop Areas Of Central Spain. *Oecologia* 91: pp561-568.
- Douglas, M. E., and W. J. Matthews. 1992. Does morphology predict ecology? Hypothesis testing within a freshwater stream fish assemblage. *Oikos* 65: pp213–24.
- Eguchi, K. 2000. Two New Pheidole Species With A-5 segmented Antennal Club (Hymenoptera: Formicidae). *Entomological Science* 3(4): 687-692.
- Eguchi, K. 2001. A Revision of Borneoan Species of the Ants Genus Pheidole (Insecta: Hymenoptera: Formicidae: Myrmicinae. Tropics, *Monographics* No. 2 ISSN 0917: 415X.
- Fadillah, M. 2008. *Diversitas Semut (Hymenoptera: Formicidae) di Beberapa Ketinggian Vertikal di Kawasan Cagar Alam Telaga Warna Jawa Barat*. Tesis Master Biologi. Sekolah Pascasarjana Institut Pertanian Bogor.
- Farji-Brener, A. G., G. Barrantes, and A. Ruggiero. 2004. Environmental rugosity, body size and access to food: A test of the size–grain hypothesis in tropical litter ants. *Oikos* 104: pp165–71.
- Fisher, B.L. 1999. Ant diversity patterns along an elevational gradient in the Reserve Naturelle Integrale d'Andohahela, Madagascar. *Fieldiana Zoology* 4: pp129–147.
- Flores-Maldonado, K.Y., Phillips, S.A. Jr. and Sánchez-Ramos, G. 1999. The myrmecofauna (Hymenoptera: Formicidae) along an altitudinal gradient in the Sierra Madre Oriental of Northeastern Mexico. *The Southwestern Naturalist* 44: pp457-461.
- Gaston, K.J. 2003. The structure and dynamics of geographic ranges. Oxford University Press, Oxford, 266 pp.
- Gaston, K.J. and Blackburn, T.M. 2000. Pattern and process in macroecology. *Blackwell Science* pp377.
- Geraghty, M. J., Robert. R. D., and Nathan J, S. 2007. Body size, colony size, and range size in ants (Hymenoptera: Formicidae): are patterns along *elevational* and latitudinal gradients consistent with Bergmann's Rule? *Myrmecological News* 10: pp51-58.

- González E, Buffa L, Defagó MT, Molina SI, Salvo A, Valladares G. 2018. Something is lost and something is gained: loss and replacement of species and functional groups in ant communities at fragmented forests. *Landscape Ecol* 33 (12): pp2089-2102.
- Gotelli, N. J. and A. E. Arnett. 2000. Biogeographic effects of red fire and invasion. *Ecology Letters* 3: pp257-261.
- Gotelli, N.J. and Ellison, A.M. 2002: Assembly rules for New England ant assemblages. *Oikos* 99: pp591-599.
- Greenslade, P.J.M. and Greenslade, P. 1984. Invertebrates and environmental assessment. *Environ Planning* 3: pp13-5.
- Gregg, R. E. 1963. The ants of Colorado. University of Colorado Press, Boulder.
- Grime, J.P. 1979. Plant strategies and vegetation processes. John Wiley, Chichester
- Hashimoto, Y., S. Yamane and M. Mohamed. 2001. How to Design an Inventory Method for Ground-Level Ants in Tropical Forest. *Nature and Human Activities* 6: pp25-30.
- Hashimoto, Y. 2003. *Identification Guide to The Ant Genera of Borneo* in: Hashimoto, Y., R, Homathevi (ed.), Inventory and Collection Total protocol For Understanding of Biodiversity. Research and Education Component BBEC Programme.
- Hausdorf, B. 2003. Latitudinal and altitudinal body size variation among north-west European land snail species. *Global Ecology and Biogeography* 12: pp389-394.
- Hawkins, B.A. 1995. Latitudinal body-size gradients for the bees of the eastern United States. *Ecological Entomology* 20: pp195-198.
- Hawkins, B.A. and Devries, P.J. 1996. Altitudinal gradients in the body sizes of Costa Rican butterflies. *Acta Oecologia* 17: pp185-194.
- Hawkins, B.A. and Lawton, J.H. 1995: Latitudinal gradients in butterfly body sizes: is there a general pattern? *Oecologia* 102: pp31-36.
- Heinze, J., Foitzik, S., Fischer, B., Wanke, T. and Kipyatkov, V.E. 2003. The significance of latitudinal variation in body size in a holarctic ant, *Leptothorax acervorum*. *Ecography* 26: pp349-355.
- Herwina, H and K. Nakamura. 2007. Ant species diversity studied using pitfall traps in a small yard in Bogor Botanic Garden, West Java, Indonesia. *TREUBIA* 35: pp99-116.
- Herwina, H., Dari M.W., Yaherwandi., Kojima, J. 2020. Altitudinal gradients of ant species diversity (Hymenoptera: Formicidae) in Mount Talang, West Sumatra, Indonesia. *Entomological research* 44: pp469-474.

- Hita-Garcia F, Lieberman Z, Audisio TL, Liu C, Economo EP, Boudinot B and Mikó I, 2019. Revision of the highly specialized ant genus *Discothyrea* (Hymenoptera: Formicidae) in the Afrotropics with X-ray microtomography and 3D cybertaxonomy. *Insect Systematics and Diversity* 3: pp1–84.
- Holldobler, B and E. O. Wilson. 1990. *The Ants*. Massachusetts: Harvard University Press.
- Horvitz, C.C. and Schemske, D.W. 1986. Seed dispersal of a neotropical myrmecochore: variation in removal rates and dispersal distance. *Biotropica* 18: pp319-323.
- Hosoishi, S. Anh L. N., Seiki, Y., and Kazuo. 2013. Ant diversity in rubber plantations (*Hevea brasiliensis*) of Cambodia. *Asian myrmecology Journal* 5: pp69–77.
- Jaitrong W. 2011. *Identification Guide to the Ant Genera of Thailand*. Thailand National Science Museum Press. PathumThani pp1-115.
- Jeanne, R.L. 1979. A latitudinal gradient in rates of ant predation. *Ecology* 60: pp1211-1224.
- Juliano, S. A., and J. H. Lawton. 1990. The relationship between competition and morphology. I. Morphological patterns among co-occurring dytiscid beetles. *J Anim Ecol*. 59: pp403–9
- Kaspari, M. 2000. *A Primer on Ant Ecology*. In: Agosti D, Majer JD, Alonso LE, Schultz TR (ed.), *Ants: Standard Methods for Measuring and Monitoring Biodiversity*. Washington: Smithsonian Institution Press Pr. pp 9-24.
- Kaspari, M. 2005. Global energy gradients and size in colonial organisms: worker mass and worker number in ant colonies. *Proceedings of the National Academy of Sciences of the United States of America* 102: pp5079-5083.
- Kaspari, M. and M. D. Weiser. 1999. The size-grain hypothesis and interspecific scaling in ants. *Functional Ecology* 13: pp530-538.
- Kaspari, M. and Vargo, E.L. 1995. Colony size as a buffer against seasonality: Bergmann's rule in social insects. *The American Naturalist* 145: pp610-632.
- Kaspari, M., and M. Weiser. 1999. The size–grain hypothesis and interspecific scaling in ants. *Funct Ecol* 13: pp530–8.
- Katayama, M. 2013. Predatory behaviours of *Discothyrea kamiteta* (Proceratiinae) on spider eggs. *Asian Myrmecology* 5: pp121–124.
- LaPolla, J. S. 2009. Taxonomic revision of the Southeast Asian ant genus *Euprenolepis*. *Zootaxa* 2046: pp1-25.

- Lapolla, J. S., S. G. Braddy., and S. O. Shattuck. 2011. Monograph of Nylanderia (Hymenoptera: Formicidae) of the World: An introduction to the systematics and biology of the genus. *Zootaxa* 3 (110): pp1–9.
- Lomolino, M.V. 2001. Elevational gradients of species-density: historical and prospective views. *Global Ecology and Biogeography* 10: pp3–13.
- Machac A, Janda M, Dunn RR and Sanders NJ. 2011. Elevational gradients in phylogenetic structure of ant communities reveal the interplay of biotic and abiotic constraints on diversity. *Ecography* 34: pp364–371.
- Magguran, A. E. 2004. *Measuring Biological Diversity*. Blackwell Science LTD. United Kingdom.
- Majer, J. D., S. O. Shattuck, A. N. Andersen, and A. J. Beattie. 2004. Australian ant research: Fabulous fauna, functional groups, pharmaceuticals, and the fatherhood. *Aust J Entomol* 43: pp235–47.
- Malsch, K.F. Annette, Fiala, B., Maschwitz, U., Mohamed M., Nais J. nad Linsenmair, E. 2008. An analysis of declining ant species richness with increasing elevation at Mount Kinabalu, Sabah, Borneo. *Asian Myrmecology* 2: pp33-49.
- Meiri, S. and Dayan, T. 2003. On the validity of Bergmann's rule. *Journal of Biogeography* 30: pp331–351.
- Miles, D. B., R. E. Ricklefs, and J. Travis. 1987. Concordance of ecomorphological relationships in three assemblages of passerine birds. *Am. Nat.* 129:347–64.
- Mousseau, T.A. 1997. Ectotherms follow the converse Bergmann's rule. *Evolution* 51: pp630-632.
- Mousseau, T. A. and Roff, D. A. 1989. Adaptation to seasonality in a cricket: patterns of phenotypic and genotypic variation in body size and diapause expression along a cline in season length. *Evolution* 43: pp1483-1496.
- Narendra, A. Gibb, H. Ali, T. 2011. Structure of ant assemblages in Western Ghats, India: role of habitat, disturbance and introduced species. *Insect Conserv Divers* 4(2): pp132–141
- Narendra, A and S. Kumar. 2006. *On A Trail With Ants*. Tholasi Prints India Pvt. Ltd. Bangalore.
- Nipperess, D. A. and Beattie, A. J. 2004. Morphological dispersion of Rhytidoponera assemblages: the importance of spatial scale and null model. *Ecology* 85: pp2728-2736.
- Partasasmita, R. 2003. Ekologi Burung Pemakan Buah dan Peranananya Sebagai Penyebar Biji. Makalah Falsafah Sains Program Pascasarjana Institut Pertanian Bogor. Bogor

- Partridge, L and Coyne, J.A. 1997. Bergmann's rule in ectotherms: is it adaptive? *Evolution* 51: pp632-635.
- Pfeiffer, M. Chimedregzen, L. Ulykpan, K. 2003. Community organization and species richness of ants (Hymenoptera/Formicidae) in Mongolia along an ecological gradient from steppe to Gobi Desert. *Journal of Biogeography* 30(12): pp1921-1935.
- Plowes, N. J. R, and R. Patrock. 2000. A Field Key to the Ants (Hymenoptera: Formicidae) found at Brackenridge Field Laboratories. University of Texas at Austin. Texas. <http://www.sbs.utexas.edu/bio373l/docs/ants/antkey.pdf>. Diakses tanggal 20 Mei 2020.
- Porter, E. E. and Hawkins, B. A. 2001. Latitudinal gradients in colony size for social insects: termites and ants show different patterns. *The American Naturalist* 157: pp97-106.
- Price, T. 1991. Morphology and ecology of breeding warblers along an altitudinal gradient in Kashmir, India. *J Anim Ecol* 60: pp643–64.
- Rahbek, C. 1995. The elevational gradient of species richness: a uniform pattern? *Ecography* 18: pp200–205.
- Ricklefs, R. E and Schluter, D. 1993. *Species diversity in ecological communities: historical and geographical perspectives*. University of Chicago, Chicago.
- Rigato, F. 1994. Revision of the Myrmicine ant genus *Lophomyrmex*, with a review of its Taxonomic Position (Hymenoptera: Formicidae). *Systematic Entomology* 19: pp47-60.
- Risch, S. J. and Carroll, C. R. 1986. Effects of seed predation by a tropical ant on competition among weeds. *Ecology* 67: pp1319-1327.
- Rosenzweig, M. L. 1955. Net primary productivity of terrestrial environments: predictions from climatological data. *American Naturalist* 102: pp67–74.
- Rothney, G.A.J. 1889: Notes on Indian ants. Transactions of the Entomological Society of London. pp347-374.
- Rubiana R, Rizali A, Denmead LH, Alamsari W, Hidayat P, Pudjianto, Hindayana D, Clough Y, Tscharntke T, Buchori D. 2015. Agricultural land use alters species composition but not species richness of ant communities. *Asian Myrmecol* 7: pp73-85.
- Sallata. M. K. 2013. Pinus (*Pinus merkusii* Jungh et de Vriese) dan Keberadaannya di Kabupaten Tana Toraja, Sulawesi Selatan. Info Teknis Eboni, Vol. 10 No. 2: pp85-98.
- Samson, A.D., Rickart, A.E. and Gonzales, C.P. 1997. Ant diversity and abundance along an elevational gradient in the Philippines. *Biotropica* 29(3): pp349-363.

- Sanders, N.J., Gotelli, N.J., Wittman, S.E., Ratchford, J.S., Ellison, A.M. and Jules, E.S. 2007: Assembly rules for ant communities across spatial scales and habitats. *Journal of Biogeography* 34: pp1632–1641
- Sarty, M., K. L. Abbott and P. J. Lester. 2006. Habitat complexity facilitates coexistence in a tropical ant community. *Oecologia* 149: pp465–73.
- Satria, R., H. Kurushima, H. Herwina, S. Yamane and K. Eguchi. 2015. The TrapJaw Ant Genus *Odontomachus* Latreille (Hymenoptera: Formicidae) From Sumatra, with a New Species Description. *Zootaxa* 4048 (1): pp001-036.
- Septriani, S. 2016. Jenis-Jenis Semut (Hymenoptera: Formicidae) di Suaka Alam Maninjau Utara Selatan, Kabupaten Agam, Sumatera Barat. *Skripsi Sarjana Biologi*. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Andalas.
- Shattuck, S. O. 2009. A Revision the Australian Species of the Ant Genus *Myrmecina* (Hymenoptera: Formicidae). *Zootaxa* 2146: pp1-21.
- Shattuck, S.O. 2000. *Australian Ants: Their Biology and Identification*. Csiro Publishing. Australia.
- Sheata, M. N. and A. H. Kaschef. 1971. Foraging Activities Of *Messor aegyptiacus* Emery (Formicidae). *Insectes Sociaux* 18: pp215
- Sivapragasam, A. and Chua, T.H. 1997. Natural enemies for the cabbage webworm, *Hellula undalis* (FABR.) (Lepidoptera: Pyralidae) in Malaysia. *Researches on Population Ecology* 39: pp3-10.
- Stevens, G.C. 1992. The elevational gradient in altitudinal range: an extension of Rapoport's latitudinal rule to altitude. *American Naturalist* 140: pp893–911.
- Stevens, R. D., and M. R. Willig. 2000. Community structure, abundance, and morphology. *Oikos* 88: pp48–56.
- Susanto, O. K. 2016. Diversitas Semut (Hymenoptera: Formicidae) pada Berbagai Ketinggian di Gunung Singgalang Provinsi Sumatera Barat. *Tesis. Pascasarjana Jurusan Biologi, Univesitas Andalas. Padang (unpublished)*
- Vanconcelos, H. L. Marcos. F. L. Jose M. S. V. Albertina P. L. William E. M. 2008. Ant Diversity in Amazonian Savana: Relationship with Vegetation Structure, Disturbance by Fire and Dominant ants. *Austral Ecology* 33: pp221-231.
- Vanvoorhies, W. A. 1996: Bergmann size clines: a simple explanation for their occurrence in ectotherms. *Evolution* 50: pp1259-1264
- Weber, N. 1943. The ants of the Imatong Mountains, Anglo-Egyptian Sudan. Bull. Mus. Comp. Zool 93: pp261-354.

- Weiser, M. D., and M. Kaspari. 2006. Ecological morphospace of new world ants. *Ecol Entomol.* 31: pp131–142
- Wheeler, W. M. 1917. The mountain ants of western North America. *Proc. Amer. Acad. Arts Sciences* 52: pp457-569.
- Whitten T, Damanik SJ, Anwar J, Hisyam N. 1997. The ecology of Sumatra. Periplus Editions (HK) Ltd, Hong Kong.
- Wiens, J.A. 1992. The ecology of Bird Communities. Foundations and Patterns. Cambridge University Press.
- Wilson, E. O. 1964. The true army ants of the Indo-Australian area (Hymenoptera: Formicidae: Dorylinae). *Pac Insects* 6: pp427-48
- Yamane, S. 2007. Pachycondyla Nigrita And Related Species in Southeast Asia. In Snelling, R. R., B. L. Fisher, and P. S. Ward (eds). Advances in ant systematics (Hymenoptera: Formicidae): homage to E. O. Wilson – 50 years of contributions. Memoirs of the American Entomological Institute, pp 650-663

