

DAFTAR PUSTAKA

1. Lechien JR, Saussez S, Schindler A, Karkos PD, Hamdan AL, Harmegnies B, et al. Clinical outcomes of laryngopharyngeal reflux treatment: A systematic review and meta-analysis. *Laryngoscope*. 2019 May 1;129(5):1174–87.
2. Burton LK, Murray JA, Thompson DM. Ear, nose, and throat manifestations of gastroesophageal reflux disease: Complaints can be telltale signs. *Postgrad Med*. 2005;117(2):39–45.
3. Chen G, Liu W, Liao W, Song L, Yang P, Zhang X. An epidemiological survey of gastroesophageal reflux disease at the digestive endoscopy center in Guangzhou. *European Archives of Oto-Rhino-Laryngology*. 2021;278(12):4901–8.
4. Massawe WA, Nkya A, Abraham ZS, Babu KM, Moshi N, Kahinga AA, et al. Laryngopharyngeal reflux disease, prevalence and clinical characteristics in ENT department of a tertiary hospital Tanzania. *World J Otorhinolaryngol Head Neck Surg*. 2021;7(1):28–33.
5. Asyari A, Amri D, Fitri F, Yerizal E, Bachtiar H, Zulka Kautzia Rachmawati E, et al. Deteksi pepsin pada saliva pasien refluks laringofaring. *Oto Rhino Laryngologica Indonesiana*. 2018;48(1):65–73.
6. Andriani Y, Akil MA, Gaffar M, Punagi AQ. Deteksi pepsin pada penderita refluks laringofaring yang didiagnosis berdasarkan reflux symptom index dan reflux finding score. *Oto Rhino Laryngologica Indonesiana*. 2011;41(2):121.
7. Carrau RL, Khidr A, Crawley JA, Hillson EM, Davis JK, Pashos CL. The impact of laryngopharyngeal reflux on patient-reported quality of life. *Laryngoscope*. 2004;114(4):670–4.

8. Nilsson M, Johnsen R, Ye W, Hveem K, Lagergren J. Obesity and estrogen as risk factors for gastroesophageal reflux symptoms. *JAMA*. 2003 Jul 2;290(1):66-72.
9. Koufman, J A. The otolaryngologic manifestation of reflux disease. A clinical investigation of 225 patients hour pH monitoring and an experimental investigation pepsin in the development of laryngeal njury. *Laryngoscope* №4. 1991;101:Pt 2.-Suppl 53.-P.1-78.
10. Vance D, Alnouri G, Shah P, O'Connell Ferster AP, Lyons K, Ross J, et al. The validity and reliability of the reflux finding score. *Journal of Voice*. 2020; S0892-1997(20)30421-5.
11. Almeida AG do P, Saliture TBS, da Silva ÁS, Eckley CA. Translation and cultural adaptation of the reflux finding score into Brazilian Portuguese. *Braz J Otorhinolaryngol*. 2013;79(1):47–53.
12. Silva ÁS, Duprat AC, Machado SR, Melo DN, Nascimento Ribeiro DK. Evaluation of the reflux symptom index and the endolaryngeal findings scale after treatment in individuals with laryngopharyngeal reflux. *Int Arch Otorhinolaryngol*. 2021 Jan;25(1):e115-e122.
13. Postma GN. Ambulatory pH monitoring methodology. *Ann Otol Rhinol Laryngol Suppl*. 2000; 184:10-4.
14. Vaezi MF. Gastroesophageal reflux disease and the larynx. *J Clin Gastroenterol*. 2003;36(3):198–203.
15. Knight J, Lively MO, Johnston N, Dettmar PW, Koufman JA. Sensitive pepsin immunoassay for detection of laryngopharyngeal reflux. *Laryngoscope*. 2005 Aug;115(8):1473–8.

16. Ocak E, Kubat G, Yorulmaz İ. Immunoserologic pepsin detection in the saliva as a non-invasive rapid diagnostic test for laryngopharyngeal reflux. *Balkan Med J.* 2015;32(1):46–50.
17. Bulmer DM, Ali MS, Brownlee IA, Dettmar PW, Pearson JP. Laryngeal mucosa: Its susceptibility to damage by acid and pepsin. *Laryngoscope.* 2010;120(4):777–82.
18. Divakaran S, Rajendran S, Thomas RM, Jacob J, Kurien M. Laryngopharyngeal Reflux: Symptoms, Signs, and Presence of Pepsin in Saliva - A Reliable Diagnostic Triad. *Int Arch Otorhinolaryngol.* 2021;25(2):e273.
19. Johnston N, Dettmar PW, Bishwokarma B, Lively MO, Koufman JA. Activity/stability of human pepsin: Implications for reflux attributed laryngeal disease. *Laryngoscope.* 2007 Jun;117(6):1036–9.
20. Johnston N, Knight J, Dettmar PW, Lively MO, Koufman J. Pepsin and carbonic anhydrase isoenzyme III as diagnostic markers for laryngopharyngeal reflux disease. *Laryngoscope.* 2004;114(12):2129–34.
21. Bardhan KD, Strugala V, Dettmar PW. Reflux revisited: advancing the role of pepsin. *Int J Otolaryngol.* 2012 ;2012:1–13.
22. Birtić D, Vceva A, Kotromanović Z, Zubčić Z, Mihalj H, Jovanović S. Significance of the Pepsin from the Saliva in the Diagnosis and Treatment of Laryngopharyngeal Reflux Disease. *Coll Antropol.* 2012;36(2):83–6.
23. Knight J, Lively MO, Johnston N, Dettmar PW, Koufman JA. Sensitive pepsin immunoassay for detection of laryngopharyngeal reflux. *Laryngoscope.* 2005;115(8):1473–8.
24. Doğru M, Kuran G, Haytoğlu S, Dengiz R, Arıkan OK. Role of laryngopharyngeal reflux in the pathogenesis of otitis media with effusion. *J Int Adv Otol.* 2015;11(1):66–71.

25. Iannella G, di Nardo G, Plateroti R, Rossi P, Plateroti AM, Mariani P, et al. Investigation of pepsin in tears of children with laryngopharyngeal reflux disease. *Int J Pediatr Otorhinolaryngol*. 2015;79(12):2312–5.
26. Guo Z, Wu H, Jiang J, Zhang C. Pepsin in saliva as a diagnostic marker for gastroesophageal reflux disease: A meta-analysis. *Medical Science Monitor*. 2018;24:9509–16.
27. Drake LR, Vogl W, Mitchell WMA. *Regiones Capitis dan Cervicales*. Dalam: Lewis CC, Lazaru MD, editors. *Gray's Basic Anatomy*. Edisi ke-1. Philadelphia: Elsevier; 2012. 545–546.
28. Hall JE. *Fisiologi Gastrointestinal*. Dalam: Surjadhana A, Agustiningsih D, editors. *Guyton dan Hall Buku Ajar Fisiologi Kedokteran*. Edisi ke-13. Philadelphia: Elsevier; 2019. 813–814.
29. Koufman J, Sataloff RT, Toohill R. Laryngopharyngeal reflux: Consensus conference report. *Journal of Voice*. 1996;10(3 2):215–6.
30. Mahmoud NF, Atta AAEA, Elhamouly MS, Abdelmonem AA, Bassiouny SES. Dietary risk factors and therapy outcomes of swallowing-related problems in laryngopharyngeal reflux: patients' perspectives. *The Egyptian Journal of Otolaryngology*. 2021;37(1):4–11.
31. Lechien JR, Saussez S, Karkos PD. Laryngopharyngeal reflux disease: clinical presentation, diagnosis and therapeutic challenges in 2018. *Curr Opin Otolaryngol Head Neck Surg*. 2018;26(6):392–402.
32. Koufman JA, Amin MR, Panetti M. Prevalence of reflux in 113 consecutive patients with laryngeal and voice disorders. *Otolaryngology - Head and Neck Surgery*. 2000;123(4):385–8.
33. Chen XM, Li Y, Guo WL, Wang WT, Lu M. Prevalence of laryngopharyngeal reflux disease in Fuzhou region of China. *Chinese journal of otorhinolaryngology head and neck surgery*. 2016;51(12):909–13.

34. Spantideas N, Drosou E, Bougea A, Assimakopoulos D. Laryngopharyngeal reflux disease in the Greek general population, prevalence and risk factors. *BMC Ear Nose Throat Disord*. 2015;15(1).
35. Samloff IM. Peptic ulcer: the many proteinases of aggression. *Gastroenterology*. 1989;96(2):586–95.
36. Bardhan KD, Strugala V, Dettmar PW. Reflux Revisited: Advancing the Role of Pepsin. *Int J Otolaryngol*. 2012;2012:1–13.
37. Eroschenko VP. Sistem Pernapasan. Dalam: Sonja L, editor. *Atlas Histologi di Fiore dengan Korelasi Fungsional*. Edisi ke-11. Alih Bahasa: Tambayong Jan. Jakarta: EGC. 2007. 341
38. Sereg-Bahar M, Jerin A, Jansa R, Stabuc B, Hocevar-Boltezar I. Pepsin and bile acids in saliva in patients with laryngopharyngeal reflux - a prospective comparative study. *Clin Otolaryngol*. 2015 Jun 1;40(3):234–9.
39. Lechien JR, Saussez S, Harmegnies B, Finck C, Burns JA. Laryngopharyngeal reflux and voice disorders: a multifactorial model of etiology and pathophysiology. *Journal of Voice*. 2017;31(6):733–52.
40. Hanson DG, Jiang J, Chi W. Quantitative color analysis of laryngeal erythema in chronic posterior laryngitis. *J Voice*. 1998;12(1):78–83.
41. Magee DF. Pepsin. *Medical Clinics of North America*. 1974 Nov 1;58(6):1277–87.
42. Heda R, Toro F, Tombazzi CR. Physiology, Pepsin. 2022 May 8. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2022. PMID: 30725690.
43. Lanas A, Royo Y, Ortego J, Molina M, Sainz R. Experimental esophagitis induced by acid and pepsin in rabbits mimicking human reflux esophagitis. *Gastroenterology*. 1999;116(1):97–107.

44. Tobey NA, Hosseini SS, Caymaz-Bor C, Wyatt HR, Orlando GS, Orlando RC. The role of pepsin in acid injury to esophageal epithelium. *American Journal of Gastroenterology*. 2001;96(11):3062–70.
45. Bulmer D, Ross PE, Axford SE, Johnston N, Gill GA, Pearson JP, et al. Cell biology of laryngeal epithelial defenses in health and disease: Further studies. *Annals of Otology, Rhinology and Laryngology*. 2003;112(6):481–91.
46. Zhang M, Chia C, Stanley C, Phyland DJ, Paddle PM. Diagnostic utility of salivary pepsin as compared with 24-hour dual ph/impedance probe in laryngopharyngeal reflux. *Otolaryngol Head Neck Surg*. 2021;164(2):375–80.
47. Calvo-Henríquez C, Ruano-Ravina A, Vaamonde P, Martínez-Capoccioni G, Martín-Martín C. Is pepsin a reliable marker of laryngopharyngeal reflux? A Systematic Review. *Otolaryngol Head Neck Surg*. 2017;157(3):385–91.
48. Marshall S, McCann AJ, Samuels TL, Blair A, Bonne V, Johnston N, et al. Detection of pepsin and IL-8 in saliva of adult asthmatic patients. *J Asthma Allergy*. 2019;12:155.
49. Jacobson BC, Somers SC, Fuchs CS, Kelly CP, Camargo CA. Body-mass index and symptoms of gastroesophageal reflux in women. *New England Journal of Medicine*. 2006;354(22):2340–8.
50. Pandolfino JE, El-Serag HB, Zhang Q, Shah N, Ghosh SK, Kahrilas PJ. Obesity: A challenge to esophagogastric junction integrity. *Gastroenterology*. 2006;130(3):639–49.
51. Merrouche M, Sabaté JM, Jouet P, Harnois F, Scaringi S, Coffin B, et al. Gastro-esophageal reflux and esophageal motility disorders in morbidly obese patients before and after bariatric surgery. *Obes Surg*. 2007;17(7):894–900.
52. Karkos PD, Belafsky PC. Review article: Nonsurgical treatment of non-acid reflux. *Aliment Pharmacol Ther*. 2011;33: 66–70.

53. Murphy DW, Castell DO. Chocolate and heartburn: evidence of increased esophageal acid exposure after chocolate ingestion. *Am J Gastroenterol*. 1988 Jun 1;83(6):633–6.
54. Nebel OT, Fornes MF, Castell DO. Symptomatic gastroesophageal reflux: Incidence and precipitating factors. *Am J Dig Dis*. 1976;21(11):953–6.
55. Talley NJ, Zinsmeister AR, Schleck CD, Melton LJ. Smoking, alcohol, and analgesics in dyspepsia and among dyspepsia subgroups: Lack of an association in a community. *Gut*. 1994;35(5):619–24.
56. Kahrilas PJ, Gupta RR. The effect of cigarette smoking on salivation and esophageal acid clearance. *Journal of Laboratory and Clinical Medicine*. 1989 Oct 21;114(4):431–8.
57. Pehl C, Wendl B, Pfeiffer A. White wine and beer induce gastro-oesophageal reflux in patients with reflux disease. *Aliment Pharmacol Ther*. 2006;23(11):1581–6.
58. Freidin N, Mittal RK, Traube M, McCallum RW. Segmental High Amplitude Peristaltic Contractions in the Distal Esophagus. *Am J Gastroenterol*. 1989;84(6):619–23.
59. Orr WC, Robinson MG, Johnson LF. Acid clearance during sleep in the pathogenesis of reflux esophagitis. *Dig Dis Sci*. 1981;26(5):423–7.
60. Khoury RM, Camacho-Lobato L. Influence of spontaneous sleep positions on nighttime recumbent reflux in patients with gastroesophageal reflux disease. *American Journal of Gastroenterology*. 1999;94(8):2069–73.
61. Parmelee-Peters K, Moeller JL. Gastroesophageal reflux in athletes. *Curr Sports Med Rep*. 2004;3(2):107–11.
62. Jozkozv P, Wasko-Czopnik D, Medras M, Paradowski L. Gastroesophageal reflux disease and physical activity. *Sports Medicine*. 2006;36(5):385–91.

63. Groome M, Cotton JP, Borland M, McLeod S, Johnston DA, Dillon JF. Prevalence of laryngopharyngeal reflux in a population with gastroesophageal reflux. *Laryngoscope*. 2007 Aug;117(8):1424–8.
64. Ali MES, Bulmer DM, Dettmar PW, Pearson JP. Mucin gene expression in reflux laryngeal mucosa: histological and in situ hybridization observations . *Int J Otolaryngol*. 2014;2014:1–6.
65. Johnston N, Yan JC, Hoekzema CR, Samuels TL, Stoner GD, Blumin JH, et al. Pepsin promotes proliferation of laryngeal and pharyngeal epithelial cells. *Laryngoscope*. 2012 Jun;122(6):1317–25.
66. Wong IWY, Rees G, Greiff L, Myers JC, Jamieson GG, Wormald PJ. Gastroesophageal reflux disease and chronic sinusitis: in search of an esophageal-nasal reflex. *Am J Rhinol Allergy*. 2010 Jul;24(4):255–9.
67. Mittal RK, Shaffer HA, Parollisi S, Baggett L. Influence of breathing pattern on the esophagogastric junction pressure and esophageal transit. *Am J Physiol Gastrointest Liver Physiol*. 1995;269(4 32-4):577–83.
68. Yuan S, Costa M, Brookes SJH. Neuronal pathways and transmission to the lower esophageal sphincter of the guinea pig. *Gastroenterology*. 1998;115(3):661–71.
69. Lipan MJ, Reidenberg JS, Laitman JT. Anatomy of reflux: A growing health problem affecting structures of the head and neck. *Anat Rec B New Anat*. 2006;289(6):261–70.
70. Sivarao D V., Goyal RK. Functional anatomy and physiology of the upper esophageal sphincter. *Am J Med*. 2000 Mar 6;108 Suppl 4a(4):27–37.
71. Jin BJ, Lee YS, Jeong SW, Jeong JH, Lee SH, Tae K. Change of acoustic parameters before and after treatment in laryngopharyngeal reflux patients. *Laryngoscope*. 2008;118(5):938–41.

72. Nakagawa H, Fukuda H, Kawaida M, Shiotani A, Kanzaki J. Lubrication mechanism of the larynx during phonation: An experiment in excised canine larynges. *Folia Phoniatica et Logopaedica*. 1998;50(4):183–94.
73. Ulualp SO, Toohill RJ. Laryngopharyngeal reflux: State of the art diagnosis and treatment. *Otolaryngol Clin North Am*. 2000 Aug 1;33(4):785–801.
74. Adhami T, Goldblum JR, Richter JE, Vaezi MF. The role of gastric and duodenal agents in laryngeal injury: An experimental canine model. *American Journal of Gastroenterology*. 2004;99(11):2098–106.
75. Postma GN, Belafsky PC, Tomek MS, Koufman JA. Esophageal motor function in laryngopharyngeal reflux is superior to that in classic gastroesophageal reflux disease. *Annals of Otology, Rhinology and Laryngology*. 2001;110(12):1114–6.
76. Johnson PE, Koufman JA, Nowak LJ, Belafsky PC, Postma GN. Ambulatory 24-hour double-probe pH monitoring; the importance of manometry. *Laryngoscope*. 2001;111(11):1970–5.
77. Koufman JA, Aviv JE, Casiano RR, Shaw GY. Laryngopharyngeal reflux: Position statement of the Committee on Speech, Voice, and Swallowing Disorders of the American Academy of Otolaryngology-Head and Neck Surgery. *Otolaryngology - Head and Neck Surgery*. 2002;127(1):32–5.
78. Koufman JA, Aviv JE, Casiano RR, Shaw GY. Laryngopharyngeal reflux: Position statement of the Committee on Speech, Voice, and Swallowing Disorders of the American Academy of Otolaryngology-Head and Neck Surgery. *Otolaryngology - Head and Neck Surgery*. 2002;127(1):32–5.

79. Avincsal MO, Altundag A, Ulusoy S, Dinc ME, Dalgic A, Topak M. Halitosis associated volatile sulphur compound levels in patients with laryngopharyngeal reflux. *European Archives of Oto-Rhino-Laryngology*. 2016;273(6):1515–20.
80. Belafsky PC, Postma GN, Koufman JA. Validity and reliability of the reflux symptom index (RSI). *J Voice*. 2002;16(2):274–7.
81. Habermann W, Schmid C, Neumann K, Devaney T, Hammer HF. Reflux symptom index and reflux finding score in otolaryngologic practice. *J Voice*. 2012 May;26(3).
82. Belafsky PC, Postma GN, Koufman JA. The validity and reliability of the reflux finding score (RFS). *Laryngoscope*. 2001;111(8):1313–7.
83. Lechien JR, Akst LM, Hamdan AL, Schindler A, Karkos PD, Barillari MR, et al. Evaluation and Management of Laryngopharyngeal Reflux Disease: State of the Art Review. *Otolaryngology - Head and Neck Surgery (United States)*. 2019;160(5):762–82.
84. Postma GN, Belafsky PC, Aviv JE, Koufman JA. Laryngopharyngeal reflux testing. G. Balint, Antala B, Carty C, Mabieme JMA, Amar IB, Kaplanova A, editors. *Ear Nose Throat J*. 2002;81(9 SUPPL. 2):14–8.
85. Erdem D, Yılmaz YF, Özcan M, Titiz A, Özlügedik S, Ünal A. Correlation of sleep-disordered breathing and laryngopharyngeal reflux: a two-channel triple-sensor pHmetry catheter study. *European Archives of Oto-Rhino-Laryngology*. 2018;275(10):2585–92.
86. Celik M, Ercan I. Diagnosis and management of laryngopharyngeal reflux disease. *Curr Opin Otolaryngol Head Neck Surg*. 2006 Jun;14(3):150–5.
87. Bortoli N, Martinucci I, Bellini M, Marchi S, Savarino E, Nacci A, et al. Optimal treatment of laryngopharyngeal reflux disease. *Ther Adv Chronic Dis*. 2013;4(6):287–301.

88. Youssef TF, Ahmed MR. Treatment of clinically diagnosed laryngopharyngeal reflux disease. *Archives of Otolaryngology - Head and Neck Surgery*. 2010;136(11):1089–92.
89. Borges LF, Chan WW, Carroll TL. Dual pH probes without proximal esophageal and pharyngeal impedance may be deficient in diagnosing LPR. *Journal of Voice*. 2019;33(5):697–703.
90. Lechien JR, Mouawad F, Bobin F, Bartaire E, Crevier-Buchman L, Saussez S. Review of management of laryngopharyngeal reflux disease. *Eur Ann Otorhinolaryngol Head Neck Dis*. 2021 Sep 1;138(4):257–67.
91. Lwanga, Stephen Kaggwa, Lemeshow, Stanley & World Health Organization. Sample size determination in health studies : a practical manual / S. K. Lwanga and S. Lemeshow. World Health Organization.
92. Hutnik R, Zlatopolsky A, Mehraban-Far S, Alrassi J, McMillan N, Amadi C, et al. Laryngopharyngeal reflux: Comparing improvements in reflux symptom index with reflux finding score. *Am J Otolaryngol*. 2020 Nov 1;41(6):102730.
93. Printza A, Speletas M, Triaridis S, Wilson J. Is pepsin detected in the saliva of patients who experience pharyngeal reflux? *Hippokratia*. 2007;11(3):145.
94. Dettmar PW, Woodcock AD, Wilcox MD, Chater PI, Pearson JP. Letter: studies of salivary pepsin in patients with gastro-oesophageal reflux disease. *Aliment Pharmacol Ther*. 2019 May 1;49(9):1248.
95. Xiao S, Li J, Zheng H, Yan Y, Li X, Zhang L, et al. An epidemiological survey of laryngopharyngeal reflux disease at the otorhinolaryngology-head and neck surgery clinics in China. *European Archives of Oto-Rhino-Laryngology*. 2020 Oct 1;277(10):2829–38.

96. Adanir H, Baş B, Pakoz B, Günay S, Camyar H, Ustaoglu M. Endoscopic findings of gastro-esophageal reflux disease in elderly and younger age groups. *Front Med (Lausanne)*. 2021;8: 606205.
97. Nakai T, Goto N, Moriyama H, Shiraishi N, Nonaka N. The Human Recurrent Laryngeal Nerve during the Aging Process. Vol. 76, *Okajimas Folia Anat. Jpn.* 2000.
98. Mittal RK. 2011. "Upper Esophageal Sphincter", <https://www.ncbi.nlm.nih.gov/books/NBK54282/>, diakses pada 9 Juli 2022.
99. McMullen CA, Andrade FH. Contractile dysfunction and altered metabolic profile of the aging rat thyroarytenoid muscle. *J Appl Physiol*. 2006;100:602–8.
100. Kahane JC. Connective tissue changes in the larynx and their effects on voice. *Journal of Voice*. 1987 Jan 1;1(1):27–30.
101. Lyon MJ, Malmgren LT. Age-related blood flow changes in the rat intrinsic laryngeal muscles. *Acta Otolaryngol*. 2010;130(1):145–9.
102. Malmgren LT, Fisher PJ, Bookman LM, Uno T. Age-related changes in muscle fiber types in the human thyroarytenoid muscle: an immunohistochemical and stereological study using confocal laser scanning microscopy. *Otolaryngol Head Neck Surg*. 1999 Oct;121(4):441-51.
103. Johns MM, Arviso LC, Ramadan F. Challenges and opportunities in the management of the aging voice. Vol. 145, *Otolaryngology - Head and Neck Surgery*. 2011. p. 1–6.
104. Mesallam TA, Stemple JC, Sobeih TM, Elluru RG. Reflux symptom index versus reflux finding score. *Ann Otol Rhinol Laryngol*. 2007;116(6):436–40.
105. Hamdan AL, Jaffal H, Btaiche R, Turfe ZA, Bawab I, Kanj N, et al. Laryngopharyngeal symptoms in patients with asthma: A cross-sectional controlled study. *Clinical Respiratory Journal*. 2016 Jan 1;10(1):40–7.

106. Nunes HS, Pinto JA, Zavanela AR, Cavallini AF, Freitas GS, Garcia FE. Comparison between the Reflux Finding Score and the Reflux Symptom Index in the Practice of Otorhinolaryngology. *Int Arch Otorhinolaryngol*. 2016;20(3):218.
107. Spyridoulas A, Lillie S, Vyas A, Fowler SJ. Detecting laryngopharyngeal reflux in patients with upper airways symptoms: Symptoms, signs or salivary pepsin? *Respir Med*. 2015 Aug 1;109(8):963–9.
108. Lechien JR, Bobin F, Muls V, Saussez S, Hans S. Laryngopharyngeal reflux disease is more severe in obese patients: a prospective multicenter study. *Laryngoscope*. 2021 Nov 1;131(11):E2742–8.
109. Lechien JR, Saussez S, Harmegnies B, Finck C, Burns JA. Laryngopharyngeal reflux and voice disorders: a multifactorial model of etiology and pathophysiology. *J Voice*. 2017; 31(6):733–52.
110. Gao CK, Li YF, Wang L, Han XY, Wu T, Zeng FF, et al. Different cutoffs of the reflux finding score for diagnosing laryngopharyngeal reflux disease should be used for different genders. *Acta Otolaryngol*. 2018 Sep 2;138(9):848–54.
111. Zhukhovitskaya A, Battaglia D, Khosla SM, Murry T, Sulica L. Gender and age in benign vocal fold lesions. *Laryngoscope*. 2015;125(1):191–6.
112. Belafsky PC, Postma GN, Koufman JA. Validity and reliability of the reflux symptom index (RSI). *J Voice*. 2002;16(2):274–7.
113. Endah S, Putri E, Yusmawan W, Yunika K. Perbedaan skor RSI penderita laryngopharyngeal reflux yang mendapat omeprazole dan lansoprazole. *Januari 2018 JKD*. 2018;7(1):348–58.
114. Ghisletti S, Meda C, Maggi A, Vegeto E. 17 β -Estradiol Inhibits Inflammatory Gene Expression by Controlling NF- κ B Intracellular Localization. *Mol Cell Biol*. 2005;25(8):2957.

115. Anggraini G, Kandhi PW. Karakteristik dan gaya hidup penderita dengan refluks laringofaring di RSUD Dr. Moewardi Surakarta. *Jurnal Medika Moewardi*. 2015;3-4.
116. Hanson DG, Jiang J, Chi W. Quantitative color analysis of laryngeal erythema in chronic posterior laryngitis. *J Voice* . 1998;12(1):78–83.
117. Henry MAC de A, Martins RHG, Lerco MM, Carvalho LR, Lamônica-Garcia VC. Gastroesophageal reflux disease and vocal disturbances. *Arq Gastroenterol* .2011;48(2):98–103.
118. Dutta SK, Matossian HB, Vaeth J. Modulation of salivary secretion by acid infusion in the distal esophagus in humans. *Gastroenterology*. 1992; 103(6):1833-41.
119. Poelmans J, Feenstra L, Tack J. The role of (duodeno)gastroesophagopharyngeal reflux in unexplained excessive throat phlegm. *Dig Dis Sci*. 2005 May;50(5):824–32.
120. Belafsky, P. C., & Rees, C. J. (2007). Identifying and managing laryngopharyngeal reflux. *Hospital Physician*, 43(7), 15.
121. Book DT, Rhee JS, Toohill RJ, Smith TL. Perspectives in laryngopharyngeal reflux: an international survey. *Laryngoscope*. 2002; 112(8 Pt 1): 1399-406.
122. Toohill RJ, Kuhn JC. Role of Refluxed acid in pathogenesis of laryngeal disorders. *Am J Med*. 1997; 103(5A):100S-106S.
123. Iannella G, Vicini C, Polimeni A, Greco A, Gobbi R, Montevecchi F, et al. Laryngopharyngeal Reflux Diagnosis in Obstructive Sleep Apnea Patients Using the Pepsin Salivary Test. *Int J Environ Res Public Health*. 2019;16(11).
124. Weitzendorfer M, Antoniou SA, Schredl P, Witzel K, Weitzendorfer IC, Majerus A, et al. Pepsin and oropharyngeal pH monitoring to diagnose patients with laryngopharyngeal reflux. *Laryngoscope*. 2020;130(7):1780.

125. Na SY, Kwon OE, Lee YC, Eun YG. Optimal timing of saliva collection to detect pepsin in patients with laryngopharyngeal reflux. *Laryngoscope*. 2016;126(12):2770–3.
126. Wang J, Zhao Y, Ren J, Xu Y. Pepsin in saliva as a diagnostic biomarker in laryngopharyngeal reflux: a meta-analysis. *Eur Arch Otorhinolaryngol*. 2018;275(3):671–8.
127. Johnston N, Wells CW, Blumin JH, Toohill RJ, Merati AL. Receptor-mediated uptake of pepsin by laryngeal epithelial cells. *Ann Otol Rhinol Laryngol*. 2007 ;116(12):934–8.
128. Johnston N, Knight J, Dettmar PW, Lively MO, Koufman J. Pepsin and carbonic anhydrase isoenzyme III as diagnostic markers for laryngopharyngeal reflux disease. *Laryngoscope*. 2004;114(12):2129–34.
129. Zubčić Ž, Mendeš T, Včeva A, Mihalj H, Bogović V, Milanković SG. Presence of pepsin in laryngeal tissue and saliva in benign and malignant neoplasms. *Biosci Rep*. 2020;40(11).

