

DAFTAR PUSTAKA

- [1] Noorisa R, Apriliwati D, Aziz A, Bayusentono S. The characteristics of patients with femoral fracture in Department of Orthopaedic and Traumatology RSUD Dr. Soetomo Surabaya 2013-2016. *Journal of Orthopaedic & Traumatology Surabaya*. 2017;6(1):1-11.”
- [2] M. E. Stevenson, M. E. Barkey, and R. C. Bradt, “Fatigue failures of austenitic stainless steel orthopedic fixation devices,” *J. Fail. Anal. Prev.*, vol. 2, no. 3, pp. 57–64, 2002, doi: 10.1007/bf02719191.
- [3] S. Landgraebel, M. Jäger, J. J. Jacobs, and N. J. Hallab, “The pathology of orthopedic implant failure is mediated by innate immune system cytokines,” *Mediators Inflamm*, vol. 2014, 2014, doi: 10.1155/2014/185150..
- [4] E. Proverbio and L. M. Bonaccorsi, “Microstructural analysis of failure of a stainless steel bone plate implant,” *Pract. Fail. Anal. 2001* 14, vol. 1, no. 4, pp. 33–38, 2001, doi: 10.1007/BF02715331.
- [5] B. Yilmaz, A. E. Pazarceviren, A. Tezcaner, and Z. Evis, “Historical development of simulated body fluids used in biomedical applications: A review,” *Microchem. J.*, vol. 155, no. February, p. 104713, 2020, doi: 10.1016/j.microc.2020.104713.
- [6] A. Tathe, M. Ghodke, and A. P. Nikalje, “A brief review: Biomaterials and their application,” *Int. J. Pharm. Pharm. Sci.*, vol. 2, no. SUPPL. 4, pp. 19–23, 2010.
- [7] C. Sutowo, M. Ikhsan, and I. Kartika, “Karateristik Material Biokompetibel Aplikasi Implan Medis Jenis Bone Plate,” *Semin. Nas. Sains dan Teknol.* 2014, no. November, pp. 1–5, 2014.
- [8] A. J. Sinaga and C. Manurung, “Analisa Laju Korosi dan Kekerasan Pada Stainless Steel 316 L Dalam Larutan 10 % NaCl Dengan Variasi Waktu Perendaman,” *Sprocket J. Mech. Eng.*, vol. 1, no. 2, pp. 92–99, 2020, doi: 10.36655/sprocket.v1i2.186.
- [9] P. De Matos, C. Leonardo, and L. De Freitas, “ASTM F138 Steel Metallurgical Characterization and CTOD Analysis Applicable to Orthopedic Implants,” *Am. Sci. Res. J. Eng. Technol. Sci.*, vol. 62, no. January, pp. 179–191, 2020.

- [10] Adrian, “Perilaku Korosi Material Baja Paduan Akibat Pengaruh Kondensat yang Berasal Dari Pembangkit Listrik Tenaga Panas Bumi,” 2009.
- [11] S. Yusuf, “Laju Korosi Pipa Baja A106 Sebagai Fungsi Temperatur dan Konsentrasi NaCl Pada Fluida Yang Tersaturasi Gas CO₂,” p. 12, 2008.
- [12] B. Utomo, “Jenis Korosi Dan Penanggulangannya,” *Kapal*, vol. 6, no. 2, pp. 138–141, 2009.
- [13] M. Zulfri, N. Ali, S. Fonna, S. Huzni, B. Cut, and ..., “Pemetaan Laju Korosi Atmosferik Baja Konstruksi Di Industri Pabrik Kelapa Sawit;(Studi Kasus di PT Ensem Sawita),” ... -*Jurnal Umum Tek.*, 2018, [Online]. Available: <https://www.ejurnalunsam.id/index.php/jurutera/article/view/724>.
- [14] M. Fontana and N. Greene, “Mars Fontana-Corrosion Engineering(www.iranidata.com).pdf.” p. nationall, 1987.
- [15] A. Nikitasari, M. S. Anwar, and Sundjono, “Evaluasi Inhibitor Sodium Nitrit Di Dalam Larutan Beton Sintetis,” *J. Sains Mater. Indones.*, vol. 16, no. 1, pp. 12–18, 2014.
- [16] American Society for Testing and Materials Annual, “*Annual Book of ASTM Standards.*,” vol. Sec., 4. 1992.
- [17] D. Hadi Prajitno and J. Setiawan, “Perilaku Elektrokimia Baja Tahan Karat SS 316 Dalam Media Nano Fluida,” *Urania J. Ilm. Daur Bahan Bakar Nukl.*, vol. 25, no. 1, pp. 9–18, 2019, doi: 10.17146/urania.2019.25.1.5053.
- [18] N. Hassan and N. A. Abdel Ghany, “Corrosion of biomaterials: anodic treatment and evaluation of 316L stainless steel in simulated body fluid,” *Corros. Eng. Sci. Technol.*, vol. 52, no. 4, pp. 267–275, 2017, doi: 10.1080/1478422X.2016.1267932.
- [19] Sunardi, P. T. Iswanto, and Mudjijana, “Peningkatan Ketahanan Korosi Pada Material Biomedik Plat Penyambung Tulang SS 304 Dengan Gabungan Metode Shot peening dan Electroplating Ni-Cr,” *J. Ilm. Semesta Tek.*, vol. 18, no. 2, pp. 160–167, 2015.
- [20] S. Mulyaningsih Nani, Salahudin Xander, T Priyo, “ANALISIS PERBANDINGAN LAJU KOROSI MATERIAL SS 304 LAPIS Ni-Cr DENGAN SS 316 L,” 2014.
- [21] W. H., “Peningkatan Ketahanan Korosi Material Implan SS316L dengan Metode

Nitridasi," *J. Sains Mater. Indones.*, vol. 11, no. 3, pp. 207–212, 2010.

