

## DAFTAR PUSTAKA

1. Tjahjodjati, Soebadi DM, Umbas R, Purnomo BB, Widjanarko S, Mochtar CA, et al. Panduan penatalaksanaan klinis pembesaran prostat jinak (benign prostatic hyperplasia / BPH). Ikatan Ahli Urologi Indonesia (IAUI). Jakarta; 2017.
2. Lu SH, Chen CS. Natural history and epidemiology of benign prostatic hyperplasia. *Formos J Surg.* 2014;47(6):207–10.
3. Madersbacher S, Sampson N, Culig Z. Pathophysiology of benign prostatic hyperplasia and benign prostatic enlargement: a mini-review. *Gerontology.* 2019;65(5):458–64.
4. Ikatan Ahli Urologi Indonesia (IAUI). Pembesaran prostat jinak ( benign prostatic hyperplasia / BPH ). 2021. 8–33 p.
5. Mulyadi HTS, Sugiarto S. Prevalensi hiperplasia prostat dan adenokarsinoma prostat secara histopatologi di laboratorium patologi anatomi rumah sakit umum daerah cibinong. *Muhammadiyah J Geriatr.* 2020;1(1):12.
6. Khomeini K, Dody E DE, Erkadius E. Hubungan penurunan kadar natrium terhadap gangguan pola tidur pasca TURP (transurethral resection of the prostate). *J Kesehat Andalas.* 2013;2(1):09.
7. Syahwal M, Dewi I, Pengajar S, Diii P. Faktor resiko kejadian benigna prostat hiperplasia ( BPH ) di poli klinik urologi. *Ter J.* 2016;23–31.
8. Zuhirman Z, Juananda D, Lestari P. Gambaran komplikasi transurethral resection of the prostate pada pasien benign prostatic hyperplasia. *J Ilmu Kedokt.* 2017;10(1):44.
9. P ZA, Budaya TN, Daryanto B. Characteristics of benign prostatic hyperplasia (BPH) patients undergoing transurethral resection of the prostate (TURP). 2021;31(4):2–5.
10. Kumar Sarma Madduri V, Kumar Bera M, Kumar Pal D. Monopolar versus bipolar transurethral resection of prostate for benign prostatic hyperplasia: operative outcomes and surgeon preferences, a real-world scenario. 2016;291–6.
11. Palaniappan S, Kuo TLC, Cheng CWS, Foo KT. Early outcome of transurethral enucleation and resection of the prostate versus transurethral resection of the prostate. *Singapore Med J.* 2016;57(12):676–80.
12. Gilling PJ, Barber N, Bidair M, Anderson P, Sutton M, Aho T, et al. Randomized controlled trial of aquablation versus transurethral resection of the prostate in benign prostatic hyperplasia: one-year outcomes. *Urology* [Internet]. 2019;125:169–73. Available from: <https://doi.org/10.1016/j.urology.2018.12.002>
13. Mithani MHA, El Khalid S, Khan SA, Sharif I, Awan AS. Is routine measurement of post-operative hemoglobin and electrolytes necessary in every patient after transurethral resection of the prostate? *J Urol Surg.*

2018;5(4):157–64.

14. Purnomo BB. Dasar - dasar urologi. 3rd ed. Malang: CV. Sagung Seto; 2019. 16 p.
15. Kavanagh LE, Jack GS, Lawrentschuk N. Prevention and management of TURP-related hemorrhage. *Nat Rev Urol*. 2011 Sep;8(9):504–14.
16. Yuan X, Yu W, Wu R, Li L, He F. A prospective comparison of three strategies for evaluating blood loss in transurethral resection of the prostate. *Biomed Res Int*. 2021;2021.
17. Swai A, Nyongole O V, Mteta AK. A one year trend of blood loss during transurethral resection of the prostate as seen at urology department, Kilimanjaro Christian Medical Center in Moshi, Tanzania: Do we avoid unnecessary blood transfusion? *J Med Res*. 2016;2(6):150–4.
18. Sarier M, Duman I, Kilic S, Yuksel Y, Demir M, Aslan M, et al. Comparative results of transurethral incision with transurethral resection of the prostate in renal transplant recipients with benign prostate hyperplasia. 2018;209–213.
19. S V, Shaheen B A. Estimation of blood loss and factors influencing blood loss in transurethral resection of prostate: a prospective study. *J Evol Med Dent Sci*. 2016;5(103).
20. Arassi S F. Hubungan volume prostat dengan penurunan kadar hemoglobin pada pasien benign prostate hyperplasia (BPH) yang dilakukan transurethral resection of prostate (TURP) di RSUD provinsi NTB periode 2013-2017. 2018;1–10.
21. Lee CH, Akin-Olugbade O, Kirschenbaum A. Overview of prostate anatomy, histology, and pathology. *Endocrinol Metab Clin North Am*. 2011;40(3):565–75.
22. Aaron LT, Franco OE, Hayward SW. Review of prostate anatomy and embryology and the etiology of benign prostatic hyperplasia. *Urol Clin North Am*. 2016;43(3):279–88.
23. Kumar V, Cotran RS, Robbins SL. Buku ajar patologi. 9th ed. Hilmawan, Sutisna, editors. Jakarta: Elsevier; 2015. 655–7 p.
24. Bhavsar A, Verma S. Anatomic Imaging of the Prostate. *Biomed Res Int*. 2014;2014.
25. Graham SD, Keane TE, Glenn JF. Glenn's urologic surgery. 8th ed. South Carolina: Lippincott Williams & Willkins; 2010. 435–71 p.
26. Snell RS. Anatomi klinis. 6th ed. Jakarta: EGC; 2006. 786–9 p.
27. Paulsen F, Waschke J. Sobotta atlas anatomi manusia jilid 2. 23rd ed. H H, AW N, editors. Jakarta: EGC; 2012. 190–93 p.
28. Skinder D, Zacharia I, Studin J, Covino J. Benign prostatic hyperplasia: A clinical review. *J Am Acad Physician Assist*. 2016;29(8):19–23.
29. Lim K Bin. Epidemiology of clinical benign prostatic hyperplasia. *Asian J Urol*. 2017;4(3):148–51.

30. Tanto C, Liwang F, Hanifati S, Pradipta EA. Hiperplasia prostat jinak. In: *Kapita Selektta Kedokteran*. 4th ed. Jakarta: FK-UI; 2016. p. 284–7.
31. Shao W, Zheng C, Ge Y, Chen X, Zhang B, Wang G, et al. Age-related changes for the predictors of benign prostatic hyperplasia in Chinese men aged 40 years or older. 2022;(March):1–5.
32. Loeb S, Kettermann A, Carter HB, Ferrucci L, Metter EJ, Walsh PC. Prostate volume changes over time: results from the baltimore longitudinal study of aging. *J Urol*. 2009;182(4 SUPPL.):1458–62.
33. Nuari NA, Widayati D. *Gangguan pada sistem perkemihan dan penatalaksanaan Keperawatan*. Yogyakarta: CV Budi Utama; 2017. 173–5 p.
34. Homma Y, Gotoh M, Yokoyama O, Masumori N, Kawauchi A, Yamanishi T, et al. Outline of JUA clinical guidelines for benign prostatic hyperplasia. *Int J Urol*. 2011;18(11):741–56.
35. Ho CKM, Habib FK. Estrogen and androgen signaling in the pathogenesis of BPH. *Nat Rev Urol*. 2011;8(1):29–41.
36. McNicholas T, Kirby R. Benign prostatic hyperplasia and male lower urinary tract symptoms. *Am Fam Physician*. 2012;86(4):359–60.
37. Gerber GS, Brendler CB. Evaluation of the urologic patient: history, physical examination, and urinalysis. In: *Campbell-Walsh Urology*. 10th ed. Philadelphia: Elsevier Saunders; 2012. p. 71–80.
38. Gratzke C, Bachmann A, Descazeaud A, Drake MJ, Madersbacher S, Mamoulakis C, et al. EAU guidelines on the assessment of non-neurogenic male lower urinary tract symptoms including benign prostatic obstruction. *Eur Urol*. 2015;67(6):1099–109.
39. McVary KT, Roehrborn CG, Avins AL, Barry MJ, Bruskewitz RC, Donnell RF, et al. Update on AUA guideline on the management of benign prostatic hyperplasia. *J Urol*. 2011;185(5):1793–803.
40. Putra IBOW, Hamid ARAH, Mochtar CA, Umbas R. Relationship of age, prostate-specific antigen, and prostate volume in Indonesian men with benign prostatic hyperplasia. *Prostate Int*. 2016;4(2):43–8.
41. D’Silva KA, Dahm P, Wong CL. Does this man with lower urinary tract symptoms have bladder outlet obstruction? The rational clinical examination: A systematic review. *JAMA - J Am Med Assoc*. 2014;312(5):535–42.
42. Samsuhidajat R. *Buku ajar ilmu bedah sjamsuhidajat-de jong*. 3rd ed. Jakarta; 2011. 706–22 p.
43. Musa MU. The role of urine investigations in urology practice. *Open J Orthop*. 2015;05(04):90–9.
44. Sari YA, Duarsa GWK, Mahadewa TGB. Faktor risiko yang mempengaruhi pembesaran volume prostat pada pasien pembesaran prostat jinak yang dilakukan reseksi prostat transuretra. *Medicina (B Aires)*. 2019;50(2):330–

- 4.
45. Ng M, Baradhi KM. Benign prostatic hyperplasia - StatPearls - NCBI Bookshelf. StatPearls. 2022. p. 41.
  46. Jong de I, Nath Joshi H. Outcomes of transurethral resection of the prostate in benign prostatic hyperplasia comparing prostate size of more than 80 grams to prostate size less than 80 grams. Vol. 12, Kathmandu Univ Med J. 2014.
  47. Elssayed EO, Mansour MO, Elimam M. Clinical appraisal of TURP in gezira hospital for renal diseases and surgery. Glob J Med Res. 2013;13(3):13–7.
  48. Yucel M, Aras B, Yalcinkaya S, Kemal Hatipoglu N, Aras E. Conventional monopolar transurethral resection of prostate in patients with large prostate ( $\geq 80$  grams). Cent Eur J Urol. 2013;66(3):303–8.
  49. Stormont G, Chargui S. Transurethral resection of the prostate - StatPearls - NCBI Bookshelf. StatPearls. 2022.
  50. Kim SJ, Alawamlh OAH, Chughtai B, Lee RK. Lower urinary tract symptoms after transurethral resection of the prostate. Curr Urol Rep. 2018;
  51. Doherty GM, Way LW. Current diagnosis and treatment surgery. 13th ed. New York: McGraw-Hill; 2003. 920–3 p.
  52. Smith JA, Howards SS, Preminger GM, Dmochowski R. Hinman's atlas of urologic surgery : expert consult-online and print. 4th ed. Nashville : Elsevier Health Sciences; 2012. 191–9 p.
  53. Teo JS, Lee YM, Ho HSS. An update on transurethral surgery for benign prostatic obstruction. Asian J Urol. 2017;4(3):195–8.
  54. BPS. Angka harapan hidup Prov.Sumbar [Internet]. Badan Pusat Statistik. 2019. Available from: <https://sumbar.bps.go.id/dynamictable/2019/10/18/32/angka->
  55. Wang W, Guo Y, Zhang D, Tian Y, Zhang X. The prevalence of benign prostatic hyperplasia in mainland China: Evidence from epidemiological surveys. Sci Rep. 2015;5(August):1–12.
  56. Tousif Pasha M, Khan MA, Jamal Y, Wahab F, Ashraf H, Naeemullah. Postoperative complications with glycine and sterile distilled water after transurethral resection of prostate. 2015;27(1):135–9.
  57. Sari AR, Indi RD. Hubungan usia dengan volume kelenjar prostat pada pasien benign prostatic hyperplasia di Rumah Sakit Al-Ihsan Bandung tahun 2018. Prosding Kedokt. 2020;6(1):1–4.
  58. Mahendrakrisna D, Maulana A, Kresnoadi E, Kedokteran F, Kristen U, Wacana D, et al. Factors associated with the duration of hospitalization in patients with benign prostatic hypertrophy in Mataram. Berk Ilm Kedokt Duta Wacana. 2016;1(2):102–8.
  59. Kemalasari DW, Nilapsari R, Rusmartini T. Korelasi disfungsi seksual dengan usia dan terapi pada benign prostatic hyperplasia. Vol. 3, Global Medical & Health Communication (GMHC). 2015. p. 60.

60. Bassay A, Monoarfa A, Pontoh V. Hubungan antara skor IPSS dengan kualitas hidup penderita LUTS di beberapa puskesmas Kota Manado. *e-CliniC*. 2016;4(1):1–7.
61. Fauzi M, Setiawaty E, Brilyan Anindya Dayfi. Pengaruh mobilisasi dini terhadap proses penyembuhan luka post operasi bph di ruang bedah rumah sakit umum daerah Sumbawa. *J Kesehat Samawa*. 2022;3:58–69.
62. Novelty R, Rofinda ZD, Myh E. Korelasi lama operasi dengan perubahan kadar natrium pasca operasi transurethral resection of the prostate di Rspu Dr. M. Djamil Padang. *J Kesehat Andalas*. 2019;8(1):37.
63. TAMA FS. Gambaran komplikasi dini dan lambat pasca operasi transurethral resectio prostate pada pasien benign prostatic hyperplasia di Rumah Sakit Islam Jemursari periode 2017-2018. *Suparyanto dan Rosad* (2015. 2020;5(3):248–53.
64. Del Rosso A, Masciovecchio S, Galatioto GP, Vicentini C. Resident training in urology: Bipolar transurethral resection of the prostate - A safe method in learning endoscopic surgical procedure. *Arch Ital di Urol e Androl*. 2013;85(2):78–81.
65. Mteta K, Musau P, Keiza N. Blood transfusion in transurethral resection of the prostate: a practice that can be avoided. *East Cent African J Surg*. 2012;17(2):102–7.
66. Aydogdu O, Karakose A, Atesci Y. A clinical study comparing BIVAP saline vaporization of the prostate with bipolar TURP in patients with prostate volume 30 to 80 mL: Early complications, physiological changes and postoperative follow-up outcomes. *Can Urol Assoc J*. 2014;8(7–8):485–9.
67. Aminsharifi A, Salehi A, Noorafshan A, Aminsharifi A, Alnajjar K. Effect of preoperative finasteride on the volume or length density of prostate vessels, intraoperative and postoperative blood loss during and after monopolar transurethral resection of prostate: A dose escalation randomized clinical trial using stereolog. *Urol J*. 2016;13(1):2562–8.
68. Zhang Y, Fan N, Zhang L, Hu X, Wang L, Wang H, et al. Novel strategy to monitor fluid absorption and blood loss during urological endoscopic surgery. *Transl Androl Urol*. 2020;9(3):1192–200.