

DAFTAR PUSTAKA

1. Soenarjo, Jatmiko DH. *Persiapan preanestesi*. 2nd ed. *Anestesiologi*. Semarang: Perhimpunan Dokter Spesialis Anestesi dan Terapi Intensif (PERDATIN); 2013.
2. Rehatta M, Hanindito E, Tantri RA, Redjeki SI. *Anestesiologi dan terapi intensif*. 1st ed. Jakarta: PT Gramedia Pustaka Utama; 2019.
3. Butterworth J, Mackey D, Wasnick J. Morgan & Mikhail's clinical anesthesiology. 6th ed. McGraw-Hill Education; 2018.
4. Betran AP, Ye J, Moller AB, Souza JP, Zhang J. Trends and projections of caesarean section rates: Global and regional estimates. *BMJ Glob Heal*. 2021;6(6):1–8.
5. Allen T, Habib A. Inadvertent perioperative hypothermia induced by spinal anesthesia for cesarean delivery. *Physiol Behav*. 2018;126(1):7–9.
6. BKKBN, BPS, Kementerian Kesehatan RI, USAID. *Survei demografi dan kesehatan indonesia*. Jakarta; 2017.
7. Badan Litbang Kesehatan, Kementerian Kesehatan RI N. *Laporan nasional riskesdas 2018*. Badan Penelitian dan Pengembangan Kesehatan; 2019.
8. Kendalikan kasus persalinan caesar [Internet]. BPJS Kesehatan. 2020 [cited 2022 May 26]. Available from: <https://www.bpjs-kesehatan.go.id/bpjs/post/read/2020/1653/Kendalikan-Kasus-Persalinan-Caesar-BPJS-Kesehatan-Perkuat-Koordinasi-dengan-Tim-KMKKB>
9. Kettner SC, Willschke H, Marhofer P. Regional anaesthesia. *Br J Anaesth*. 2011;107(1):90–5.
10. Mendonça FT, Lucena MC de, Quirino RS, Govêia CS, Guimarães GMN. Risk factors for postoperative hypothermia in the post-anesthetic care unit. *Brazilian J Anesthesiol*. 2019;69(2):122–30.
11. Buggy DJ, Crossley AWA. Thermoregulation, mild perioperative hypothermia and post-anaesthetic shivering. *Br J Anaesth*. 2000;84(5):615–28.
12. Lopez MB. Postanaesthetic shivering - from pathophysiology to prevention. *Rom J Anaesth Intensive Care*. 2018;25(1):73–81.
13. Caruselli M. Postoperative shivering: A common phenomenon with multiple causes. *Minerva Anesthesiol*. 2018;84(12):1340–2.
14. Ferede YA, Aytolign HA, Mersha AT. The magnitude and associated factors of intraoperative shivering after cesarean section delivery under spinal anesthesia. *Ann Med Surg*. 2021;72:1–5.
15. Poveda V de B, Galvão CM, Santos CB dos. Factors associated to the development of hypothermia in the intraoperative period. *Rev Lat Am Enfermagem*. 2009;17(2):228–33.

16. Mashitoh D, Mendri NK, Majid A. Lama operasi dan kejadian shivering pada pasien pasca spinal anestesi. *J Appl Nurs*. 2018;4(1):14–20.
17. Hidayah ES, Khalidi MR, Nugroho H. Perbandingan insiden shivering pasca operasi dengan anestesi umum dan anestesi spinal di RSUD Abdul Wahab Sjahranie Samarinda. *J Sains dan Kesehat*. 2021;3(4):525–30.
18. Tantarto T, Fuadi I, Setiawan. Angka kejadian dan karakteristik menggigil pascaoperasi di ruang pemulihan COT RSHS periode bulan Agustus – Oktober 2015. *Anesth Crit care*. 2016;34(3):161–6.
19. Susilowati A, Hendarsih S, Jenita DTD. The correlation of body mass index with shivering of spinal anesthetic patients in RS PKU Muhammadiyah Yogyakarta [skripsi]. Poltekkesjogja; 2017.
20. Putri YR. Hubungan lama operasi dan jenis operasi dengan kejadian post anaesthetic shivering (PAS) pada pasien pasca anestesi spinal di ruang pemulihan bedah sentral RSUP M. Djamil Padang [skripsi]. Universitas Andalas; 2020.
21. Butwick AJ, Lipman SS, Carvalho B. Intraoperative forced air-warming during cesarean delivery under spinal anesthesia does not prevent maternal hypothermia. *Anesth Analg*. 2007;105(5):1413–9.
22. Cahyawati FE, Rohmah F, Gunadi A, Aprilia S. Pengaruh cairan intravena hangat terhadap derajat menggigil pasien post sectio caesarea di RS PKU Muhammadiyah Gamping. *J Kebidanan*. 2019;8(2):86–93.
23. Crowley LJ, Buggy DJ. Shivering and neuraxial anesthesia. *Reg Anesth Pain Med*. 2008;33(3):241–52.
24. Dinas Kesehatan Kota Padang. Laporan Tahunan tahun 2018 [Internet]. Padang; 2019 [cited 2022 May 22]. Available from: https://ppid.padang.go.id/uploads/audios/ppidpadang_5dcbb324968a2.pdf
25. Menteri Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 7 Tahun 2019 tentang Kesehatan Lingkungan Rumah Sakit. Indonesia; 2019 p. 22.
26. Helill SE, Sahile WA, Abdo RA, Wolde GD, Halil HM. The effects of isobaric and hyperbaric bupivacaine on maternal hemodynamic changes post spinal anesthesia for elective cesarean delivery. *PLoS One*. 2019;14(12):1–9.
27. Olawin A, Das J. Spinal Anesthesia [Internet]. StatPearls Publishing, Treasure Island (FL); 2021 [cited 2022 Feb 7]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK537299/>
28. Shafiei FT, McAllister RK, Lopez J. Bupivacaine [Internet]. The Essence of Analgesia and Analgesics. StatPearls Publishing, Treasure Island (FL); 2021 [cited 2022 Feb 7]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK532883/>
29. Garmon EH, Huecker MR. Topical, local, and regional anesthesia and

anesthetics [Internet]. StatPearls Publishing, Treasure Island (FL). 2021 [cited 2022 Feb 7]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430894/#!po=70.8333>

30. Golfam P, Yari M, Bakhtiyari HR. Minimum appropriate dose of lidocaine with a fixed dose of sufentanil epinephrine used for spinal anesthesia in caesarian section. *Anesthesiol Pain Med*. 2013;2(3):123–6.
31. Syarif A. Anestesi lokal. In: *Farmakologi dan Terapi*. 6th ed. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia; 2016. p. 264–73.
32. Miller RD, Pardo MC. *Basics of anesthesia*. 6th ed. America: Elsevier; 2011.
33. Duke J. *Anesthesia secrets*. 4th ed. America: Mosby Elsevier; 2011.
34. Khezri MB, Rajabi M, Yaghoobi S, Pakniat H. Analgesic efficacy of intravenous lidocaine infusion in cesarean section under spinal anesthesia. *J Adv Med Biomed Res*. 2019;27(123):31–7.
35. Rastegarian A, Ghobadifar MA, Kargar H, Mosallanezhad Z. Intrathecal meperidine plus lidocaine for prevention of shivering during cesarean section. *Korean J Pain*. 2013;26(4):379–86.
36. Sherwood L. *Fisiologi manusia dari sel ke sistem*. 9th ed. Iskandar M, editor. Jakarta: EGC; 2018.
37. Badjatia N, Strongilis E, Gordon E, Prescutti M, Fernandez L, Fernandez A, et al. Metabolic impact of shivering during therapeutic temperature modulation: the bedside shivering assessment scale. *Stroke*. 2008;39(12):3242–7.
38. Bhattacharya PK, Bhattacharya L, Jain RK, Agarwal RC. Post anaesthetic shivering (PAS). *Indian J Anaesth*. 2003;47:88–93.
39. Eberhart LHJ, Döderlein F, Eisenhardt G, Kranke P, Sessler DI, Torossian A, et al. Independent risk factors for postoperative shivering. *Anesth Analg*. 2005;101(6):1849–57.
40. Harahap AM, Kadarsah RK, Oktaliansah E. Angka kejadian hipotermia dan lama perawatan di ruang pemulihan pada pasien geriatri pascaoperasi elektif bulan Oktober 2011–Maret 2012 di rumah sakit Dr. Hasan Sadikin Bandung. *J Anestesi Perioper*. 2014;2(1):36–44.
41. Sadegh A, Tazeh-kand NF, Eslami B. Intrathecal fentanyl for prevention of shivering in spinal anesthesia in cesarean section. *Med J Islam Repub Iran*. 2012;26(2):85–9.
42. Nugroho AM, Harijanto E, Fahdika A. Keefektifan pencegahan post anesthesia shivering (PAS) pada ras melayu: perbandingan antara pemberian ondansetron 4 mg intravena dengan meperidin 0.35 mg/kgBB intravena. 2016;34(1):40–6.
43. Depkes RI. *Standar Pelayanan Anestesiologi dan Reanimasi Rumah Sakit*. Jakarta: Depkes RI; 2009.

44. American Society of Anesthesiologists. ASA Physical Status Classification System. 2020.
45. Rattanapittayaporn L, Oofuvong M. Risk factors of postoperative shivering at post anesthesia care unit in normothermic patients underwent general anesthesia. *J Heal Sci Med Res.* 2021;40(1):45–51.
46. Fauzi NA, Rahimah SB, Yulianti AB. Gambaran kejadian menggigil (shivering) pada pasien dengan tindakan operasi yang menggunakan anestesi spinal di RSUD Karawang periode juni 2014. 2015;1(2):694–9.
47. Tobi K, Imarengiaye C, Edomwonyi N. Tramadol effects on perioperative shivering in lower limb orthopaedic surgeries under spinal anaesthesia. *J West African Coll Surg.* 2012;2(2):63–79.
48. Eydi M, Golzari SEJ, Aghamohammadi D, Kolahdouzan K, Safari S, Ostadi Z. Postoperative management of shivering: A comparison of pethidine vs. ketamine. *Anesthesiol Pain Med.* 2014;4(2):1–5.
49. Gangopadhyay S, Gupta K, Acharjee S, Nayak SK, Dawn S, Piplai G. Ketamine, tramadol and pethidine in prophylaxis of shivering during spinal anaesthesia. *J Anaesthesiol Clin Pharmacol.* 2010;26(1):59–63.
50. Shami S, Nasser K, Shirmohammadi M, Sarshivi F, Ghadami N, Ghaderi E, et al. Effect of low dose of intrathecal pethidine on the incidence and intensity of shivering during cesarean section under spinal anesthesia: A randomized, placebo-controlled, double-blind clinical trial. *Drug Des Devel Ther.* 2016;10:3005–12.
51. Sung S, Mahdy H. Cesarean section [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 [cited 2022 Jan 27]. p. 1–43. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK546707/?report=classic>
52. Cunningham F, Leveno K, Bloom S, Spong C, Dashe J, Hoffman B. Williams obstetrics. 25th ed. McGraw-Hill Education; 2018. 1344 p.
53. Mylonas I, Friese K. The indications for and risks of elective cesarean section. *Dtsch Arztebl Int.* 2015;112(29–30):489–95.
54. Lazasni S, Machmud PB, Ronoatmodjo S. factors that influence cesarean section deliveries in indonesia. *J Berk Epidemiol.* 2020;8(2):100–8.
55. Begum T, Rahman A, Nababan H, Hoque DME, Fazal Khan A, Ali T, et al. Indications and determinants of caesarean section delivery. *PLoS One.* 2017;1–16.
56. Naji O, Abdallah Y, Paterson-Brown S. Cesarean birth: surgical techniques [Internet]. The Global Library of Women's Medicine. 2010 [cited 2022 Feb 4]. Available from: [https://www.glowm.com/section-view/heading/Cesarean Birth: Surgical Techniques/item/133#.YkhFAuhBw2w](https://www.glowm.com/section-view/heading/Cesarean-Birth/Surgical-Techniques/item/133#.YkhFAuhBw2w)
57. Field A, Haloob R. Complications of caesarean section. *Obstet Gynaecol.* 2016;18(4):265–72.

58. Wloch C, Wilson J, Lamagni T, Harrington P, Charlett A, Sheridan E. Risk factors for surgical site infection following caesarean section in England. *BJOG An Int J Obstet Gynaecol.* 2012;119(11):1324–33.
59. Zhafirah A. Pengaruh Indeks Massa Tubuh Terhadap Kejadian Hipotensi Komplikasi Anestesi Spinal Pada Pasien Sectio Caesarea Di RSIA Siti Hawa Padang [skripsi]. Universitas Andalas; 2019.
60. Departemen Kesehatan RI. Yang Perlu Diketahui Petugas Tentang Kesehatan Reproduksi. 2014.
61. WHO/IASO/IOTF. The Asia-Pacific perspective: redefining obesity and its treatment [Internet]. Health Communications Australia. Melbourne; 2000 [cited 2022 Mar 7]. Available from: https://apps.who.int/iris/bitstream/handle/10665/206936/0957708211_eng.pdf?sequence=1&isAllowed=y
62. Kishore N, Payal YS, Kumar N, Chauhan N. In spinal anaesthesia for cesarean section the temperature of bupivacaine affects the onset of shivering but not the incidence. *J Clin Diagnostic Res.* 2016;10(1):18–21.
63. Palanisamy S, Rudingwa P, Panneerselvam S, Satyaprakash MVS, Kuberan A, Amala R. Effect of low dose phenylephrine infusion on shivering and hypothermia in patients undergoing cesarean section under spinal anesthesia. *Int J Obstet Anesth.* 2022;50:1–5.
64. Kanchan S, Shah AM, Shah A, Sameen Z, Arya A, Riaz S, et al. Post spinal anaesthesia shivering- incidence and associated risk factors in patients undergoing lower limb and abdominal surgeries. *Int J Res Med Sci.* 2022;10(10):2285–90.
65. Kumra VP. Issues in geriatric anaesthesia. *SAARC J Anaesth.* 2008;1(1):39–49.
66. Renaningtyastutik Y, Lumadi SA, Handian FI. The relationship between operation duration and shivering in post-spinal anaesthesia patients. *J Palembang Nurs Stud.* 2022;1(3):107–14.
67. Yunita IN, Handayani LT, Putri F. Faktor yang memengaruhi shivering pada pasien operasi di recovery room instalansi bedah sentral RSD dr. Soebandi Jember [skripsi]. Universitas Muhammadiyah Jember; 2021.
68. Kim YJ, Park JM, Kim MS, Ryoo SM, Park YS, Kim SS, et al. Independent risk factors for the shivering occurrence during induction period in out of hospital cardiac arrest survivors treated with targeted temperature Management. *Ther Hypothermia Temp Manag.* 2018;1–6.
69. Savastano DM, Gorbach AM, Eden HS, Brady SM, Reynolds JC, Yanovski JA. Adiposity and human regional body temperature 1 – 3. 2009;(6):1124–31.
70. Fernandes LA, Braz LG, Koga FA, Kakuda CM, Mōdolo NSP, De Carvalho LR, et al. Comparison of peri-operative core temperature in obese and non-

- obese patients. *Anaesthesia*. 2012;67(12):1364–9.
71. Aldemir K, Gurkan PhD, RN A, Yilmaz RN, PhD FT. Incidence of postoperative hypothermia and factors effecting the development of hypothermia in patients undergoing abdominal surgery. *Int J Caring Sci*. 2021;14(2):983–90.
 72. National Institute for Health and Care Excellence. Hypothermia : prevention and management in adults having surgery [Internet]. NICE. 2016 [cited 2022 Jan 24]. Available from: <https://www.nice.org.uk/guidance/cg65>
 73. Sari S, Aksoy SM, But A. The incidence of inadvertent perioperative hypothermia in patients undergoing general anesthesia and an examination of risk factors. *Int J Clin Pract*. 2021;75(6):1–9.
 74. Mukarromah N, Wulandari Y, Sinar R, Sumarliyah E. The effect of giving a hot pack to grade shivering in post operative patients following a cesarian section in the recovery room. *Gac Med Caracas*. 2022;130(1):156–63.
 75. Kongsayreepong S, Chaibundit C, Chadpaibool J, Komoltri C, Suraseranivongse S, Suwannanonda P, et al. Predictor of core hypothermia and the surgical intensive care unit. *Anesth Analg*. 2003;96(3):826–33.
 76. Horn EP, Bein B, Böhm R, Steinfath M, Sahili N, Höcker J. The effect of short time periods of pre-operative warming in the prevention of peri-operative hypothermia. *Anaesthesia*. 2012;67(6):612–7.
 77. Qi X, Chen D, Li G, Cao J, Yan Y, Li Z, et al. Risk factors associated with intraoperative shivering during caesarean section. *BMC Anesthesiol*. 2022;22(1):1–10.
 78. Millizia A, Fitriany J, Siregar AD. Faktor-faktor yang berhubungan dengan post anesthetic shivering pada pasien anestesi spinal di instalasi bedah sentral PPK Blud RSUD Cut Meutia Aceh Utara. 2020;4(4):40–6.
 79. Frank SM, El-Rahmany HK, Cattaneo CG, Barnes RA. Predictors of hypothermia during spinal anesthesia. *Anesthesiology*, 2000;92(5):1330–4.