

## DAFTAR PUSTAKA

1. BS N, Daryanto B, Soebhali B, Dhirajaya KD, Soebadi D, Hamiseno D, et al. Panduan Penatalaksanaan Klinis Batu Saluran Kemih. edisi ke-1. Rasyid N, Duarsa GW, Atmoko W, editors. Jakarta: Ikatan Ahli Urologi Indonesia (IAUI); 2018. 1–48 p.
2. Purnomo BB. Dasar-dasar Urologi. edisi ke-2. Jakarta: Sagung Seto; 2003. 85 p.
3. Departemen Kesehatan RI. Riset Kesehatan Dasar 2013. Jakarta: Depkes RI; 2013. 94–96 p.
4. Tondok MEB, Monoarfa A, Limpeleh H. Angka Kejadian Batu Ginjal Di Rsup Prof. Dr. R. D. Kandou Manado Periode Januari 2010 – Desember 2012. 2014;2(1):1–7.
5. Matlaga BR. How do we manage infected, obstructed hydronephrosis? *Eur Urol.* 2013;64(1):93–4.
6. Nugroho D, Birowo P, Rasyid N. Percutaneous Nephrolithotomy sebagai Terapi Batu Ginjal. *Maj Kedokt Indon.* 2011;61(3):1–13.
7. Aslim O, Utomo NB, Prasadja N, Prasetyo RB. Penatalaksanaan Batu Ginjal dengan Stone Burden Lebih dari Dua Sentimeter di Rumah Sakit Pusat Angkatan Darat Gatot Subroto Tahun 2011-2014. *J Bedah Nas.* 2017;1(1):7–14.
8. Taylor E, Miller J, Chi T, Stoller ML. Complications associated with percutaneous nephrolithotomy. *Transl Androl Urol.* 2012;1(4):223–8.
9. Said SHA, Al Kadum Hassan MA, Ali RHG, Aghaways I, Kakamad FH, et al. Percutaneous nephrolithotomy; alarming variables for postoperative bleeding. *Arab J Urol [Internet].* 2017;15(1):24–9. Available from: <http://dx.doi.org/10.1016/j.aju.2016.12.001>
10. Lee JK, Kim BS, Park YK. Predictive factors for bleeding during percutaneous nephrolithotomy. *Korean J Urol.* 2013;54(7):448–53.
11. Ketsuwan C, Pimpanit N, Phengsalae Y, Leenanupunth C, Kongchareonsombat W, Sangkum P. Peri-Operative Factors Affecting Blood Transfusion Requirements During PCNL: A Retrospective Non-Randomized Study. *Res Reports Urol.* 2020;12:279–85.
12. Meng X, Bao J, Mi Q, Fang S. The Analysis of Risk Factors for Hemorrhage Associated with Minimally Invasive Percutaneous Nephrolithotomy. *Biomed Res Int.* 2019;2019:1–5.
13. El Tayeb MM, Knoedler JJ, Krambeck AE, Paonessa JE, Mellon MJ, Lingeman JE. Vascular Complications after Percutaneous Nephrolithotomy: 10 Years of Experience. *Urology [Internet].* 2015;85(4):1–5. Available from: <http://dx.doi.org/10.1016/j.urology.2014.12.044>
14. Moore KL, Dalley A, Agur AM. *Clinically Oriented Anatomy.* 7th ed. 2014.
15. Snell RS. *Anatomi Klinis Berdasarkan Sistem.* Ardy Suwahjo YA, editor. Jakarta: EGC; 2011. 749–771 p.
16. Sherwood L. *Fisiologi Manusia: Dari Sel Ke Sistem.* Yesdelita N, editor. Jakarta: EGC; 2014. 554–598 p.
17. Moinuddin Z, Dhanda R. Anatomy of the kidney and ureter. *Anaesth Intensive Care Med [Internet].* 2015;16:247–52. Available from: <http://dx.doi.org/10.1016/j.mpaic.2015.04.001>

18. Standing S, editor. *Gray's Anatomy: The Anatomical Basis of Clinical Practice*. Elsevier; 2016. 1237–1270 p.
19. Wu EH, Cicco D, Franco L. *Anatomy, Abdomen and Pelvis, Male Genitourinary Tract*. StatPearls [Internet]. 2020;1–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/32965962>
20. Reynard J, Brewster S, Biers S. *Oxford Handbook of Urology*. 3rd ed. United Kingdom: Oxford Medical Publications; 2013. 127–174 p.
21. Alpendri A, HR D. Stone Composition Pattern of Kidney Stone. *Indones J Urol*. 2013;20(1):34–9.
22. Flannigan RK, Battison A, De S, Humphreys MR, Bader M, Lellig E, et al. Evaluating factors that dictate struvite stone composition: A multiinstitutional clinical experience from the EDGE Research Consortium. *Can Urol Assoc J*. 2018;12(4):131–6.
23. Skolarikos A, Neisius A, Petrik A, Somani B, Thomas K, Gambaro G, et al. *EAU Guidelines on urolithiasis*. European Association of Urology. 2022. 1–72 p.
24. Setiati S, Alwi I, Sudoyo A, K M, Setiyohadi B, Syam A. *Buku Ajar Ilmu Penyakit Dalam*. edisi ke-6. Jakarta: Interna Publishing; 2014. 2121–2128 p.
25. Qadri ZA, Lonergan M, Lambert K. Renal stones First steps and keys to reducing recurrence. *Med Today*. 2015;16(2):45–52.
26. Hastuti VN, Murbawani EA, Wijayanti HS. Hubungan Asupan Protein Total Dan Protein Kedelai Terhadap Kadar Asam Urat Dalam Darah Wanita Menopause. *J Nutr Coll*. 2018;7(2):54–60.
27. Pangestu R, Bakar A, Nimah L. Status Menopause Dapat Meningkatkan Kadar Asam Urat. *Journals Ners Community*. 2019;10(2):140–56.
28. Wein AJ, Kavoussi LR, Partin AW, Peters CA. *Campbell-Walsh Urology*. 11th ed. Elsevier; 2016. 1170–1299 p.
29. Simanullang P. Karakteristik Pasien Batu Saluran Kemih di Rumah Sakit Martha Friska Pulo Brayan Medan Tahun 2015 s / d 2017. *J Darma Agung*. 2019;XXVII(1):807–13.
30. Krambeck AE, Lieske JC, Li X, Bergstralh EJ, Melton LJ, Rule AD. Effect of age on the clinical presentation of incident symptomatic urolithiasis in the general population. *J Urol*. 2013;189(1):158–64.
31. Kallidonis P, Liourdi D, Liatsikos E. Medical Treatment for Renal Colic and Stone Expulsion. *Eur Urol Suppl*. 2011;10(5):415–22.
32. Gottlieb M, Long B, Koyfman A. The evaluation and management of urolithiasis in the ED: A review of the literature. *Am J Emerg Med* [Internet]. 2018;36(4):699–706. Available from: <https://doi.org/10.1016/j.ajem.2018.01.003>
33. Ikatan Ahli Urologi Indonesia (IAUI). *Guidelines Penatalaksanaan Batu Saluran Kemih 2007*. 2007. 1–41 p.
34. Knoll T, Pearle MS. *Clinical Management of Urolithiasis*. Springer; 2012.
35. Pearle MS, Goldfarb DS, Assimos DG, Curhan G, Denu-Ciocca CJ, Matlaga BR, et al. Medical management of kidney stones: AUA guideline. *J Urol* [Internet]. 2014;192:1–9. Available from: <http://dx.doi.org/10.1016/j.juro.2014.05.006>
36. Gul Z, Monga M. Medical and dietary therapy for kidney stone prevention. *Korean J Urol*. 2014;55(12):775–9.

37. Yongzhi L, Shi Y, Jia L, Yili L, Xingwang Z, Xue G. Risk factors for urinary tract infection in patients with urolithiasis - Primary report of a single center cohort. *BMC Urol*. 2018;18(1):1–6.
38. Dorland W. N. *Kamus Saku Kedokteran Dorland*. 28th ed. Jakarta: Buku Kedokteran EGC; 2012. 530 p.
39. Thotakura, Ramakrishna Anjum F. *Hydronephrosis And Hydroureter*. In *StatPearls Publishing*; 2021. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK563217/>
40. Onen A. Grading of Hydronephrosis : An Ongoing Challenge. *Front Pediatr*. 2020;8:1–13.
41. Chapple C., Steers W. *Practical Urology: Essential Principles and Practice*. Springer; 2011. 197–204 p.
42. Bowra J, McLaughlin RE. *Emergency Ultrasound Made Easy*. 2nd editio. Elsevier; 2011. 75–86 p.
43. Hardjowijoto S, Santoso A, Alif S, Soetojo, Tarmono, Djatisoesanto W, et al. Hands on PCNL course. Soebadi DM, editor. Surabaya; 2015. 1–22 p.
44. Kyriazis I, Panagopoulos V, Kallidonis P, Özsoy M, Vasilas M, Liatsikos E. Complications in percutaneous nephrolithotomy. *World J Urol [Internet]*. 2015;33(8):1069–77. Available from: <http://dx.doi.org/10.1007/s00345-014-1400-8>
45. Dong X, Wang D, Zhang H, You S, Pan W, Pang P, et al. No staghorn calculi and none/mild hydronephrosis may be risk factors for severe bleeding complications after percutaneous nephrolithotomy. *BMC Urol [Internet]*. 2021;21(1):1–8. Available from: <https://doi.org/10.1186/s12894-021-00866-9>
46. Ahmad AA, Yunus A, Muhamad T, Utomo S, Pasien K, Ginjal B, et al. The Characteristics of Kidney Stone Patients Based on The Age, Gender, and Electrolyte Levels at RSUD Al-Ihsan Kabupaten Bandung During the Period of 1 January 2016–31 December 2017. 2016;(22):166–71.
47. Ahmad S, Ansari TM, Shad MA. Prevalence of Renal Calculi; Type, Age and Gender Specific in Southern Punjab, Pakistan. *Prof Med J*. 2016;23(04):389–95.
48. Penniston KL, McLaren ID, Greenlee RT, Nakada SY. Urolithiasis in a rural Wisconsin population from 1992 to 2008: Narrowing of the male-to-female ratio. *J Urol [Internet]*. 2011;185(5):1731–6. Available from: <http://dx.doi.org/10.1016/j.juro.2010.12.034>
49. Abufaraj M, Xu T, Cao C, Waldhoer T, Seitz C, D'andrea D, et al. Prevalence and Trends in Kidney Stone Among Adults in the USA: Analyses of National Health and Nutrition Examination Survey 2007–2018 Data. *Eur Urol Focus [Internet]*. 2020;1–8. Available from: <https://doi.org/10.1016/j.euf.2020.08.011>
50. Shavit L, Ferraro PM, Johri N, Robertson W, Walsh SB, Mochhala S, et al. Effect of being overweight on urinary metabolic risk factors for kidney stone formation. *Nephrol Dial Transplant*. 2015;30(4):607–13.
51. Sorensen MD, Chi T, Shara NM, Wang H, Hsi RS, Orchard T, et al. Activity, Energy Intake, Obesity, and the Risk of Incident Kidney Stones in Postmenopausal Women: A Report from the Women's Health Initiative. *J Am Soc Nephrol*. 2014;25(2):362–9.



52. Hee Youn K, Choe HS, Dong Sup L, Je Mo Y, Seung Ju L. Is Absence of Hydronephrosis a Risk Factor for Bleeding in Conventional Percutaneous Nephrolithotomy? *J Urol*. 2020;17(1):1–18.
53. Akman T, Binbay M, Sari E, Yuruk E, Tepeler A, Akcay M, et al. Factors affecting bleeding during percutaneous nephrolithotomy: Single surgeon experience. *J Endourol*. 2011;25(2):327–33.
54. Kukreja R, Desai M, Patel S, Bapat S, Desai M. Factors Affecting Blood Loss During Percutaneous Nephrolithotomy: Prospective Study. *J Endourol*. 2004;18(8):715–22.

