

DAFTAR PUSTAKA

- [1] J. Fleischer, R. Pabst, and S. Kelemen, "Heat flow simulation for dry machining of power train castings," *CIRP Ann. - Manuf. Technol.*, vol. 56, no. 1, pp. 117–122, 2007, doi: 10.1016/j.cirp.2007.05.030.
- [2] T. D. Howes, H. K. Tönshoff, W. Heuer, and T. Howes, "Environmental Aspects of Grinding Fluids," *CIRP Ann. - Manuf. Technol.*, vol. 40, no. 2, pp. 623–630, 1991, doi: 10.1016/S0007-8506(07)61138-X.
- [3] S. A. Lawal, I. A. Choudhury, and Y. Nukman, "Application of vegetable oil-based metalworking fluids in machining ferrous metals - A review," *Int. J. Mach. Tools Manuf.*, vol. 52, no. 1, pp. 1–12, 2012, doi: 10.1016/j.ijmactools.2011.09.003.
- [4] S. Ganda Sukmaya, "Analisis Permintaan Minyak Kelapa (Coconut Crude Oil) Indonesia di Pasar Internasional," *Agrar. J. Agribus. Rural Dev. Res.*, vol. 3, no. 1, pp. 1–8, 2017, doi: 10.18196/agr.3138.
- [5] Badan Pusat Statistik, "Data Impor Boric Acids," *Badan Pusat Statistik*, 2015. <http://www.bps.go.id/>
- [6] S. Anthonius and S. G. S. Sumaryo, "Pengaruh Proses Nitridisasi Terhadap Sifat Mekanis Permukaan Baja Paduan Rendah AISI 4340," *J. Sains Mater. Indones.*, vol. 4340, pp. 49–54, 2006.
- [7] P. Vamsi Krishna, R. R. Srikant, and D. Nageswara Rao, "Experimental investigation on the performance of nanoboric acid suspensions in SAE-40 and coconut oil during turning of AISI 1040 steel," *Int. J. Mach. Tools Manuf.*, vol. 50, no. 10, pp. 911–916, 2010, doi: 10.1016/j.ijmactools.2010.06.001.
- [8] Widarto, *Teknik Pemesinan Jilid 1*, vol. 4, no. 1. 2016.
- [9] C.van, Terheijden, *Alat-alat perkakas*. Bandung: Binacipta, 1981.
- [10] D. Teori, "Kajian Pustaka Tentang Keausan Pada Pahat Bubut," *Rotasi*, vol. 12, no. 2, pp. 38-41–41, 2010.

- [11] L. Čerče, F. Pušavec, and J. Kopač, “3D cutting tool-wear monitoring in the process,” *J. Mech. Sci. Technol.*, vol. 29, no. 9, pp. 3885–3895, 2015, doi: 10.1007/s12206-015-0834-2.
- [12] P. I. P. SARI, “PENGARUH VARIASI SERAT TKKS DAN GERAK MAKAN TERHADAP KEKASARAN PERMUKAAN DAN KEAUSAN TEPI HASIL PROSES PEMESINAN BUBUT PADA MATERIAL KOMPOSIT,” 2019.
- [13] D. Noerhamzah, “PENGARUH GERAK MAKAN DAN PUTARAN SPINDEL TERHADAP KEAUSAN PAHAT HSS PADA PROSES PEMESINAN END MILLING KOMPOSIT BERPENGUAT SERAT NENAS Diajukan,” 2019.
- [14] T. Rajmohan, S. D. Sathishkumar, and K. Palanikumar, “Effect of a nanoparticle-filled lubricant in turning of AISI 316L stainless steel (SS),” *Part. Sci. Technol.*, vol. 35, no. 2, pp. 201–208, 2017, doi: 10.1080/02726351.2016.1146812.
- [15] W. Belluco and L. De Chiffre, “Performance evaluation of vegetable-based oils in drilling austenitic stainless steel,” *J. Mater. Process. Technol.*, vol. 148, no. 2, pp. 171–176, 2004, doi: 10.1016/S0924-0136(03)00679-4.
- [16] and J. C. E. García-Martínez, V. Miguel, A. Martínez-Martínez, M. C. Manjabacas, “Sustainable Lubrication Methods for the Machining of Titanium Alloys: An Overview,” *Materials (Basel)*,” 2019.
- [17] I. Dwynda and R. Zainul, “Boric Acid ($H_3(BO_3)$): Recognize The Molecular Interactions in Solutions,” *Chemeo*, vol. 3, no. 39, pp. 1–28, 2018.
- [18] I. Hakim, *Tugas Akhir Tugas Akhir IDENTIFIKASI LAJU KEAUSAN TEPI PAHAT HSS DAN KARBIDA DENGAN VARIASI PENDINGINAN PADA PROSES MEMBUBUT MATERIAL METAL MATRIK KOMPOSIT*, vol. 2, no. 1. 2020.
- [19] V. J. Mohanraj and Y. Chen, “Nanoparticles - A review,” *Trop. J. Pharm. Res.*, vol. 5, no. 1, pp. 561–573, 2007, doi: 10.4314/tjpr.v5i1.14634.

- [20] M. M. A. Al-Remawi, "Properties of chitosan nanoparticles formed using sulfate anions as crosslinking bridges," *Am. J. Appl. Sci.*, vol. 9, no. 7, pp. 1091–1100, 2012, doi: 10.3844/ajassp.2012.1091.1100.
- [21] A. Z. Sastal, Y. Gunawan, and B. Sudia, "Pengaruh Kecepatan Potong Terhadap Perubahan Temperatur Pahat dan Keausan Pahat Bubut Pada Proses Pembubutan Baja Karbon Sedang," *J. Ilm. Mhs. Tek. Mesin*, vol. 3, no. 1, pp. 1–11, 2018.
- [22] P. V. Krishna, R. R. Srikant, R. Padmini, and B. Parakh, "Basic properties and performance of vegetable oil-based boric acid nanofluids in machining," *Lect. Notes Mech. Eng.*, pp. 197–206, 2012, doi: 10.1007/978-81-322-1007-8_17.

