

DAFTAR PUSTAKA

- Abdullah, F., Jusoh, I. and Assim, Z. (2015) ‘Extractives from Eusideroxylon Zwageri and Potoxylon Melagangai Against white-Rot Fungi’, *The Open Conference Proceedings Journal*, 4(1), pp. 166–166. doi: 10.2174/2210289201304010166.
- Afrida (2014) ‘Isolasi Senyawa Alkaloid dari Daun Bulian (Eusideroxylon zwagery)’, 6, pp. 20–24.
- Aiso-Sanada, H. *et al.* (2020a) ‘Basic wood properties of Borneo ironwood (*Eusideroxylon zwageri*) planted in Sarawak, Malaysia’, *Tropics*, 28(4), pp. 99–103. doi: 10.3759/tropics.ms19-10.
- Aiso-Sanada, H. *et al.* (2020b) ‘Basic Wood Properties of Borneo Ironwood (*Eusideroxylon zwageri*) Planted in Sarawak, Malaysia’, *Tropics*, 28(4), pp. 99–103. doi: 10.3759/tropics.ms19-10.
- Ajizah, A., Thihana, T. and Mirhanuddin, M. (2007) ‘Potensi Ekstrak Kayu Ulin (Euksideroxylon zwageri) dalam Menghambat Pertumbuhan Bakteri *Staphylococcus aureus* Secara in Vitro’, *Bioscientiae*, 4(1), pp. 37–42.
- Andini, A. *et al.* (2021) ‘Pengaruh Penggunaan Jenis Pelarut dalam Uji Sitotoksitas Metode Brine Shrimp Lethality Test (BSLT) pada Wound Dressing Kolagen-Kitosan’, *al-Kimiya*, 8(1), pp. 15–20. doi: 10.15575/ak.v8i1.10277.
- Anita, A., Khotimah, S. and Yanti, A. H. (2014) ‘Aktivitas Antibakteri Ekstrak Daun Benalu Jambu Air (*Dendrophoe Pentandra* (L.) Miq) terhadap Pertumbuhan *Salmonella Typhi*’, *jurnal Protobiont*, 3(2), pp. 268–272.
- Badariah, B. (2013) ‘Isolasi Alkaloid Bersifat Antimakan Pada Kayu Bulian (*Eusideroxylon zwagerii* T et B)’, *Prosiding SEMIRATA 2013*, pp. 103–110.
- Bahuguna, A. *et al.* (2017) ‘MTT assay to evaluate the cytotoxic potential of a drug’, *Bangladesh Journal of Pharmacology*, 12(2), pp. 115–118. doi: 10.3329/bjp.v12i2.30892.
- Cherunisa, A. Y. *et al.* (2020) ‘Antifungal activity of neolignan derivatives from eusideroxylon zwageri against pathogenic fungus *microsporum gypseum*’, *Pharmacognosy Journal*, 12(5), pp. 993–999. doi: 10.5530/pj.2020.12.140.
- Chitra, J., Khatana, S. and Vijayvergia, R. (2019) ‘Bioactivity of Secondary Metabolites of Various Plants: A Review’, *International Journal of Pharmaceutical Sciences and Research*, 10(2), pp. 494–504. doi: 10.13040/IJPSR.0975-8232.10(2).494-04.
- Clarkson, C. *et al.* (2004) ‘In vitro antiplasmodial activity of medicinal plants native to or naturalised in South Africa’, *Journal of Ethnopharmacology*, 92(2–3), pp. 177–191. doi: 10.1016/j.jep.2004.02.011.
- Corrêa, W. R. *et al.* (2018) ‘Anti-Inflammatory and Antioxidant Properties of the Extract , Tiliroside , and Patuletin 3-O- ? -D-Glucopyranoside from Pfaffia

townsendii (Amaranthaceae)', 2018.

Cristiandari, E. maya (2018) 'UJI EFEK EKSTRAK DAN FRAKSINASI DAUN SALUNG PAYUDARA T47D', 13(1), pp. 9–20.

Darussalam, H. (2016) 'Uji Sensitivitas Ekstrak Kayu Ulin (Eusideroxylon zwageri tet b) terhadap Pertumbuhan Bakteri Staphylococcus Aureus Secara In Vitro', 1(2), pp. 81–90.

Dasopang, E. S. (2017) 'Skrining Fitokimia dan Uji Aktivitas Antibakteri Ekstrak Etanol Daun Sangitan (Sambucus javanica Reinw) terhadap Pertumbuhan bakteri Eschericia coli and Salmonella thypi', *JURNAL BIOLOGI LINGKUNGAN, INDUSTRI, KESEHATAN*, 4(1), pp. 54–62.

Delgoda, R. and Murray, J. E. (2017) *Evolutionary Perspectives on the Role of Plant Secondary Metabolites, Pharmacognosy: Fundamentals, Applications and Strategy*. Elsevier Inc. doi: 10.1016/B978-0-12-802104-0.00007-X.

Dong, W. et al. (2010) 'Homoisoflavanones from Polygonatum odoratum Rhizomes Inhibit Advanced Glycation End Product Formation', 33(5), pp. 669–674. doi: 10.1007/s12272-010-0504-y.

El-Gamal, A. A. et al. (2017) 'Prenylated flavonoids from Commiphora opobalsamum stem bark', *Phytochemistry*, 141, pp. 80–85. doi: 10.1016/j.phytochem.2017.05.014.

Elsyana, V., Bintang, M. and Priosoeryanto, B. P. (2016) 'Cytotoxicity and antiproliferative activity assay of clove mistletoe (Dendrophthoe pentandra (L.) Miq.) leaves extracts', *Advances in Pharmacological Sciences*, 2016. doi: 10.1155/2016/3242698.

GLOBOCAN (2020) 'The Global Cancer Observatory - All cancers', *International Agency for Research on Cancer - WHO*, 419, pp. 199–200. Available at: <https://gco.iarc.fr/today/home>.

Goodwin, C. J. et al. (1995) 'Microculture Tetrazolium Assays: A comparison Between Two New Tetrazolium Salts, XTT and MTS', *Journal Immunol Methods*, 197(1), pp. 95–103. doi: 10.1016/0022-1735(95)90005-2.

Grebe, S. K. G. and Singh, R. J. (2011) 'LC-MS/MS in the clinical laboratory - Where to from here?', *Clinical Biochemist Reviews*, 32(1), pp. 5–31.

Handayani, D. et al. (2018) 'Cytotoxic activity screening of fungal extracts derived from the West Sumatran marine sponge Haliclona fascigera to several human cell lines: Hela, WiDr, T47D and Vero', *Journal of Applied Pharmaceutical Science*, 8(1), pp. 055–058. doi: 10.7324/JAPS.2018.8109.

Harmita, K., Harahap, Y. and Supandi (2019) *Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)*, Isfi Penerbitan. Available at: https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download %0A <http://www.econ.upf.edu/~reynal/Civil>

wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625.

He, X. et al. (2018) ‘Sinomenine Induces G1-Phase Cell Cycle Arrest and Apoptosis in Malignant Glioma Cells Via Downregulation of Sirtuin 1 and Induction of p53 Acetylation’, 17, pp. 1–8. doi: 10.1177/1533034618770305.

Herawan Timotius, K. and Rahayu, I. (2020) ‘Qualitative Analysis of Eusideroxylon Zwageri Teijsm and Binn Seed By Gc-Ms and Lc-Ms’, *International Journal of Advanced Research*, 8(5), pp. 878–884. doi: 10.21474/ijar01/10998.

Hobbs, B. J. J., Kingdom, U. and Clemmensen, T. (1956) ‘The Chemistry of Extractives from Hardwoods . Eusiderin, a Possible By-Product of Lignin Xsynthesis in Eusideroxylon zwageri’, *Hobbs and King*, (4732), pp. 3–9.

Husni, E. et al. (2015) ‘Cytotoxicity study of ethanol extract of the stem bark of asam kandis (*Garcinia cowa Roxb.*) on T47D breast cancer cell line’, *Asian Pacific Journal of Tropical Biomedicine*, 5(3), pp. 249–252. doi: 10.1016/S2221-1691(15)30013-7.

Hussain, S. M., Hussain, M. S. and Ahmed, A. (2016) ‘Characterization of isolated bioactive phytoconstituents from Flacourtie indica as potential phytopharmaceuticals -An in silico perspective Characterization of isolated bioactive phytoconstituents from Flacourtie indica as potential phytopharmaceuticals -’, (October).

Ismail, N. et al. (2018) ‘Novel combination of thymoquinone and resveratrol enhances anticancer effect on hepatocellular carcinoma cell line’, *Future Journal of Pharmaceutical Sciences*, 4(1), pp. 41–46. doi: 10.1016/j.fjps.2017.08.001.

Jelita, S. F. et al. (2020) ‘Uji Toksisitas Infusa Acalypha Simensis Dengan Metode Brine Shrip Lethality Test (BSLT)’, *Jurnal Farmaka*, 18(1), pp. 14–22.

Johari, A. (2010) ‘Pemanfaatan serbuk kayu bulian (eusideroxylon zwagery t et b) sebagai antimakan terhadap ulat jengkal, chrysoideixis chalcites U’.

Kahirah, M., Efidi, M. and Afrizal (2016) ‘Profil Aktivitas Antioksidan dengan Metode DPPH dan Total Fenolik dari Ekstrak Daun Pacar CIna’, 5(2303), pp. 1–6.

Kamil, W. et al. (2017) ‘Diterpene Alkaloids from *Aconitum soongaricum* var. *pubescens*’, *Chemistry of Natural Compounds*, 53(2), pp. 403–405. doi: 10.1007/s10600-017-2007-2.

Kinho, J. et al. (2011) *Tumbuhan Obat Tradisional di Sulawesi Utara Jilid I Julianus*. Available at: [http://www.forda-mof.org/files/Tumbuhan Obat Tradisional di Sulut Jilid I.pdf](http://www.forda-mof.org/files/Tumbuhan%20Obat%20Tradisional%20di%20Sulut%20Jilid%20I.pdf).

Kondo, R. (2009) ‘Evaluation of Medicinal Plants from Central Kalimantan for Antimelanogenesis’, 63, pp. 473–480. doi: 10.1007/s11418-009-0351-7.

Konno, C., Shirasaka, M. and Hikino, H. (1982) ‘Structure of senbusine A, B and C, diterpenic alkaloids of *Aconitum Carmichaeli* roots from China’, *Journal of*

Natural Products, 45(2), pp. 128–133. doi: 10.1021/np50020a003.

Kumar, B. R. (2017) ‘Application of HPLC and ESI-MS techniques in the analysis of phenolic acids and flavonoids from green leafy vegetables (GLVs)’, *Journal of Pharmaceutical Analysis*, 7(6), pp. 349–364. doi: 10.1016/j.jpha.2017.06.005.

Kurniawan, yayan rabbani (2021) ‘Penentuan Kandungan Metabolit Sekunder, Uji Antioksidan dan Toksisitas dari Ekstrak Daun Ulin (Eusideroxylon zwageri Teijsm. & Binn)’, *Paper Knowledge . Toward a Media History of Documents*, pp. 12–26.

Kurniawan, H. and Ropiqa, M. (2021) ‘Uji Toksisitas Ekstrak Etanol Daun Ekor Kucing (Acalypha hispida Burm.f.) Dengan Metode Brine Shrimp Lethality Test (BSLT)’, *Journal Syifa Sciences and Clinical Research*, 3(2), pp. 52–62. doi: 10.37311/jsscr.v3i2.11398.

Kusuma, I. W. et al. (2018) ‘Phytochemicals and Antidiabetic Activity of Eusideroxylon zwageri Stem Bark Collected from East Kalimantan, Indonesia’, *IOP Conference Series: Earth and Environmental Science*, 144(1), pp. 1–8. doi: 10.1088/1755-1315/144/1/012030.

Lapkin, A. A. et al. (2009) ‘Development of HPLC analytical protocol for artemisinin quantification in plant materials and extracts’, *Medicine for Malaria Ventures Supported Project*, (January 2009), pp. 1–7.

Legeay, S. et al. (2015) ‘Epigallocatechin gallate: A review of its beneficial properties to prevent metabolic syndrome’, *Nutrients*, 7(7), pp. 5443–5468. doi: 10.3390/nu7075230.

Liang, X., Gao, Y. and Luan, S. (2018) ‘Two decades of advances in diterpenoid alkaloids with cytotoxicity activities’, *RSC Advances*, 8(42), pp. 23937–23946. doi: 10.1039/c8ra03911a.

Majrashi, T. A. et al. (2021) ‘South African Journal of Botany In vitro cytotoxicity and neurotoxicity assessment of the alkaloidal constituents derived from Asimina triloba twigs’, *South African Journal of Botany*, 140, pp. 204–209. doi: 10.1016/j.sajb.2021.04.010.

Mardianingsih, A. and Ismiyati, N. (2014) ‘Cytotoxic Activity of Ethanolic Extract of Persea americana Mill. Leaves on HeLa CEervical Cancer Cell’, *Traditional Medicine Journal*, 19(1), pp. 24–28.

Mariam, F. et al. (2020) ‘UJI EFEKTIVITAS EKSTRAK KULIT BATANG POHON KAYU ULIN (Eusideroxylon zwageri) TERHADAP Aggregatibacter actinomycetemcomitans’, *Jurnal Kedokteran Gigi*, IV(2), pp. 43–48.

Mariani, Y. et al. (2016) ‘Regulatory Effects of Five Medicinal Plants Used by Dayak Uud Danum in West Kalimantan Indonesia on the Delayed-Type Hypersensitivity and the Inflammation of Human Colon Epithelial Cells’, *Kuroshio Science*, 10–1(December), pp. 59–71.

Mariani, Y., Yusro, F. and Wardenaar, E. (2020) ‘Aktivitas Ekstrak Metanol Daun

- Ulin (Eusideroxylon Zwageri Teijsm & Binn) Terhadap Empat Jenis Bakteri Patogen', *Jurnal Biologi Tropis*, 20(1), p. 94. doi: 10.29303/jbt.v20i1.1642.
- Martins, N. O. et al. (2018) 'antifatigue effects of Trichilia catigua (catuaba)', pp. 1–13.
- Meiyanto, M. et al. (1999) 'Targeted Disruption of the Microsomal Epoxide Hydrolase Gene', *The Journal of Biological Chemistry*, 274, pp. 23963–23968.
- Meyer, B. N. et al. (1982) 'Brine shrimp: A convenient general bioassay for active plant constituents', *Planta Medica*, 45(1), pp. 31–34. doi: 10.1055/s-2007-971236.
- Molina-Calle, M., Priego-Capote, F. and Luque de Castro, M. D. (2017) 'Characterization of Stevia leaves by LC-QTOF MS/MS analysis of polar and non-polar extracts', *Food Chemistry*, 219, pp. 329–338. doi: 10.1016/j.foodchem.2016.09.148.
- Mosmann, T. (1983) 'Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays', *Journal of immunological methods*, 65(1–2), pp. 55–63.
- Muhaimin et al. (2016) 'Aktivitas Antijamur Eusiderin A (Eusideroxylon zwagery) terhadap Rhizoctonia solani dan Gliocladium fimbriatum', *Semirata 2016 Bidang MIPA BKS-TPN Barat*, pp. 22–24.
- Muhaimin, M. et al. (2014) 'Eusideri I from Eusideroxylon zwageri as antifungal agent Toward Fusarium oxysporum f.sp lycopersici'.
- NIH (2021) 'What Is Cancer? Differences between Cancer Cells and Normal Cells', National Cancer Institute, pp. 1–8. Available at: <https://www.cancer.gov/about-cancer/understanding/what-is-cancer>.
- Niksic, H. et al. (2021) 'Cytotoxicity screening of Thymus vulgaris L. essential oil in brine shrimp nauplii and cancer cell lines', *Scientific Reports*, 11(1), pp. 1–9. doi: 10.1038/s41598-021-92679-x.
- Nintasari, R. and Amaliyah, D. M. (2016) 'EKTRAKSI ZAT WARNA ALAM DARI KAYU ULIN (Eusideroxylon zwageri)', pp. 25–32.
- Nurviana, V. and Gunarti, N. S. (2016) 'Skrining Fitokimia dan Uji Aktivitas Antibakteri Ekstrak Etanol Kernel Biji Buah Bacang (Mangifera foetida L.) terhadap Escherichia coli', *Pharma Xplore : Jurnal Ilmiah Farmasi*, 1(2), pp. 28–36. doi: 10.36805/farmasi.v1i2.500.
- Obenu, N. M. (2019) 'Ekstraksi dan Identifikasi Kandungan Metabolit Fraksi Diklorometana dan Aquades Ekstrak Metanol Daun Sirsak (Annona Muricata Linn)', 2(2622), pp. 17–19.
- Ova, A., Ferdinal, N. and Santoni, A. (2016) 'Identifikasi Senyawa Metabolit Sekunder Tanaman Jarak Pagar (Jatropha curcas L .) dan Uji Toksisitas Menggunakan Metode BRINE SHRIMP LETHALITY TEST', 5(2303), pp. 1–7.

- Padmi, A. (2008) *Uji Sitotoksik Ekstrak Etanol 70 % Buah Kemukus (Piper Cubeba L) Terhadap Sel Hela*. Universitas Muhammadiyah Surakarta.
- Pereira, L. C. O. et al. (2020) ‘Bioactive Compounds from the Aerial Parts of Evolvulus linarioides’, *Journal of Natural Products*, 83(5), pp. 1515–1523. doi: 10.1021/acs.jnatprod.9b01189.
- Pradjadinata, S. and Murniati (2014) ‘Pengelolaan dan konservasi jenis ulin (’), pp. 205–223.
- Raharjo, M. L. et al. (2020) ‘PENGARUH EKSTRAK KAYU ULIN (Eusideroxylon zwageri) TERHADAP SERANGAN RAYAP KAYU KERING (Cryptotermes cynocephalus): PENELITIAN PENDAHULUAN’, *Jurnal Penelitian Hasil Hutan*, 38(1), pp. 21–26. doi: 10.20886/jphh.2020.38.1.21-26.
- Rangkuti, Y. et al. (2019) ‘Uji sitotoksik metformin hidroklorida terhadap sel kanker payudara T47D’, 19(3), pp. 130–134.
- Rohma, Jamilatul ; Rini, Chayelen Setyo ; Wulandari, F. E. (2018) ‘Uji Aktivitas Sitotoksik Ekstrak Selada Merah (*Lactuca sativa* var. *Crispa*) pada Berbagai Pelarut Ekstraksi dengan Metode BS LT (Brine Shrimp Lethality Test)’, (November).
- Saidi, R. et al. (2017) ‘Antifungal, molluscicidal and larvicidal assessment of anemonin and Clematis flammula L. extracts against mollusc Galba truncatula, intermediate host of *Fasciola hepatica* in Tunisia’, *Asian Pacific Journal of Tropical Medicine*, 10(10), pp. 967–973. doi: 10.1016/j.apjtm.2017.09.008.
- Sajjadi, S. E. et al. (2015) ‘Cytotoxic effect of *Cousinia verbascifolia* Bunge against OVCAR-3 and HT-29 cancer cells’, *Journal of HerbMed Pharmacology*, 4(1), pp. 15–19.
- Salim, E., Adlis, S. and Nindi, A. F. (2020) ‘Penentuan Kandungan Fenolik Total, Sifat Antioksidan dan toksisitas dari Ekstrak Kulit Batang Rengas (*Gluta rengas* L.) Stem Bark Extracts’, 8(2), pp. 0–5.
- Sandrawati, N. et al. (2019) ‘In vitro cytotoxic activity assay of bacteria extract derived marine sponge *Haliclona fascigera* toward Hela, WiDr, T47D, and Vero cell line’, *Journal of Applied Pharmaceutical Science*, 9(8), pp. 66–70. doi: 10.7324/JAPS.2019.90809.
- Santoni, A., Permana, H. and Efdi, M. (2016) ‘Identifikasi Senyawa Metabolit Sekunder dan Uji antioksidan serta uji Toksisitas Ekstrak Daun Kayu Ara (*Ficus aurata* (Miq.) Miq.)’, *Jurnal Kimia Unand*, 5(2303), pp. 1–13.
- Sung, H. et al. (2021) ‘Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries’, *CA: A Cancer Journal for Clinicians*, 71(3), pp. 209–249. doi: 10.3322/caac.21660.
- Syafh, W., Yoshimoto, T. and Samejima, M. (1988) ‘The Effect of Lignin Structure on Decay Resistance of Some Tipical Woods’, *Bull, Tokyo Univ*, 80, pp. 69–77.
- Tan, G. et al. (2011) ‘Characterization of constituents in Sini decoction and rat

plasma by high-performance liquid chromatography with diode array detection coupled to time-of-flight mass spectrometry', 2010(November 2010), pp. 913–924. doi: 10.1002/bmc.1544.

The Global Cancer Observatory (2020) 'Cancer Incident in Indonesia', *International Agency for Research on Cancer*, 858, pp. 1–2.

Tianandari, F. and Rasidah, R. (2017) 'Uji Sitotoksik Ekstrak Etanol Buah Ketumbar (*Coriandrum Sativum Linn*) Terhadap Artemia Salina Leach Dengan Metode Brine Shrimp Lethality Test (BSLT)', *AcTion: Aceh Nutrition Journal*, 2(2), p. 86. doi: 10.30867/action.v2i2.59.

Tsiftsis, D. A. D. (2014) 'Breast cancer', *Imaging in Clinical Oncology*, pp. 321–322. doi: 10.1007/978-88-470-5385-4_44.

Walker, J. M. (2013) *Mammalian Cell Viability, Methods and Protocol*. Humana Press. doi: 10.1007/978-1-61779-108-6.

Wang, Z. et al. (2006) 'Quantitative determination of diterpenoid alkaloids in four species of *Aconitum* by HPLC', *Journal of Pharmaceutical and Biomedical Analysis*, 40(4), pp. 1031–1034. doi: 10.1016/j.jpba.2005.08.012.

Wila, H., Yusro, F. and Mariani, Y. (2018) 'Skrining Fitokimia Dan Aktivitas Antibakteri Ekstrak Kulit Batang (*Eusideroxylon zwageri*) terhadap Escherichia Coli dan Salmonella Typhi', 8, pp. 38–49.

Zhu, Y. et al. (2019) 'Novel dihydroartemisinin dimer containing nitrogen atoms inhibits growth of endometrial cancer cells and may correlate with increasing intracellular peroxynitrite', *Scientific Reports*. doi: 10.1038/s41598-019-52108-6.