

DAFTAR PUSTAKA

- Ahmadi, S. M., Farhoosh, R., Sharif, A., & Rezaie, M. (2020). Structure-Antioxidant Activity Relationships of Luteolin and Catechin. *Journal of Food Science*, 85(2), 298–305. <https://doi.org/10.1111/1750-3841.14994>
- Akin, M. ., & Saki, N. (2019). Antimicrobial, DPPH scavenging and tyrosinase inhibitory activities of Thymus vulgaris, Helichrysum arenarium and Rosa damascena mill. ethanol extracts by using TLC bioautography and chemical screening methods. *Journal Of Liquid Chromatography & Related Technologies*, 42, 2004–2016. <https://doi.org/10.1080/10826076.2019.1591977>
- Alotaibi, B. S., Ijaz, M., Buabeid, M., & Kharaba, Z. J. (2021). *Therapeutic Effects and Safe Uses of Plant-Derived Polyphenolic Compounds in Cardiovascular Diseases: A Review*. 4713–4732.
- Anantharaju, P. G., Gowda, P. C., Vimalambike, M. G., & Madhunapantula, S. V. (2016). An overview on the role of dietary phenolics for the treatment of cancers. In *Nutrition Journal* (Vol. 15, Issue 1). <https://doi.org/10.1186/s12937-016-0217-2>
- Andersen, O. ., & Markham, K. R. (2006). *Separation and quantification of flavonoids. Flavonoids: chemistry, biochemistry and applications*. Taylor & Francis.
- Anwar, L., Efdi, M., Ninomiya, M., Ibrahim, S., Putra, D. P., Tanaka, K., & Koketsu, M. (2017). Labdane diterpene lactones of Vitex pubescens and their antileukemic properties. *Medicinal Chemistry Research*, 26(10), 2357–2362. <https://doi.org/10.1007/s00044-017-1937-3>
- Aruwa, C. ., Amoo, S. ., Koorbanally, N., & Kudanga, T. (2021). Enzymatic dimerization of luteolin enhances antioxidant and antimicrobial activities. *Biocatalysis and Agricultural Biotechnology*, 35, 102–105. <https://doi.org/10.1016/j.bcab.2021.102105>
- Ata, A. ., Mbong, N. ., Iverson, C. D. ., & Samarakkera, R. (2009). Minor chemical constituents of Vitex pinnata. *Nat Prod Commun*, 4, 1–4. <https://doi.org/10.1177/1934578x0900400102>
- Ávila-Román, J., Soliz-Rueda, J. R., Bravo, F. I., Aragonès, G., Suárez, M., Arola-Arnal, A., Mulero, M., Salvadó, M. J., Arola, L., Torres-Fuentes, C., & Muguerza, B. (2021). Phenolic compounds and biological rhythms: Who takes the lead? In *Trends in Food Science and Technology* (Vol. 113). <https://doi.org/10.1016/j.tifs.2021.04.050>
- Badgujar, N. ., Mistry, K. ., Rank, D. ., & Joshi, C. G. (2018). Screening of antiproliferative activity mediated through apoptosis pathway in human non-small lung cancer A-59 cells by active compounds present in medicinal plants. *Asian Pacific Journal of Tropical Medicine*, 11(12), 666–675. <https://doi.org/10.4103/1995-7645-248338>
- Baranovic, G., & Segota, S. (2018). infrared spectroscopy of flavones and flavonols. Reexamination of the hydroxyl and carbonyl vibrations in relation to the interactions of flavonoids with membrane lipids. *Spectrochimia Acta Part A: Molecular and Biomolecular Spectroscopy*, 192, 473–486. <https://doi.org/10.1016/j.saa.2017.11.057>
- Berrani, A., Marmouzi, I., Bouyahya, A., Kharbach, M., El Hamdani, M., El Jemli, M., Lrhorfi, A., Zouarhi, M., Faouzi, M. E. A., & Bengueddour, R. (2021). Phenolic Compound Analysis and Pharmacological Screening of Vitex agnus-castus Functional Parts. *BioMed Research International*, 2021. <https://doi.org/10.1155/2021/6695311>
- Bhardwaja, P., Naryala, A., Thakura, M. ., Aggarwalb, N. ., Saxenaa, S., Chaurasiaa, O. ., & Kumar, R. (2020). Comparative antioxidant, antibacterial, and GC-MS analysis of methanol extract's fractions and isolation of luteolin from leaves of trans-Himalayan Codonopsis clematidea. *Crops & Products*, 144(112046). <https://doi.org/10.1016/j.indcrop.2019.112046>

- Burns, D.C., Ellis, D.A., & March, R. (2007). A predictive tool for assessing ^{13}C NMR chemical shifts of flavonoids. *Magn. Reson. Chem.*, 45, 835–845. <https://doi.org/10.1002/mrc.2054>
- Chen, J., Yang, J., Ma, L., Li, J., Shahzad, N., & Kim, C. K. (2020). *Structure-antioxidant activity relationship of methoxy, phenolic hydroxyl, and carboxylic acid groups of phenolic acids*. 1–9.
- Cuong, D. T. D., Dat, H. T., Duan, N. T., Thuong, P. D., Phat, N. T., Tri, M. D., Van Son, D., Hoa, N. T., Tuyen, P. N. K., & Phung, N. K. P. (2019). Isolation and characterization of six flavonoids from the leaves of *Sterculia foetida* Linn. . *Vietnam Journal of Chemistry*, 57(4), 438–442. <https://doi.org/10.1002/vjch.201900084>
- Dewanjee, S. ., Gangopadhyay, M. ., Bhattacharya, N. ., Khanra, R. ., & Dua, T. K. (2015). Bioautography and its scope in the field of natural product chemistry. *Pharm Analysis*, 5(2), 75–84. <https://doi.org/10.1016/j.jpha.2014.06.002>
- Dhakal, R. C., Rajbhandari, M., Kalauni, S. K., Awale, S., & Gewali, M. B. (1970). Phytochemical Constituents of the Bark of *Vitex negundo* L. *Journal of Nepal Chemical Society*, 23, 89–92. <https://doi.org/10.3126/jncc.v23i0.2101>
- Dibbern, H. ., Muller, R. ., & Wirbitzki, E. (2002). *UV and IR Spectra*. Editio Cantor Verlag. <https://www.pdfdrive.com/uv-and-ir-spectra-pharmaceutical-and-cosmetic-excipients-ir-e187945626.html>
- Djimabi, K., Li, B.; Chen, X. H., Su, P. ., Liu, X., Wang, R. ., Qi, F. ., Wang, M. ., & Al, E. (2021). Chemical constituents from the fruits of *Vitex trifolia* L. (Verbenaceae) and their chemotaxonomic significance. *Biochemical Systematics and Ecology*, 97(104305), 1–5. <https://doi.org/10.1016/j.bse.2021.104305>
- Dong, H., Yang, X., He, J., Cai, S., Xiao, K., & Zhu, L. (2017). Enhanced antioxidant activity, antibacterial activity, and hypoglycemic effect of luteolin by complexation with manganese(ii) and its inhibition kinetics on xanthine oxidase. *Rsc Adv*, 7, 53385–53395. <https://doi.org/10.1039/c7ra11036g>
- Dwivedi, M. K., Shukla, R., Sharma, N. K., Manhas, A., Srivastava, K., Kumar, N., & Singh, P. K. (2021). Evaluation of ethnopharmacologically selected *Vitex negundo* L. for In vitro antimalarial activity and secondary metabolite profiling. *Journal of Ethnopharmacology*, 275(December 2020). <https://doi.org/10.1016/j.jep.2021.114076>
- Efdi, M., Pratama, D., Itam, A., & Okselni, T. (2022). Antioxidant Flavonoid Glycoside from Leaves of Cacao Mistletoe (*Scurrula ferruginea* (Jack) Danser). *Indonesian Journal of Chemistry*, 22(4), 944–952. <https://doi.org/10.22146/ijc.72133>
- Farhoosh, R., Johnny, S., Asnaashari, M., Molaahmadibrahaseeman, N., & Sharif, A. (2016). Structure-antioxidant activity relationships of o-hydroxyl, o-methoxy, and alkyl ester derivatives of *p*-hydroxybenzoic acid. *Food Chemistry*, 194, 128–134. <https://doi.org/10.1016/j.foodchem.2015.08.003>
- Field, L. ., Li, L. ., & Magill, A. . (2015). *Organic Structure from 2D NMR Spectra*. John Wiley & Sons. <https://www.pdfdrive.com/organic-structures-from-2d-nmr-spectra-e184624679.html>
- Field, L. ., Sternhell, S., & Kalman, J. . (2013). *Organic Structure from Spectra, 5th ed* (5th ed.). Wiley & Sons. <https://www.pdfdrive.com/organic-structures-from-spectra-5-ed-e186418058>
- Gershoni-Poranne, R., Rahalkar, A. P., & Stanger, A. (2018). The predictive power of aromaticity: Quantitative correlation between aromaticity and ionization potentials and HOMO-LUMO gaps in oligomers of benzene, pyrrole, furan, and thiophene. *Physical Chemistry Chemical Physics*, 20(21), 14808–14817. <https://doi.org/10.1039/c8cp02162g>
- Gholib. D. (2015). *Tanaman Herbal Anticendawan*. Badan Penelitian dan Pengembangan Pertanian Kementrian Pertanian. <http://www.litbang.pertanian.go.id/download/one/413/file/TANAMAN-HERBAL->

- ANTICENDAWA.pdf
- Günes-Bayir, A., Kiziltan, H. S., Kocyigit, A., Güler, E. M., Karataş, E., & Toprak, A. (2017). Effects of natural phenolic compound carvacrol on the human gastric adenocarcinoma (AGS) cells in vitro. *Anti-Cancer Drugs*, 28(5). <https://doi.org/10.1097/CAD.0000000000000491>
- Haghghi, T. M., & Saharkhz, M. J. (2021). Phytotoxic potential of Vitex pseudo-negundo leaf and flower extracts and analysis of phenolic compounds. In *Biocatalysis and Agricultural Biotechnology* (Vol. 34). <https://doi.org/10.1016/j.bcab.2021.102018>
- Hansen, P. ., & Spanget-Larsen. (2017). NMR and IR Investigations of Strong Intramolecular Hydrogen Bonds. *Molecules*, 22(552).
- Hasanah, S., Wibowo, M. A., & Idiawati, N. (2015). Toksisitas Lygodium microphyllum, Premna serratifolia L. dan Vitex pinnata Asal Desa Kuala Mandor B. *Jkk*, 4(4), 101–105. <https://jurnal.untan.ac.id/index.php/jkkmipa/article/view/11903>
- Huang, Q., Xu, L., Qu, W. ., Ye, Z. ., Huang, W. ., Liu, L. ., Lin, J. ., Li, S., & Ma, H. . (2017). TLC bioautography-guided isolation of antioxidant activity 37 components of extracts from Sophora flavescens Ait. *European Food Research and Technology*, 243, 1127–1136.
- Huang, Y., Ding, G. Y., & Hu, P. (2021). Vitexnegheteroïn M, a new phenolic glycoside from Vitex negundo var. heterophylla. *Natural Product Research*, 35(9), 1518–1524. <https://doi.org/10.1080/14786419.2019.1656628>
- Islam, N. (2015). *Investigation of comparative shielding of Morin against oxidative damage by radicals : A DFT study*. December. <https://doi.org/10.1080/23312009.2015.1078272>
- Itam, A., Wati, M. S., Agustin, V., Sabri, N., Jumanah, R. A., & Efdi, M. (2021). Comparative Study of Phytochemical, Antioxidant, and Cytotoxic Activities and Phenolic Content of Syzygium aqueum (Burm. f. Alston f.) Extracts Growing in West Sumatera Indonesia. *Scientific World Journal*, 2021. <https://doi.org/10.1155/2021/5537597>
- Jacobsen, N.. (2017). *NMR data interpretation explained: understanding 1D and 2D NMR spectra of organic compounds and natural product*. John Wiley & Sons. <https://lccn.loc.gov/2016009193>
- Jesionek, W., Morigz, A. ., Alberti, A., Ott, P. ., Kocsis, B., Horvath, G., & Choma, I. . (2015). TLC-Direct bioautography as a bioassay guided method for investigation of antibacterial compounds in Hypericum perforatum L. *Journal of AOAC International* I, 98(4), 1013–1020. <https://doi.org/10.5740/jaoacint.14-233>
- Kamal, N. ., Clements, C. ., Gray, A. I. ., & Ebel, R. E. (2011). Discovery of bioactive metabolites from the leaves of Vitex pinnata using high-throughput flash chromatography. *Planta Med*, 77. <https://doi.org/10.1055/s-0031-1282552>
- Kamal, N., Mio Asni, N. S., Rozlan, I. N. A., Mohd Azmi, M. A. H., Mazlan, N. W., Mediani, A., Baharum, S. N., Latip, J., Assaw, S., & Edrada-Ebel, R. A. (2022). Traditional Medicinal Uses, Phytochemistry, Biological Properties, and Health Applications of Vitex sp. *Plants*, 11(15), 1–33. <https://doi.org/10.3390/plants11151944>
- Kang, O. H., Choi, J. G., Lee, J. H., & Kwon, D. Y. (2010). Luteolin isolated from the flowers of Lonicera japonica suppresses inflammatory mediator release by blocking NF-κB and MAPKs activation pathways in HMC-1 cells. *Molecules*, 15(1), 385–398. <https://doi.org/10.3390/molecules15010385>
- Klangmanee, K., & Athiphornchai, A. (2019). A rapid phytochemical screening of the effective phenolic antioxidant agent using FeCl₃ reagent. *J. Pharm. Sci. & Res*, 11(10), 3475–3480.
- Kongpichitchoke, T., Hsu, J. L., & Huang, T. C. (2015). Number of hydroxyl groups on the B-ring of flavonoids affects their antioxidant activity and interaction with phorbol ester binding site of PKCδ C1B domain: In vitro and in silico studies. *Journal of*

- Agricultural and Food Chemistry*, 63(18), 4580–4586.
<https://doi.org/10.1021/acs.jafc.5b00312>
- Kristiani, E. B., Kasmiyati, S., & Herawati, M. (2015). Skrining Fitokimia dan Aktivitas Antibakteri in vitro Ekstrak Heksana-PetroleumEter Artemisia cina Berg.ex Poljakov. *AGRIC*, 27(1), 30–37.
- Kusriani, R. H., Rosandhy, S. M., & Elfahmi, E. (2019). Luteolin, a flavonoid from *Syzygium myrtifolium* Walp. *Current Research on Biosciences and Biotechnology*, 1(1), 31–33. <https://doi.org/10.5614/crb.2019.1.1/fkan4064>
- Kwak, J. H., Kim, H. J., Lee, K. H., Kang, S. C., & Zee, O. P. (2009). Antioxidative iridoid glycosides and phenolic compounds from *Veronica peregrina*. *Archives of Pharmacal Research*, 32(2), 207–213. <https://doi.org/10.1007/s12272-009-1137-x>
- Lee, C., Anamoah, C., Semenza, J., Chapman, K., Knoll, A., Brinkman, H., Malone, J., & Sharma, A. (2020). Electronic (donating or withdrawing) effects of ortho-phenolic substituents in dendritic antioxidants. *Tetrahedron Letters*, 61(151607). <https://doi.org/10.1016/j.tetlet.2020.151607>
- Levit, M. (2008). *Spin dynamics basics od nuclear magnetic resonance* (2nd ed.). Wiley & Sons. <https://www.pdfdrive.com/spin-dynamics-basics-of-nuclear-magnetic-resonance-2nd-edition-e165127593>
- Li, D., Li, B., Ma, Y., Sun, X., Lin, Y., & Meng, X. (2017). Journal of Food Composition and Analysis Polyphenols , anthocyanins , and fl avonoids contents and the antioxidant capacity of various cultivars of highbush and half-high blueberries. *Journal of Food Composition and Analysis*, 62, 84–93. <https://doi.org/10.1016/j.jfca.2017.03.006>
- Lin, L. C., Pai, Y. F., & Tsai, T. H. (2015). Isolation of Luteolin and Luteolin-7-O-glucoside from *Dendranthema morifolium* Ramat Tzvel and Their Pharmacokinetics in Rats. *Journal of Agricultural and Food Chemistry*, 63(35), 7700–7706. <https://doi.org/10.1021/jf505848z>
- Lingli, Z., Mengfei, Z., Hao, C., Juan, C., Yan, L., Fangbin, W., Lu, W., Xian, Z., & Jian, L. (2022). The activity comparison of six dietary flavonoids identifies that luteolin inhibits 3T3-L1 adipocyte differentiation through reducing ROS generation. *The Journal of Nutritional Biochemistry*. <https://doi.org/10.1016/j.jnutbio.2022.109208>
- Liu, R., Meng, F., Zhang, L., Liu, A., Qin, H., Lan, X., Li, L., & G, D. (2011). Luteolin isolated from the medicinal plant *Elsholtzia rugulosa* (Labiatae) prevents copper-mediated toxicity in β-amylid precursor protein Swedish mutation overexpressing SH-SY5Y cells. *Molecules*, 2(16), 2084–2096. <https://doi.org/10.3390/molecules16032084>
- Liu, X., Tian, R., Tao, H., Wu, J., Yang, L., Zhang, Y., & Meng, X. (2022). The cardioprotective potentials and the involved mechanisms of phenolic acids in drug-induced cardiotoxicity. *European Journal of Pharmacology*, 936, 175362. <https://doi.org/10.1016/j.ejphar.2022.175362>
- Luo, Y., Shang, P., & Li, D. (2017). Luteolin: A Flavonoid that has multiple cardioprotective effects and its molecular mechanisms. In *Frontiers in Pharmacology* (Vol 8, Issue OCT). <https://doi.org/10.3389/fphar.2017.00692>
- Markham, K. R. (1988). *Cara Mengidentifikasi Flavonoid. Terjemahan Kosasih Padmawinata*. ITB.
- Markham, K. R., & Ternai, B. (1976). 13C NMR of flavonoids-II. Flavonoids other then flavone and flavonol aglycones. *Tetrahedron*, 32(21), 2607–2612. [https://doi.org/10.1016/0040-4020\(76\)88036-2](https://doi.org/10.1016/0040-4020(76)88036-2)
- Marliana, E., & Pasaribu, M. (2006). Aktivitas antioksidan ekstrak etanol daun Vitex pinnata terhadap radikal 2,2-diphenyl-1-picrylhydrazyl. *Jurnal Kimia Mulawarman*, 9(1), 4–6.
- Martemucci, G., Costagliola, C., Mariano, M., Luca, D., Napolitano, P., & Alessandro, A. G. D. (2022). *Free Radical Properties , Source and Targets , Antioxidant*

- Consumption and Health.* 48–78.
- Mastura, Barus, T., Marpaung, L., & Simanjuntak, P. (2018). Isolation and identification of iridoid from water extract of leaves of *vitex pinnata linn*. As antioxidant. *Asian Journal of Chemistry*, 30(4), 814–816. <https://doi.org/10.14233/ajchem.2018.21048>
- Moazzen, A., Öztinen, N., Ak-Sakalli, E., & Koşar, M. (2022). Structure-antiradical activity relationships of 25 natural antioxidant phenolic compounds from different classes. *Heliyon*, 8(9). <https://doi.org/10.1016/j.heliyon.2022.e10467>
- Mojab, F., Kamalinejad, M., Ghaderi, N., & Vahidipour, H. . (2010). Phytochemical Screening of Some Species of Iranian Plants. *Iranian Journal of Pharmaceutical Research*, 2(2), 77–82.
- Nainggolan, M., Ahmad, S., Pertiwi, D., & Nugraha, S. E. (2019). Penuntun Dan Laporan Praktikum Fitokimia. *Universitas Sumatera Utara*, 1–58. https://ffar.usu.ac.id/images/Buku_Penuntun_Laboratorium/Penuntun-Fitokimia-S-1.pdf
- Nazari, Q. A., Kume, T., Takada-Takatori, Y., Izumi, Y., & Akaike, A. (2013). Protective effect of luteolin on an oxidative-stress model induced by microinjection of sodium nitroprusside in mice. *Journal of Pharmacological Sciences*, 122(2), 109–117. <https://doi.org/10.1254/jphs.13019FP>
- Nollet, L. M. L., & Gutierrez-Uribe, J. A. (2018). *Phenolic Compounds in Nature. Phenolic compounds in food: characterization & analysis* (J. A. G.-U. Leo M.L. Nollet (ed.)). Taylor & Francis. <https://doi.org/https://doi.org/10.1201/9781315120157>
- Oroian, M., & Esriche, I. (2015). Antioxidants: Characterization, natural sources, extraction and analysis. *Food Research International*, 74, 10–36. <https://doi.org/10.1016/j.foodres.2015.04.018>
- Orwa. (2009). *Vitex pubescens*. https://apps.worldagroforestry.org/treedb/AFTPDFS/Vitex_pubescens.PDF
- Pandey, A. .. Singh, P., & Tripathi, N.. (2014). Chemistry and Bioactivity of Essensial Oils of Some *Ocimum* Species: An Overview. *Asian Pacific Journal of Tropical Biomedicine*, 4(9), 682–694.
- Phill, M. (2009). Preliminary phytochemical screening of some indian medicinal plants. *Ancient Science of Life*, 29(2), 12–16.
- Praptiwi, P., Ilyas, M., Palupi, K. D., Fathoni, A., Evana, E., Raunsai, M. M., & Agusta, A. (2021). RAPID SCREENING OF ANTIBACTERIAL AND ANTIOXIDANT METABOLITES FROM ENDOPHYTIC FUNGI ISOLATED FROM *Papuacedrus papuana* BY TLC-BIOAUTOGRAPHY. *Jurnal Kimia Dan Kemasan*, 43(2), 110. <https://doi.org/10.24817/jkk.v43i2.6980>
- Pretsch, E., Bhulmann, P., & Badertscher, M. (2020). *UV/Vis spectroscopy* (5th ed.). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-662-62439-5>
- Ramesh, S., Rajasekar, K., & VenkataRaju, R. . (2013). Preliminary phytochemical studies on leaves of Vitex species (Verbenaceae), used by the local Adivasi communities of Andhra Pradesh. *World J Pharm Pharm Sci*, 2, 6143–6150. https://www.wjpps.com/Wjpps_controller/abstract_id/638
- Rinaldi F. F. .. Ibrahim, A. .. Fadraersada, J. .., & Rijai, L. (2016). Identifikasi metabolit sekunder dan pengujian toksisitas ekstrak methanol kulit kayu laban (*Vitex pinnata L.*) dengan metode brine shrimp lethality test (BSLT). *Prosidingg Seminar Nasional Kefarmasan Ke-4*, 133–139. <http://prosiding.farmasi.unmul.ac.id/index.php/mpc/article/view/172/172>
- Rudrapaul, P., Sarma, I. S., Das, N., De, U. C., Bhattacharjee, S., & Dinda, B. (2014). New flavonol methyl ether from the leaves of *Vitex peduncularis* exhibits potential inhibitory activity against *Leishmania donovani* through activation of iNOS expression. *European Journal of Medicinal Chemistry*, 87, 328–335. <https://doi.org/10.1016/j.ejmec.2014.09.076>
- Rufi, T., Aditi, P., Pankaj, J., Jayant, S., Gauresh, S., & Sadhana, S. (2016). Assessment of

- luteolin isolated from *Eclipta alba* leaves in animal models of epilepsy. *Pharmaceutical Biology*, 55(1), 264–268. <http://dx.doi.org/10.1080/13880209.2016.1260597>
- Sahare, K. (2021). Antifilarial Screening of *Vitex negundo* L. Leaves Compound. *JOURNAL OF SCIENTIFIC RESEARCH*, 65(6). <https://doi.org/10.37398/jsr.2021.650622>
- Sari, A., Linda, R., & Lovadi, I. (2015). Pemanfaatan Tumbuhan Obat Pada Masyarakat Suku Dayak Jangkang Tanjung Di Desa Ribau Kecamatan Kapuas Kabupaten Sanggau. *Protobiont*, 4(2), 1–8.
- Sastrohamidjojo. (1991). *Spektroskopi*. Liberty.
- Shekhar, T. C., & Anju, G. (2014). Antioxidant activity by DPPH Radical Scavenging Method of Agretum conyzoides Linn. Leaves. *American Journal of Ethnomedicine*, 1(4), 244–249.
- Silverstein, R., Webster, F., Kiemle, D., & Bryce, D. . (2015). *Spectrometric identification of organic compounds* (8th ed.). Wiley & Sons.
- Singh, H., & Singh, N. (2022). Identification of Antioxidant and Antidiabetic Compounds in *Hedychium spicatum* using TLC Bioautography Coupled with Mass Spectrometry and their in silico Molecular Docking Studies. *Indian Journal of Pharmaceutical Education and Research*, 56(3), 830–837. <https://doi.org/10.5530/ijper.56.3.135>
- Sukweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M., Danduru, A., & Avanti, C. (2016). Antioxidant capacity screening of seven Indonesian herbal extract. *Biodiversitas*, 25(5), 2062–2067. <https://doi.org/10.13057/biodiv/d210532>
- Syarifah, A., Retnowati, R., & Soebiantoro. (2019). Characterization of secondary metabolites profile of flavonoid from salam leaves (*Eugenia polyantha*) using TLC and UV spectrophotometry. *Pharm Sci Res*, 6(3), 155–163. <https://doi.org/10.7454/psr.v6i3.4219>
- Ternai, B., & Markham, K. R. (1976). Carbon-13 NMR studies of flavonoids-I. Flavones and flavonols. *Tetrahedron*, 32(5), 565–569. [https://doi.org/10.1016/S0040-4020\(01\)93772-X](https://doi.org/10.1016/S0040-4020(01)93772-X)
- Tewari, M., Mahawer, S. K., Kumar, R., & Prakash, O. (2022). A comparative study of selected vitex species for phenolics estimation along with their antioxidant and herbicidal activities. *Journal of the Indian Chemical Society*, 99(11), 100723. <https://doi.org/10.1016/j.jics.2022.100723>
- Thenmozi, S., & Subasini, U. (2016). Morpho-anatomical and physicochemical evaluation of *Vitex pinnata* Linn leaves. *Ejbps*, 3(4), 133–139. <http://prosiding.farmasi.unmul.ac.id/index.php/mpc/article/view/172/172>
- Thompson, J. M. (2018). *Some fundamentals of infrared spectroscopy. Infrared spectroscopy*. Pan Stanford Publishing. <https://doi.org/10.1201/9781351206037-1>
- Tiana, C., Liua, X., Changa, Y., Wanga, R., Lva, T., Cuia, C., & Liua, M. (2021). Investigation of the anti-inflammatory and antioxidant activities of luteolin, kaempferol, apigenin and quercetin. *South African Journal of Botany*, 137, 257–264. <https://doi.org/10.1016/j.sajb.2020.10.022>
- Tirado-Kulieva, V. A., Hernández-Martínez, E., & Choque-Rivera, T. J. (2022). Phenolic compounds versus SARS-CoV-2: An update on the main findings against COVID-19. *Helijon*, 8(9). <https://doi.org/10.1016/j.helijon.2022.e10702>
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines*, 5(3). <https://doi.org/10.3390/medicines5030093>
- Van Die, M., Burger, H., Teede, H. J., & Bone, K. . (2013). Vitex agnuscastus extracts for female reproductive disorders: a systematic review of clinical trials. *Planta Med*, 79, 562–575. <https://doi.org/10.1007/s00044-017-1937-3>
- Velika, B., & Kron, I. (2012). Antioxidant properties of benzoic acid derivatives against

- superoxide radical. *Free Radicals and Antioxidants*, 2(2), 62–67. <https://doi.org/10.5530/ax.2012.4.11>
- Vo, G. Van, Nguyen, T. H. T., Nguyen, T. P., Do, T. H. T., Tran, N. M. A., Nguyen, H. T., & Nguyen, T. T. (2022). In silico and in vitro studies on the anti-cancer activity of artemetin, vitexicarpin and penduletin compounds from Vitex negundo. *Saudi Pharmaceutical Journal*, 30(9), 1301–1314. <https://doi.org/10.1016/j.jsps.2022.06.018>
- Vonia, S., Hartati, R., & Insanu, M. (2022). In Vitro Alpha-Glucosidase Inhibitory Activity and the Isolation of Luteolin from the Flower of Gymnanthemum amygdalinum (Delile) Sch. Bip ex Walp. *Molecules*, 27(7). <https://doi.org/10.3390/molecules27072132>
- Wade Jr, L. G., & Simek, J. . (2017). *Organic Chemistry* (9th ed.). Pearson. www.pearsonglobaleditions.com
- Wang, M., Zhang, Y., Wang, R., Wang, Z., Yang, B., & Kuang, H. (2021). An Evolving Technology That Integrates Classical Methods Chromatography Bioautography. *Multidisciplinary Digital Publishing Institute (MDPI)*, 26, 1–21.
- Yayli, N., Yildirim, N., Usta, A., Özkurt, S., & Akgün, V. (2003). Chemical Constituents of Campanula lactiflora. *Turkish Journal of Chemistry*, 27(6), 749–755.
- Yurkanis, B. P. (2015). *Organic Chemistry* (8th ed.). Pearson Education. <https://www.pdfdrive.com/organic-chemistry-e182031466.html>
- Zang, Y., Cheng, Z., & Wu, T. (2020). TLC bioautografi on screening of bioactive natural products: An update. *Current Analytical Chemistry*, 16(5), 545–556. <https://doi.org/10.2174/1573411015666181224145346>
- Zeb, A. (2020). Concept, mechanism, and applications of phenolic antioxidants in foods. *Journal of Food Biochemistry*, 44(9), 1–22. <https://doi.org/10.1111/jfbc.13394>
- Zhang, Y. ., Gan, F. ., Shelar, S. ., Ng, K. ., & Chew, E. H. (2013). Antioxidant and Nrf2 inducing activities of luteolin, a flavonoid constituent in Ixeris sonchifolia Hance, provide neuroprotective effects against ischemia-induced cellular injury. *J. Food and Chemical Toxicology*, 59, 272–280. <http://dx.doi.org/10.1016/j.fct.2013.05.058>
- Zheng, Y. ., Deng, G., Guo, R., Chen, D. ., & Fu, Z. . (2019). DFT Studies on the antioxidant activity of naringenin and its derivatives: effects of the substituents at C3. *Int J Mol Sci*, 20(6). <https://doi.org/10.3390/ijms20061450>
- Zohra, S. ., Meriem, B., Samira, S., & Muneer, A. (2012). Phytochemical Screening and Identification of Some Compounds from Mallow. *Scholars Research Library*, 2(4), 512–516.